

# Maria Cristina Esposito

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11964156/publications.pdf>

Version: 2024-02-01

23  
papers

437  
citations

623734

14  
h-index

713466

21  
g-index

23  
all docs

23  
docs citations

23  
times ranked

312  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Historical Ecology of Amazonian Lizards: Implications for Community Ecology. <i>Oikos</i> , 1999, 87, 286.   | 2.7 | 73        |
| 2  | Life above ground: ecology of <i>Anolis fuscoauratus</i> in the Amazon rain forest, and comparisons with its nearest relatives. <i>Canadian Journal of Zoology</i> , 2003, 81, 142-156.  | 1.0 | 43        |
| 3  | SMALL IN A BIG WORLD: ECOLOGY OF LEAF-LITTER GECKOS IN NEW WORLD TROPICAL FORESTS. <i>Herpetological Monographs</i> , 2005, 19, 137.   | 0.8 | 36        |
| 4  | Life on the Leaf Litter: The Ecology of <i>Anolis nitens tandai</i> in the Brazilian Amazon. <i>Copeia</i> , 2001, 2001, 401-412.  | 1.3 | 34        |
| 5  | Life in Shade: The Ecology of <i>Anolis trachyderma</i> (Squamata: Polychrotidae) in Amazonian Ecuador and Brazil, with Comparisons to Ecologically Similar Anoles. <i>Copeia</i> , 2002, 2002, 275-286.   | 1.3 | 33        |
| 6  | Geographical ecology of the gymnophthalmid lizard <i>Neusticurus ecleopus</i> in the Amazon rain forest. <i>Canadian Journal of Zoology</i> , 1998, 76, 1671-1680.   | 1.0 | 27        |
| 7  | Distribution and Abundance of Necrophagous Flies (Diptera: Calliphoridae and Sarcophagidae) in Maranhao, Northeastern Brazil. <i>Journal of Insect Science</i> , 2015, 15, 70-70.  | 1.5 | 22        |
| 8  | Use of time, space, and food by the gymnophthalmid lizard <i>Prionodactylus eigenmanni</i> from the western Amazon of Brazil. <i>Canadian Journal of Zoology</i> , 1998, 76, 1681-1688.  | 1.0 | 19        |
| 9  | Composiç~o, abund~ncia e riqueza de Calliphoridae (Diptera) das matas e clareiras com diferentes coberturas vegetais da Base de Extraç~o Petrol~fera, bacia do Rio Urucu, Coari, Amazonas. <i>Revista Brasileira De Entomologia</i> , 2010, 54, 270-276. | 0.4 | 19        |
| 10 | The Potential Uses of Sarcosaprophagous Flesh Flies and Blowflies for the Evaluation of the Regeneration and Conservation of Forest Clearings: A Case Study in the Amazon Forest. <i>Journal of Insect Science</i> , 2014, 14, .                         | 1.5 | 18        |
| 11 | Life at the interface: ecology of <i>Prionodactylus oshaughnessyi</i> in the western Amazon and comparisons with <i>P. argulus</i> and <i>P. eigenmanni</i> . <i>Canadian Journal of Zoology</i> , 2003, 81, 302-312.                                    | 1.0 | 17        |
| 12 | Evaluating the Effects of Different Vegetation Types on Necrophagous Fly Communities (Diptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50  | 2.5 | 17        |
| 13 | Are the adult odonate species found in a protected area different from those present in the surrounding zone? A case study from eastern Amazonia. <i>Journal of Insect Conservation</i> , 2016, 20, 643-652.   | 1.4 | 16        |
| 14 | Diversidade de Calliphoridae (Insecta: Diptera) na base de extraç~o petrol~fera da Bacia do Rio Urucu, na Amaz~nia brasileira. <i>Acta Amazonica</i> , 2010, 40, 579-583.  | 0.7 | 15        |
| 15 | Ecology of <i>Alopoglossus angulatus</i> and <i>A. atriventris</i> (Squamata, Gymnophthalmidae) in western Amazonia. <i>Phyllomedusa</i> , 2007, 6, 11.  | 0.2 | 12        |
| 16 | Diversity of Calliphoridae and Sarcophagidae (Diptera, Oestroidea) in continuous forest and gaps at different stages of regeneration in the Urucu oilfield in western Brazilian Amazonia. <i>Revista Brasileira De Entomologia</i> , 2011, 55, 578-582.  | 0.4 | 12        |
| 17 | The effects of cattle ranching on the communities of necrophagous flies (Diptera: Calliphoridae,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50<br>705-717.  | 1.4 | 10        |
| 18 | Diversity of Necrophagous Flies (Diptera: Calliphoridae, Mesembrinellidae, and Sarcophagidae) in Anthropogenic and Preserved Environments of Five Different Phytophysognomies in Northeastern Brazil. <i>Neotropical Entomology</i> , 2021, 50, 537-550. | 1.2 | 4         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Necrophagous flies (Diptera: Calliphoridae and Sarcophagidae) as indicators of the conservation or anthropization of environments in eastern Amazonia, Brazil. <i>Journal of Insect Conservation</i> , 2021, 25, 719-732. | 1.4 | 4         |
| 20 | A new species of <i>Japanagromyza</i> Sasakawa (Diptera: Agromyzidae) from the Brazilian Amazon with notes on biology. <i>Zootaxa</i> , 2015, 3919, 493-500.  | 0.5 | 2         |
| 21 | Agromyzidae (Diptera: Schizophora) in the state of Pará: new species and new records in Brazil. <i>Zootaxa</i> , 2019, 4624, 151-182.   | 0.5 | 2         |
| 22 | <strong>Description of a nomen nudum species of <i>Liriomyza</i> Mik and the first record of <i>Liriomyza blechi</i> Spencer from Brazil (Insecta: Diptera: Agromyzidae)</strong> . <i>Zootaxa</i> , 2016, 4088, 445.     | 0.5 | 1         |
| 23 | New species and new records of <i>Calycomyza</i> Hendel (Diptera: Agromyzidae) in Brazil. <i>Zootaxa</i> , 2017, 4338, 574.   | 0.5 | 1         |