

Gary L Pierce

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1196532/gary-l-pierce-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

131
papers

3,585
citations

31
h-index

59
g-index

146
ext. papers

4,172
ext. citations

3.8
avg, IF

5.25
L-index

#	Paper	IF	Citations
131	DNase 1 Protects From Increased Thrombin Generation and Venous Thrombosis During Aging: Cross-Sectional Study in Mice and Humans.. <i>Journal of the American Heart Association</i> , 2022 , e021188	6	0
130	Cross-Sectional and Longitudinal Associations of Lifestyle Behaviors with Pericardial Adipose Tissue: The MESA Study.. <i>Medicine and Science in Sports and Exercise</i> , 2022 , 54, 984-993	1.2	1
129	Effect of exercise training and weight loss on arterial stiffness and pulsatile hemodynamics 2022 , 829-849		
128	Cigarette Smoking and Longitudinal Associations With Blood Pressure: The CARDIA Study. <i>Journal of the American Heart Association</i> , 2021 , 10, e019566	6	5
127	Maternal microvascular dysfunction during preeclamptic pregnancy. <i>Clinical Science</i> , 2021 , 135, 1083-1101	15	3
126	Team Science: American Heart Association's Hypertension Strategically Focused Research Network Experience. <i>Hypertension</i> , 2021 , 77, 1857-1866	8.5	
125	Cognitive performance is lower among individuals with overlap syndrome than in individuals with COPD or obstructive sleep apnea alone: association with carotid artery stiffness. <i>Journal of Applied Physiology</i> , 2021 , 131, 131-141	3.7	2
124	Twenty-Four-Hour Blood Pressure Variability Is Associated With Lower Cognitive Performance in Young Women With a Recent History of Preeclampsia. <i>American Journal of Hypertension</i> , 2021 , 34, 1291-1299	1	1
123	Dissociation between reduced pain and arterial blood pressure following epidural spinal cord stimulation in patients with chronic pain: A retrospective study. <i>Clinical Autonomic Research</i> , 2021 , 31, 303-316	4.3	
122	CORP: Standardizing methodology for assessing spontaneous baroreflex control of muscle sympathetic nerve activity in humans. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2021 , 320, H762-H771	5.2	6
121	Vascular effects of disrupting endothelial mTORC1 signaling in obesity. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2021 , 321, R228-R237	3.2	0
120	One-day acceptance and commitment therapy (ACT) workshop improves anxiety but not vascular function or inflammation in adults with moderate to high anxiety levels in a randomized controlled trial. <i>General Hospital Psychiatry</i> , 2021 , 73, 64-70	5.6	0
119	Aortic stiffness is associated with changes in retinal arteriole flow pulsatility mediated by local vasodilation in healthy young/middle-age adults. <i>Journal of Applied Physiology</i> , 2020 , 129, 84-93	3.7	2
118	Carotid Artery Stiffness is Associated With Cognitive Performance in Former Smokers With and Without Chronic Obstructive Pulmonary Disease. <i>Journal of the American Heart Association</i> , 2020 , 9, e014862	6	7
117	Microvascular Endothelial Glycocalyx Function in Human Pregnancy and Postpartum in Women with a History of Preeclampsia. <i>FASEB Journal</i> , 2020 , 34, 1-1	0.9	0
116	Reduced Postpartum Cognitive Function in Young Women with a History of Preeclampsia: Association with Blood Pressure Variability. <i>FASEB Journal</i> , 2020 , 34, 1-1	0.9	
115	Cardiorespiratory fitness and hippocampal volume predict faster episodic associative learning in older adults. <i>Hippocampus</i> , 2020 , 30, 143-155	3.5	4

114	Acute Exercise Effects Predict Training Change in Cognition and Connectivity. <i>Medicine and Science in Sports and Exercise</i> , 2020 , 52, 131-140	1.2	23
113	Reduced mRNA Expression of RGS2 (Regulator of G Protein Signaling-2) in the Placenta Is Associated With Human Preeclampsia and Sufficient to Cause Features of the Disorder in Mice. <i>Hypertension</i> , 2020 , 75, 569-579	8.5	11
112	Beat-to-Beat Blood Pressure Variability in the First Trimester Is Associated With the Development of Preeclampsia in a Prospective Cohort: Relation With Aortic Stiffness. <i>Hypertension</i> , 2020 , 76, 1800-1807	8.5	5
111	Increased aortic stiffness and elevated blood pressure in response to exercise in adult survivors of prematurity. <i>Physiological Reports</i> , 2020 , 8, e14462	2.6	4
110	Endothelial PPAR α (Peroxisome Proliferator-Activated Receptor- α) Protects From Angiotensin II-Induced Endothelial Dysfunction in Adult Offspring Born From Pregnancies Complicated by Hypertension. <i>Hypertension</i> , 2019 , 74, 173-183	8.5	12
109	Elevated Muscle Sympathetic Nerve Activity Contributes to Central Artery Stiffness in Young and Middle-Age/Older Adults. <i>Hypertension</i> , 2019 , 73, 1025-1035	8.5	38
108	Sex and age differences in the association between sympathetic outflow and central elastic artery wall thickness in humans. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2019 , 317, H552-H560	5.2	7
107	Response by Holwerda et al to Letter Regarding Article "Elevated Muscle Sympathetic Nerve Activity Contributes to Central Artery Stiffness in Young and Middle-Age/Older Adults". <i>Hypertension</i> , 2019 , 74, e33	8.5	1
106	Inflammatory and vascular correlates of mood change over 8 weeks. <i>Heart and Mind (Mumbai, India)</i> , 2019 , 3, 47-54	0.6	0
105	Reduced Placental Regulator of G-Protein Signaling-2 (RGS2) and Preeclampsia. <i>FASEB Journal</i> , 2019 , 33, 865.5	0.9	
104	Reduced renal responsiveness to vasopressin during preeclampsia. <i>FASEB Journal</i> , 2019 , 33, 865.4	0.9	
103	Individuals with Overlap Syndrome have Lower Cognitive Performance than Individuals with COPD or Obstructive Sleep Apnea Alone: Role of Carotid Artery Stiffness. <i>FASEB Journal</i> , 2019 , 33, 696.21	0.9	
102	Elevated Aortic Stiffness is Associated with Lower Brain pH and Executive Function Performance in Middle-aged and Older Adults. <i>FASEB Journal</i> , 2019 , 33, 696.15	0.9	
101	Elevations in Endothelin-1 Predate and are Strongly Diagnostic for the Development of Human Preeclampsia. <i>FASEB Journal</i> , 2019 , 33, 865.2	0.9	
100	Chronic Aerobic Exercise Training Reduces Cerebrovascular Reactivity to a Breath Hold Stimulus in Middle-aged and Older Adults. <i>FASEB Journal</i> , 2019 , 33, lb431	0.9	
99	Blood Pressure Variability during Early-Mid Pregnancy in Women Who Develop Preeclampsia: Association with Aortic Stiffness but not Baroreflex Sensitivity. <i>FASEB Journal</i> , 2019 , 33, 856.2	0.9	
98	Increased vasopressin secretion during preeclampsia despite normal plasma osmolality. <i>FASEB Journal</i> , 2019 , 33, 865.3	0.9	
97	Epidural spinal cord stimulation for neuropathic pain reduces blood pressure in patients with hypertension independent of pain relief: A retrospective study. <i>FASEB Journal</i> , 2019 , 33, 533.14	0.9	

96	Elevated muscle sympathetic nerve activity is independently associated with common carotid artery wall thickness in humans. <i>FASEB Journal</i> , 2019 , 33, 562.7	0.9	
95	Education moderates the effects of large central artery aging on cognitive performance in middle-aged and older adults. <i>Physiological Reports</i> , 2019 , 7, e14291	2.6	2
94	Femoral vascular conductance and peroneal muscle sympathetic nerve activity responses to acute epidural spinal cord stimulation in humans. <i>Experimental Physiology</i> , 2018 , 103, 905-915	2.4	2
93	Elevated vasopressin in pregnant mice induces T-helper subset alterations consistent with human preeclampsia. <i>Clinical Science</i> , 2018 , 132, 419-436	6.5	25
92	Bipolar disorder and related mood states are not associated with endothelial function of small arteries in adults without heart disease. <i>General Hospital Psychiatry</i> , 2018 , 51, 36-40	5.6	7
91	Hemoglobin A1c and C-reactive protein are independently associated with blunted nocturnal blood pressure dipping in obesity-related prediabetes. <i>Hypertension Research</i> , 2018 , 41, 33-38	4.7	5
90	Angiotensin AT receptors expressed in vasopressin-producing cells of the supraoptic nucleus contribute to osmotic control of vasopressin. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2018 , 314, R770-R780	3.2	20
89	Relative burst amplitude of muscle sympathetic nerve activity is an indicator of altered sympathetic outflow in chronic anxiety. <i>Journal of Neurophysiology</i> , 2018 , 120, 11-22	3.2	20
88	Higher Aortic Stiffness Is Associated With Lower Global Cerebrovascular Reserve Among Older Humans. <i>Hypertension</i> , 2018 , 72, 476-482	8.5	18
87	Long-Acting Beta-Agonist Use is Associated with Lower Carotid Artery Stiffness and Greater Carotid Artery Compliance in Individuals with Chronic Obstructive Pulmonary Disease. <i>FASEB Journal</i> , 2018 , 32, 843.14	0.9	
86	Sympathetic Baroreflex Sensitivity During Mental Stress in Humans With Chronic Anxiety. <i>FASEB Journal</i> , 2018 , 32, 595.6	0.9	1
85	Arterial stiffness but not physical activity levels and vascular endothelial function are altered in early/mid pregnancy in women who develop preeclampsia. <i>FASEB Journal</i> , 2018 , 32, 715.13	0.9	1
84	Reduced Placental Expression of Regulator of G-Protein Signaling-2 (RGS2) and Preeclampsia. <i>FASEB Journal</i> , 2018 , 32, 911.6	0.9	
83	Spontaneous Baroreflex Control of Muscle Sympathetic Nerve Activity in Humans: Standardizing Analysis Procedures. <i>FASEB Journal</i> , 2018 , 32, 595.8	0.9	1
82	Elevated Aortic Stiffness is Associated with Weaker Executive Function in Individuals with Lower Cognitive Reserve via Reductions in Frontal Cerebrovascular Reserve. <i>FASEB Journal</i> , 2018 , 32, 711.3	0.9	
81	Arginine Vasopressin Infusion In C57BL/6J Mice Induces Changes In The Placenta Transcriptome That Parallel Changes Observed In Placenta From Human Preeclampsia. <i>FASEB Journal</i> , 2018 , 32, 911.4	0.9	
80	Epidural Spinal Cord Stimulation Acutely Reduces Efferent Postganglionic Sympathetic Nerve Activity in Humans. <i>FASEB Journal</i> , 2018 , 32, 596.6	0.9	1
79	Arginine vasopressin infusion is sufficient to model clinical features of preeclampsia in mice. <i>JCI Insight</i> , 2018 , 3,	9.9	33

78	CT-Measured Lung Air-Trapping is Associated with Higher Carotid Artery Stiffness in Individuals with Chronic Obstructive Pulmonary Disease. <i>Journal of Applied Physiology</i> , 2018 ,	3.7	2
77	Initiating life-long aerobic exercise 4-5 days per week before or near age 50 years: is this the Holy-grail of preventing age-related central artery stiffness?. <i>Journal of Physiology</i> , 2018 , 596, 2635-2638	3.9	1
76	Habitual aerobic exercise does not protect against micro- or macrovascular endothelial dysfunction in healthy estrogen-deficient postmenopausal women. <i>Journal of Applied Physiology</i> , 2017 , 122, 11-19	3.7	32
75	Carotid Stiffness index is associated with slower processing speed but not working memory or white matter integrity in healthy middle-aged/older adults. <i>Journal of Applied Physiology</i> , 2017 , 122, 868-876	3.7	16
74	Anxiety independently contributes to elevated inflammation in humans with obesity. <i>Obesity</i> , 2017 , 25, 286-289	8	20
73	Endothelial cell senescence with aging in healthy humans: prevention by habitual exercise and relation to vascular endothelial function. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2017 , 313, H890-H895	5.2	91
72	Aortic Stiffness in Aging and Hypertension: Prevention and Treatment with Habitual Aerobic Exercise. <i>Current Hypertension Reports</i> , 2017 , 19, 90	4.7	16
71	The Acute Effects of Aerobic Exercise on the Functional Connectivity of Human Brain Networks. <i>Brain Plasticity</i> , 2017 , 2, 171-190	3.5	62
70	Mechanisms and Subclinical Consequences of Aortic Stiffness. <i>Hypertension</i> , 2017 , 70, 848-853	8.5	17
69	Muscle contraction induced arterial shear stress increases endothelial nitric oxide synthase phosphorylation in humans. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2017 , 313, H854-H859	5.2	19
68	High trans but not saturated fat beverage causes an acute reduction in postprandial vascular endothelial function but not arterial stiffness in humans. <i>Vascular Medicine</i> , 2016 , 21, 429-436	3.3	10
67	Abnormal Central Pulsatile Hemodynamics in Adolescents With Obesity: Higher Aortic Forward Pressure Wave Amplitude Is Independently Associated With Greater Left Ventricular Mass. <i>Hypertension</i> , 2016 , 68, 1200-1207	8.5	12
66	Higher augmentation index is associated with tension-type headache and migraine in middle-aged/older humans with obesity. <i>Obesity</i> , 2016 , 24, 865-70	8	6
65	Introduction to the American Heart Association® Hypertension Strategically Focused Research Network. <i>Hypertension</i> , 2016 , 67, 674-80	8.5	7
64	Myeloperoxidase is increased in human cerebral aneurysms and increases formation and rupture of cerebral aneurysms in mice. <i>Stroke</i> , 2015 , 46, 1651-6	6.7	41
63	Vasopressin: the missing link for preeclampsia?. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2015 , 309, R1062-4	3.2	21
62	The impact of age on vascular smooth muscle function in humans. <i>Journal of Hypertension</i> , 2015 , 33, 445-53; discussion 453	1.9	20
61	Novel role for endogenous hepatocyte growth factor in the pathogenesis of intracranial aneurysms. <i>Hypertension</i> , 2015 , 65, 587-93	8.5	21

60	Differential Effects of Acute Exercise on Distinct Aspects of Executive Function. <i>Medicine and Science in Sports and Exercise</i> , 2015 , 47, 1460-9	1.2	48
59	Prevention of age-related endothelial dysfunction by habitual aerobic exercise in healthy humans: possible role of nuclear factor B. <i>Clinical Science</i> , 2014 , 127, 645-54	6.5	49
58	Comment on Goldfine et al. Targeting inflammation using salsalate in patients with type 2 diabetes: effects on flow-mediated dilation (TINSAL-FMD). <i>Diabetes Care</i> 2013;36:4132-4139. <i>Diabetes Care</i> , 2014 , 37, e110-1	14.6	2
57	Epithelial sodium channel inhibition by amiloride on blood pressure and cardiovascular disease risk in young prehypertensives. <i>Journal of Clinical Hypertension</i> , 2014 , 16, 47-53	2.3	9
56	Localized increase of chemokines in the lumen of human cerebral aneurysms. <i>Stroke</i> , 2013 , 44, 2594-7	6.7	43
55	Regular aerobic exercise protects against impaired fasting plasma glucose-associated vascular endothelial dysfunction with aging. <i>Clinical Science</i> , 2013 , 124, 325-31	6.5	40
54	Aortic pulse wave velocity and reflecting distance estimation from peripheral waveforms in humans: detection of age- and exercise training-related differences. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2013 , 305, H135-42	5.2	12
53	Arterial stiffness and pulse-pressure amplification in overweight/obese African-American adolescents: relation with higher systolic and pulse pressure. <i>American Journal of Hypertension</i> , 2013 , 26, 20-6	2.3	41
52	Higher volume of physical activity in the past year is associated with enhanced left ventricular diastolic function and exercise capacity and lower pressure wave reflection in healthy adolescents: no relation with time in sedentary activities. <i>FASEB Journal</i> , 2013 , 27, 712.15	0.9	
51	Translational evidence that impaired autophagy contributes to arterial ageing. <i>Journal of Physiology</i> , 2012 , 590, 3305-16	3.9	158
50	Tetrahydrobiopterin supplementation enhances carotid artery compliance in healthy older men: a pilot study. <i>American Journal of Hypertension</i> , 2012 , 25, 1050-4	2.3	20
49	Endothelium-dependent dilation is inversely related to hematocrit among healthy young and older adults. <i>FASEB Journal</i> , 2012 , 26, 865.13	0.9	
48	Impaired fasting blood glucose-related exacerbation of age-associated vascular endothelial dysfunction: protective effect of regular aerobic exercise. <i>FASEB Journal</i> , 2012 , 26, 865.2	0.9	
47	Sex-specific effects of habitual aerobic exercise on brachial artery flow-mediated dilation in middle-aged and older adults. <i>Clinical Science</i> , 2011 , 120, 13-23	6.5	118
46	Habitually exercising older men do not demonstrate age-associated vascular endothelial oxidative stress. <i>Aging Cell</i> , 2011 , 10, 1032-7	9.9	82
45	25-Hydroxyvitamin D deficiency is associated with inflammation-linked vascular endothelial dysfunction in middle-aged and older adults. <i>Hypertension</i> , 2011 , 57, 63-9	8.5	244
44	Increased proinflammatory and oxidant gene expression in circulating mononuclear cells in older adults: amelioration by habitual exercise. <i>Physiological Genomics</i> , 2011 , 43, 895-902	3.6	42
43	Vascular endothelial function is related to white blood cell count and myeloperoxidase among healthy middle-aged and older adults. <i>Hypertension</i> , 2010 , 55, 363-9	8.5	36

42	Pulse wave analysis of the aortic pressure waveform in severe left ventricular systolic dysfunction. <i>Circulation: Heart Failure</i> , 2010 , 3, 149-56	7.6	151
41	A 16-week randomized clinical trial of 2000 international units daily vitamin D3 supplementation in black youth: 25-hydroxyvitamin D, adiposity, and arterial stiffness. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 4584-91	5.6	199
40	Leukocyte telomere length is preserved with aging in endurance exercise-trained adults and related to maximal aerobic capacity. <i>Mechanisms of Ageing and Development</i> , 2010 , 131, 165-7	5.6	115
39	25-Hydroxyvitamin D deficiency is associated with vascular endothelial dysfunction in middle-aged and older adults. <i>FASEB Journal</i> , 2010 , 24, 1039.7	0.9	
38	Modulation of vascular endothelial function by low-density lipoprotein cholesterol with aging: influence of habitual exercise. <i>American Journal of Hypertension</i> , 2009 , 22, 250-6	2.3	38
37	Low dietary sodium intake is associated with enhanced vascular endothelial function in middle-aged and older adults with elevated systolic blood pressure. <i>Therapeutic Advances in Cardiovascular Disease</i> , 2009 , 3, 347-56	3.4	40
36	Nuclear factor- κ B activation contributes to vascular endothelial dysfunction via oxidative stress in overweight/obese middle-aged and older humans. <i>Circulation</i> , 2009 , 119, 1284-92	16.7	181
35	Habitual exercise and vascular ageing. <i>Journal of Physiology</i> , 2009 , 587, 5541-9	3.9	117
34	Reduction in mononuclear cell mRNA expression of pro-inflammatory and pro-oxidant genes with habitual aerobic exercise in older humans. <i>FASEB Journal</i> , 2009 , 23, 776.8	0.9	
33	Sedentary Aging is Associated with a Senescent Endothelial Cell Phenotype that is Ameliorated by Habitual Aerobic Exercise. <i>FASEB Journal</i> , 2009 , 23, 965.15	0.9	
32	Extracellular Superoxide Dismutase Activity is Reduced with Aging in Humans: Relation to Impaired Vascular Endothelial Function and Exercise Capacity. <i>FASEB Journal</i> , 2009 , 23, 777.8	0.9	
31	Absence of Inhibitor of Nuclear Factor κ B Kinase-Mediated Suppression of Vascular Endothelial Function in Middle-Aged/Older Adults Who Exercise. <i>FASEB Journal</i> , 2009 , 23, LB61	0.9	
30	Low dietary sodium intake is associated with enhanced vascular endothelial function in older adults with elevated baseline systolic blood pressure. <i>FASEB Journal</i> , 2009 , 23, 1017.5	0.9	
29	Reduced vascular tetrahydrobiopterin (BH4) and endothelial function with ageing: is it time for a chronic BH4 supplementation trial in middle-aged and older adults?. <i>Journal of Physiology</i> , 2008 , 586, 2673-4	3.9	18
28	Exercise training attenuates progressive decline in brachial artery reactivity in heart transplant recipients. <i>Journal of Heart and Lung Transplantation</i> , 2008 , 27, 52-9	5.8	38
27	Weight loss alone improves conduit and resistance artery endothelial function in young and older overweight/obese adults. <i>Hypertension</i> , 2008 , 52, 72-9	8.5	128
26	Cytochrome P-450 2C9 signaling does not contribute to age-associated vascular endothelial dysfunction in humans. <i>Journal of Applied Physiology</i> , 2008 , 105, 1359-63	3.7	22
25	Changes in central artery blood pressure and wave reflection during a cold pressor test in young adults. <i>European Journal of Applied Physiology</i> , 2008 , 103, 539-43	3.4	27

24	Nuclear factor κ B-associated inflammation mediates impaired vascular endothelial function in non-diabetic middle-aged and older overweight/obese men. <i>FASEB Journal</i> , 2008 , 22, 743.2	0.9	
23	Vascular endothelial function is selectively, positively related to leg/hip fatness in healthy postmenopausal women. <i>FASEB Journal</i> , 2008 , 22, 1211.7	0.9	
22	Increased Cytochrome P450 2C9 signaling does not contribute to vascular endothelial dysfunction in healthy older adults. <i>FASEB Journal</i> , 2008 , 22, 967.1	0.9	
21	Prediabetes in the absence of the metabolic syndrome is associated with impaired brachial artery flow-mediated dilation. <i>FASEB Journal</i> , 2008 , 22, 1211.8	0.9	
20	Tetrahydrobiopterin-mediated nitric oxide bioavailability contributes to the variability in vascular endothelial function in healthy middle-aged/older sedentary adults. <i>FASEB Journal</i> , 2008 , 22, 52-52	0.9	
19	Higher Blood Pressure Variability is Associated with Impaired Vascular Endothelial Function in Healthy Middle-Aged/Older Normotensive Adults. <i>FASEB Journal</i> , 2008 , 22, 53-53	0.9	
18	Effect of heart transplantation on skeletal muscle metabolic enzyme reserve and fiber type in end-stage heart failure patients. <i>Clinical Transplantation</i> , 2007 , 21, 94-100	3.8	10
17	Effect of resistance training on arterial wave reflection and brachial artery reactivity in normotensive postmenopausal women. <i>European Journal of Applied Physiology</i> , 2007 , 100, 403-8	3.4	95
16	Does hormone treatment alter arterial properties in postmenopausal women?. <i>Expert Review of Endocrinology and Metabolism</i> , 2007 , 2, 653-665	4.1	0
15	Direct evidence of endothelial oxidative stress with aging in humans: relation to impaired endothelium-dependent dilation and upregulation of nuclear factor- κ B. <i>Circulation Research</i> , 2007 , 100, 1659-66	15.7	403
14	Role of heart failure etiology on arterial wave reflection in heart transplant recipients: relation with C-reactive protein. <i>Journal of Hypertension</i> , 2007 , 25, 2273-9	1.9	5
13	Arterial-wave reflections are increased in heart failure patients with a left-ventricular assist device. <i>American Journal of Hypertension</i> , 2007 , 20, 622-8	2.3	5
12	Reduced Endothelium-Dependent Dilation with Aging in Humans is Associated with Endothelial Oxidative Stress and Enhanced Expression of NADPH Oxidase. <i>FASEB Journal</i> , 2007 , 21, A1372	0.9	
11	Enhanced vascular endothelium-dependent dilation in older men who exercise is associated with markedly lower endothelial oxidative stress. <i>FASEB Journal</i> , 2007 , 21, A932	0.9	
10	Plasma low-density lipoprotein cholesterol modulates vascular endothelial function as well as systemic and vascular endothelial oxidative stress in middle-aged and older men. <i>FASEB Journal</i> , 2007 , 21, A445	0.9	
9	Measurement of Pulse Wave Velocity and Augmentation Index is Reproducible in Young, Healthy Men. <i>Medicine and Science in Sports and Exercise</i> , 2006 , 38, S185-S186	1.2	5
8	Serum superoxide dismutase activity and nitric oxide do not correlate with arterial stiffness in children with type 1 diabetes mellitus. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2006 , 19, 267-9	1.6	5
7	Effect of resistance exercise on skeletal muscle myopathy in heart transplant recipients. <i>American Journal of Cardiology</i> , 2005 , 95, 1192-8	3	53

6	Radial artery tonometry demonstrates arterial stiffness in children with type 1 diabetes. <i>Diabetes Care</i> , 2004 , 27, 2911-7	14.6	126
5	Effect of exercise training on endothelial function in men with coronary artery disease. <i>American Journal of Cardiology</i> , 2004 , 93, 617-20	3	105
4	Accuracy of a pretest questionnaire in exercise test protocol selection. <i>American Journal of Cardiology</i> , 2000 , 85, 767-70, A8-9	3	16
3	Lack of association of exercise testing with coronary stent closure. <i>American Journal of Cardiology</i> , 2000 , 86, 1259-61, A6	3	8
2	Comparison of cardiopulmonary responses in obese women using ramp versus step treadmill protocols. <i>American Journal of Cardiology</i> , 1999 , 83, 289-91, A7	3	26
1	In vitro activity of sanfetrinem (GV104326), a new trimethoprim antimicrobial agent, versus <i>Streptococcus pneumoniae</i> , <i>Haemophilus influenzae</i> , and <i>Moraxella catarrhalis</i> . <i>Diagnostic Microbiology and Infectious Disease</i> , 1996 , 26, 39-42	2.9	5