

Nidia A Hernandez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11967780/publications.pdf>

Version: 2024-02-01

35
papers

3,345
citations

471509

17
h-index

395702

33
g-index

35
all docs

35
docs citations

35
times ranked

3743
citing authors

#	ARTICLE	IF	CITATIONS
1	Quadriceps weakness associated with mortality in individuals with chronic obstructive pulmonary disease. <i>Annals of Physical and Rehabilitation Medicine</i> , 2022, 65, 101587.	2.3	0
2	Minimal important difference of two methods for assessment of quadriceps femoris strength post exercise program in individuals with COPD. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2022, 54, 56-60.	1.6	1
3	Physical activity and inactivity among different body composition phenotypes in individuals with moderate to very severe chronic obstructive pulmonary disease. <i>Brazilian Journal of Physical Therapy</i> , 2021, 25, 296-302.	2.5	10
4	Maximum Voluntary Ventilation and Its Relationship With Clinical Outcomes in Subjects With COPD. <i>Respiratory Care</i> , 2021, 66, 79-86.	1.6	3
5	Frequency and functional translation of low muscle mass in overweight and obese patients with COPD. <i>Respiratory Research</i> , 2021, 22, 93.	3.6	18
6	Nighttime features derived from topic models for classification of patients with COPD. <i>Computers in Biology and Medicine</i> , 2021, 132, 104322.	7.0	6
7	Energy expenditure per minute in different activities and body positions and its association with the classification as physically active or inactive in daily life in individuals with COPD. <i>Chronic Respiratory Disease</i> , 2021, 18, 147997312110533.	2.4	2
8	A breath of fresh air: Validity and reliability of a Portuguese version of the Multidimensional Dyspnea Profile for patients with COPD. <i>PLoS ONE</i> , 2019, 14, e0215544.	2.5	8
9	Clinical impact of body composition phenotypes in patients with COPD: a retrospective analysis. <i>European Journal of Clinical Nutrition</i> , 2019, 73, 1512-1519.	2.9	23
10	Difference Between Slow and Forced Vital Capacity and Its Relationship with Dynamic Hyperinflation in Patients with Chronic Obstructive Pulmonary Disease. <i>Lung</i> , 2019, 197, 9-13.	3.3	3
11	Patient-Centered Outcomes. , 2018, , 253-272.		0
12	Oxygen Desaturation in Daily Life and During a Laboratory-Based Protocol of Activities of Daily Living in COPD: Is There Relationship?. <i>Lung</i> , 2018, 196, 19-26.	3.3	7
13	Sedentary Behaviour and Physical Inactivity in Patients with Chronic Obstructive Pulmonary Disease: Two Sides of the Same Coin?. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2018, 15, 432-438.	1.6	27
14	Best Protocol for the Sit-to-Stand Test in Subjects With COPD. <i>Respiratory Care</i> , 2018, 63, 1040-1049.	1.6	36
15	Heart Rate Recovery, Physical Activity Level, and Functional Status in Subjects With COPD. <i>Respiratory Care</i> , 2018, 63, 1002-1008.	1.6	21
16	Analysis of nocturnal actigraphic sleep measures in patients with COPD and their association with daytime physical activity. <i>Thorax</i> , 2017, 72, 694-701.	5.6	46
17	Development, Validity and Reliability of the Londrina Activities of Daily Living Protocol for Subjects With COPD. <i>Respiratory Care</i> , 2017, 62, 288-297.	1.6	13
18	Sedentary Behavior Is an Independent Predictor of Mortality in Subjects With COPD. <i>Respiratory Care</i> , 2017, 62, 579-587.	1.6	91

#	ARTICLE	IF	CITATIONS
19	Physical activity patterns and clusters in 1001 patients with COPD. <i>Chronic Respiratory Disease</i> , 2017, 14, 256-269.	2.4	56
20	Is the six-minute walk test a useful tool to prescribe high-intensity exercise in patients with chronic obstructive pulmonary disease?. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2016, 45, 550-556.	1.6	6
21	Profile of patients with chronic obstructive pulmonary disease classified as physically active and inactive according to different thresholds of physical activity in daily life. <i>Brazilian Journal of Physical Therapy</i> , 2016, 20, 517-524.	2.5	7
22	GOLD B-C-D groups or GOLD II-III-IV grades. <i>Chronic Respiratory Disease</i> , 2015, 12, 102-110.	2.4	13
23	Identifying Physical Activity Profiles in COPD Patients Using Topic Models. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2015, 19, 1567-1576.	6.3	12
24	An official European Respiratory Society/American Thoracic Society technical standard: field walking tests in chronic respiratory disease. <i>European Respiratory Journal</i> , 2014, 44, 1428-1446.	6.7	1,663
25	Minimal Detectable Change of the London Chest Activity of Daily Living Scale in Patients With COPD. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2014, 34, 213-216.	2.1	32
26	An official systematic review of the European Respiratory Society/American Thoracic Society: measurement properties of field walking tests in chronic respiratory disease. <i>European Respiratory Journal</i> , 2014, 44, 1447-1478.	6.7	652
27	Pulmonary rehabilitation and COPD: is nonlinear exercise better?. <i>Expert Review of Respiratory Medicine</i> , 2013, 7, 323-325.	2.5	7
28	Reference equations for the six-minute walk distance based on a Brazilian multicenter study. <i>Brazilian Journal of Physical Therapy</i> , 2013, 17, 556-563.	2.5	181
29	Reference values for the incremental shuttle walking test. <i>Respiratory Medicine</i> , 2012, 106, 243-248.	2.9	123
30	Evaluation of a New Motion Sensor in Patients With Chronic Obstructive Pulmonary Disease. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012, 93, 2319-2325.	0.9	20
31	Obesity and Physical Activity in the Daily Life of Patients with COPD. <i>Lung</i> , 2012, 190, 403-410.	3.3	36
32	Effects of 2 Exercise Training Programs on Physical Activity in Daily Life in Patients With COPD. <i>Respiratory Care</i> , 2011, 56, 1799-1807.	1.6	66
33	Does the BODE index reflect the level of physical activity in daily life in patients with COPD?. <i>Brazilian Journal of Physical Therapy</i> , 2011, 15, 131-137.	2.5	17
34	Step Counting and Energy Expenditure Estimation in Patients With Chronic Obstructive Pulmonary Disease and Healthy Elderly: Accuracy of 2 Motion Sensors. <i>Archives of Physical Medicine and Rehabilitation</i> , 2010, 91, 261-267.	0.9	73
35	Comparison of daily physical activity between COPD patients from Central Europe and South America. <i>Respiratory Medicine</i> , 2009, 103, 421-426.	2.9	66