## Guochun Wang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1196814/publications.pdf

Version: 2024-02-01

331670 1,756 64 21 citations h-index papers

39 g-index 68 68 68 1896 docs citations times ranked citing authors all docs

302126

#	Article	IF	CITATIONS
1	The EuroMyositis registry: an international collaborative tool to facilitate myositis research. Annals of the Rheumatic Diseases, 2018, 77, 30-39.	0.9	183
2	239th ENMC International Workshop: Classification of dermatomyositis, Amsterdam, the Netherlands, 14–16 December 2018. Neuromuscular Disorders, 2020, 30, 70-92.	0.6	148
3	Identification of multiple cancer-associated myositis-specific autoantibodies in idiopathic inflammatory myopathies: a large longitudinal cohort study. Arthritis Research and Therapy, 2017, 19, 259.	3 <b>.</b> 5	134
4	Clinical Profiles and Prognosis of Patients with Distinct Antisynthetase Autoantibodies. Journal of Rheumatology, 2017, 44, 1051-1057.	2.0	123
5	Anti-HMGCR antibodies as a biomarker for immune-mediated necrotizing myopathies: A history of statins and experience from a large international multi-center study. Autoimmunity Reviews, 2016, 15, 983-993.	5 <b>.</b> 8	105
6	Factors Predicting Malignancy in Patients with Polymyositis and Dermatomyostis: A Systematic Review and Meta-Analysis. PLoS ONE, 2014, 9, e94128.	2.5	96
7	Clinical Characteristics of Anti-3-Hydroxy-3-Methylglutaryl Coenzyme A Reductase Antibodies in Chinese Patients with Idiopathic Inflammatory Myopathies. PLoS ONE, 2015, 10, e0141616.	2.5	66
8	Clinical characteristics of anti-SAE antibodies in Chinese patients with dermatomyositis in comparison with different patient cohorts. Scientific Reports, 2017, 7, 188.	3.3	65
9	The Regulatory T Cell in Active Systemic Lupus Erythematosus Patients: A Systemic Review and Meta-Analysis. Frontiers in Immunology, 2019, 10, 159.	4.8	61
10	Clinical significance of radiological patterns of HRCT and their association with macrophage activation in dermatomyositis. Rheumatology, 2020, 59, 2829-2837.	1.9	59
11	The efficacy of tacrolimus in patients with refractory dermatomyositis/polymyositis: a systematic review. Clinical Rheumatology, 2015, 34, 2097-2103.	2.2	47
12	The spectrum and clinical significance of myositis-specific autoantibodies in Chinese patients with idiopathic inflammatory myopathies. Clinical Rheumatology, 2019, 38, 2171-2179.	2.2	41
13	Clinical Heterogeneity of Interstitial Lung Disease in Polymyositis and Dermatomyositis Patients With or Without Specific Autoantibodies. American Journal of the Medical Sciences, 2018, 355, 48-53.	1.1	33
14	Serum YKL-40 level is associated with severity of interstitial lung disease and poor prognosis in dermatomyositis with anti-MDA5 antibody. Clinical Rheumatology, 2019, 38, 1655-1663.	2.2	32
15	The role of cancer-associated autoantibodies as biomarkers in paraneoplastic myositis syndrome. Current Opinion in Rheumatology, 2019, 31, 643-649.	4.3	32
16	Abnormally increased low-density granulocytes in peripheral blood mononuclear cells are associated with interstitial lung disease in dermatomyositis. Modern Rheumatology, 2017, 27, 122-129.	1.8	30
17	Significant decrease in peripheral regulatory B cells is an immunopathogenic feature of dermatomyositis. Scientific Reports, 2016, 6, 27479.	3.3	29
18	Anti-melanoma differentiation-associated gene 5 (MDA5) antibody-positive dermatomyositis responds to rituximab therapy. Clinical Rheumatology, 2021, 40, 2311-2317.	2.2	28

#	Article	IF	CITATIONS
19	Increased Levels of Soluble Programmed Death Ligand 1 Associate with Malignancy in Patients with Dermatomyositis. Journal of Rheumatology, 2018, 45, 835-840.	2.0	23
20	Different Multivariable Risk Factors for Rapid Progressive Interstitial Lung Disease in Anti-MDA5 Positive Dermatomyositis and Anti-Synthetase Syndrome. Frontiers in Immunology, 2022, 13, 845988.	4.8	23
21	Discovery of new biomarkers of idiopathic inflammatory myopathy. Clinica Chimica Acta, 2015, 444, 117-125.	1.1	22
22	Remission assessment of rheumatoid arthritis in daily practice in China: a cross-sectional observational study. Clinical Rheumatology, 2018, 37, 597-605.	2.2	21
23	HMGB1 May Be a Biomarker for Predicting the Outcome in Patients with Polymyositis /Dermatomyositis with Interstitial Lung Disease. PLoS ONE, 2016, 11, e0161436.	2.5	21
24	Clinical characteristics of dermatomyositis patients with isolated anti-Ro-52 antibody associated rapid progressive interstitial lung disease: Data from the largest single Chinese center. Respiratory Medicine, 2019, 155, 127-132.	2.9	17
25	The RIG-I pathway is involved in peripheral T cell lymphopenia in patients with dermatomyositis. Arthritis Research and Therapy, 2019, 21, 131.	3.5	17
26	The impact of rheumatoid arthritis on work capacity in Chinese patients: a cross-sectional study. Rheumatology, 2015, 54, 1478-1487.	1.9	16
27	Disability and healthâ€related quality of life in Chinese patients with rheumatoid arthritis: A crossâ€sectional study. International Journal of Rheumatic Diseases, 2018, 21, 1709-1715.	1.9	16
28	The Efficacy of Tocilizumab in the Treatment of Patients with Refractory Immune-Mediated Necrotizing Myopathies: An Open-Label Pilot Study. Frontiers in Pharmacology, 2021, 12, 635654.	3.5	16
29	Muscle pathological features and extra-muscle involvement in idiopathic inflammatory myopathies with anti-mitochondrial antibody. Seminars in Arthritis and Rheumatism, 2021, 51, 741-748.	3.4	16
30	The performance of MRI in detecting subarticular bone erosion of sacroiliac joint in patients with spondyloarthropathy: A comparison with X-ray and CT. European Journal of Radiology, 2014, 83, 2058-2064.	2.6	14
31	Specific Autoantibodies and Clinical Phenotypes Correlate with the Aberrant Expression of Immune-Related MicroRNAs in Dermatomyositis. Journal of Immunology Research, 2019, 2019, 1-12.	2.2	14
32	Clinical features and outcomes of the patients with anti-glycyl tRNA synthetase syndrome. Clinical Rheumatology, 2020, 39, 2417-2424.	2.2	14
33	Expansion of circulating peripheral TIGIT+CD226+ CD4 T cells with enhanced effector functions in dermatomyositis. Arthritis Research and Therapy, 2021, 23, 15.	3.5	14
34	Combined immunosuppressive treatment (CIST) in lupus nephritis: a multicenter, randomized controlled study. Clinical Rheumatology, 2019, 38, 1047-1054.	2.2	13
35	Efficacy and Safety of Loxoprofen Hydrogel TransdermalÂPatch Versus Loxoprofen Tablet in Chinese Patients with Myalgia: A Double-Blind, Double-Dummy, Parallel-Group, Randomized, Controlled, Non-Inferiority Trial. Clinical Drug Investigation, 2019, 39, 369-377.	2.2	12
36	The efficacy and safety of total glucosides of peony in the treatment of primary Sjögren's syndrome: a multi-center, randomized, double-blinded, placebo-controlled clinical trial. Clinical Rheumatology, 2019, 38, 657-664.	2.2	12

#	Article	IF	CITATIONS
37	Plasma exosomal RNAs have potential as both clinical biomarkers and therapeutic targets of dermatomyositis. Rheumatology, 2022, 61, 2672-2681.	1.9	12
38	Interstitial lung disease is a major characteristic of anti-KS associated ant-synthetase syndrome. Therapeutic Advances in Chronic Disease, 2020, 11, 204062232096841.	2.5	11
39	Comparison of three classification criteria of rheumatoid arthritis in an inception early arthritis cohort. Clinical Rheumatology, 2016, 35, 2397-2401.	2.2	10
40	Immune-mediated necrotizing myopathies and interstitial lung disease are predominant characteristics in anti-Ku positive patients with idiopathic inflammatory myopathies. Annals of the Rheumatic Diseases, 2020, , annrheumdis-2020-217096.	0.9	10
41	Interstitial lung disease is not rare in immune-mediated necrotizing myopathy with anti-signal recognition particle antibodies. BMC Pulmonary Medicine, 2022, 22, 14.	2.0	9
42	Maintenance of effect of duloxetine in Chinese patients with pain due to osteoarthritis: 13-week open-label extension data. BMC Musculoskeletal Disorders, 2019, 20, 174.	1.9	8
43	Clinical features, treatments and outcomes of calcinosis in adult patients with dermatomyositis: a single cohort study. Rheumatology, 2021, 60, 2958-2962.	1.9	7
44	Fatty acid binding protein 3 is associated with skeletal muscle strength in polymyositis and dermatomyositis. International Journal of Rheumatic Diseases, 2017, 20, 252-260.	1.9	6
45	Serum-soluble TRAIL: a potential biomarker for disease activity in myositis patients. Clinical Rheumatology, 2019, 38, 1425-1431.	2.2	6
46	The effects of infliximab in treating idiopathic inflammatory myopathies: A review article. Dermatologic Therapy, 2021, 34, e14976.	1.7	6
47	Interstitial Lung Disease Is a Major Characteristic of Patients Who Test Positive for Anti-PM/Scl Antibody. Frontiers in Medicine, 2021, 8, 778211.	2.6	6
48	Evaluation of 12 different assays for detecting ANCA in Chinese patients with GPA and MPA: a multicenter study in China. Clinical Rheumatology, 2019, 38, 3477-3483.	2.2	5
49	Autoantibodies: Pathogenic or epiphenomenon. Best Practice and Research in Clinical Rheumatology, 2022, , 101767.	3.3	5
50	Soluble IL-2 Receptor in Dermatomyositis: Its Associations with Skin Ulcers and Disease Activity. Mediators of Inflammation, 2020, 2020, 1-8.	3.0	4
51	Baricitinib in patients with rheumatoid arthritis with inadequate response to methotrexate: results from a phase 3 study. Clinical and Experimental Rheumatology, 2020, 38, 732-741.	0.8	4
52	Phase 3, long-term, open-label extension period of safety and efficacy of belimumab in patients with systemic lupus erythematosus in China, for up to 6 years. RMD Open, 2022, 8, e001669.	3.8	4
53	Serum levels of anti-transcriptional intermediary factor $1 \cdot \hat{l}^3$ autoantibody associated with the clinical, pathological characteristics and outcomes of patients with dermatomyositis. Seminars in Arthritis and Rheumatism, 2022, 55, 152011.	3.4	4
54	Patient-reported outcomes from a randomized, double-blind, placebo controlled, phase III study of baricitinib versus placebo in patients with moderately to severely active rheumatoid arthritis and an inadequate response to methotrexate therapy: results from the RA-BALANCE study. Therapeutic Advances in Musculoskeletal Disease, 2021, 13, 1759720X2110069.	2.7	3

#	Article	IF	CITATIONS
55	Safety and Efficacy of Prefilled Liquid Etanercept-Biosimilar Yisaipu for Active Ankylosing Spondylitis: A Multi-Center Phase III Trial. Rheumatology and Therapy, 2021, 8, 361-374.	2.3	3
56	Characterization of genotype–phenotype correlation with MORC2 mutated Axonal Charcot–Marie–Tooth disease in a cohort of Chinese patients. Orphanet Journal of Rare Diseases, 2021, 16, 244.	2.7	3
57	Efficacy and safety of certolizumab pegol in combination with methotrexate in methotrexate-inadequate responder Chinese patients with active rheumatoid arthritis: 24-week results from a randomised, double-blind, placebo-controlled phase 3 study. Clinical and Experimental Rheumatology. 2019. 37. 227-234.	0.8	3
58	Response to:  Antisynthetase syndrome or what else? Different perspectives indicate the need for new classification criteria' by Cavagnaet al. Annals of the Rheumatic Diseases, 2017, 77, annrheumdis-2017-212382.	0.9	2
59	Pituitary dysfunction in patients with ANCA associated vasculitis: prevalence, presentation, and outcomes. Therapeutic Advances in Chronic Disease, 2020, 11, 204062232093063.	2.5	2
60	Clinical heterogeneities and prognoses of patients with myositis specific antibody negative dermatomyositis: a retrospective study in China. Clinical and Experimental Rheumatology, 2022, 40, 284-291.	0.8	2
61	Resistin Expression Is Associated With Interstitial Lung Disease in Dermatomyositis. Frontiers in Medicine, 2022, 9, 903887.	2.6	2
62	miR-18a-3p and Its Target Protein HuR May Regulate Myogenic Differentiation in Immune-Mediated Necrotizing Myopathy. Frontiers in Immunology, 2021, 12, 780237.	4.8	1
63	Validation of new classification criteria of rheumatoid arthritis in an international multicentre study. Clinical and Experimental Rheumatology, 2020, 38, 841-847.	0.8	1
64	Clinical heterogeneities and prognoses of patients with myositis specific antibody negative dermatomyositis: a retrospective study in China. Clinical and Experimental Rheumatology, 2021, , .	0.8	O