

Yuxiu Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1197026/publications.pdf>

Version: 2024-02-01

61
papers

5,410
citations

623734

14
h-index

138484

58
g-index

68
all docs

68
docs citations

68
times ranked

11214
citing authors

#	ARTICLE	IF	CITATIONS
1	High Hemoglobin Glycation Index Is Associated With Telomere Attrition Independent of HbA1c, Mediated by TNF \pm . <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, 462-473.	3.6	6
2	The Role of Lactate Exercise Test and Fasting Plasma C-Peptide Levels in the Diagnosis of Mitochondrial Diabetes: Analysis of Clinical Characteristics of 12 Patients With Mitochondrial Diabetes in a Single Center With Long-Term Follow-Up. <i>Frontiers in Endocrinology</i> , 2022, 13, 835570.	3.5	2
3	Diabetes duration and weight loss are associated with onset age and remote metastasis of pancreatic cancer in patients with diabetes mellitus. <i>Journal of Diabetes</i> , 2022, , .	1.8	2
4	Association of Glucagon-Like Peptide-1 Receptor Agonist Use With Risk of Gallbladder and Biliary Diseases. <i>JAMA Internal Medicine</i> , 2022, 182, 513.	5.1	51
5	Insulin and liraglutide attenuate brain pathology in diabetic mice by enhancing the Wnt/ β -catenin signaling pathway. <i>Experimental and Therapeutic Medicine</i> , 2022, 24, .	1.8	4
6	A phase 2 study of anlotinib in patients with metastatic pheochromocytoma/paraganglioma.. <i>Journal of Clinical Oncology</i> , 2022, 40, e15000-e15000.	1.6	0
7	Successful treatment of diabetes associated with glycogen storage disease type Ia. <i>Diabetic Medicine</i> , 2021, 38, e14373.	2.3	3
8	Differences in Clinical Manifestations and Tumor Features Between Metastatic Pheochromocytoma/Paraganglioma Patients With and Without Germline SDHB Mutation. <i>Endocrine Practice</i> , 2021, 27, 348-353.	2.1	6
9	Synchronous distance education vs traditional education for health science students: A systematic review and meta-analysis. <i>Medical Education</i> , 2021, 55, 293-308.	2.1	75
10	Comparison of differences in bone microarchitecture in adult- versus juvenile-onset type 1 diabetes Asian males versus non-diabetes males: an observational cross-sectional pilot study. <i>Endocrine</i> , 2021, 71, 87-95.	2.3	10
11	Association between glucose fluctuation during 2-hour oral glucose tolerance test, inflammation and oxidative stress markers, and β -cell function in a Chinese population with normal glucose tolerance. <i>Annals of Translational Medicine</i> , 2021, 9, 327-327.	1.7	1
12	The Effects of Dietary Nutrition Intake on Glycemic Variability in Type 1 Diabetes Mellitus Adults. <i>Diabetes Therapy</i> , 2021, 12, 1055-1071.	2.5	4
13	Hemoglobin A1c modifies the association between triglyceride and time in hypoglycemia determined by flash glucose monitoring in adults with type 1 diabetes: implications for individualized therapy and decision-making. <i>Annals of Translational Medicine</i> , 2021, 9, 537-537.	1.7	1
14	Mid-Arm Muscle and Subcutaneous Fat Associated with All-Cause Mortality Independent of BMI: A Prospective Cohort Study. <i>Obesity</i> , 2021, 29, 1203-1214.	3.0	15
15	A Clinical Prediction Model to Distinguish Maturity-Onset Diabetes of the Young From Type 1 and Type 2 Diabetes in the Chinese Population. <i>Endocrine Practice</i> , 2021, 27, 776-782.	2.1	7
16	Surgical Outcomes of Aldosterone-Producing Adenoma on the Basis of the Histopathological Findings. <i>Frontiers in Endocrinology</i> , 2021, 12, 663096.	3.5	10
17	A Novel Type of Extreme Insulin Resistance: Nonhypoglycemic Insulin Autoimmune Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e1051-e1061.	3.6	2
18	Association Between Leukocyte Mitochondrial DNA Copy Number and Non-alcoholic Fatty Liver Disease in a Chinese Population Is Mediated by 8-Oxo-2-Deoxyguanosine. <i>Frontiers in Medicine</i> , 2020, 7, 536.	2.6	8

#	ARTICLE	IF	CITATIONS
19	Negative association between antioxidant vitamin intake and non-alcoholic fatty liver disease in Chinese non-diabetic adults: mediation models involving superoxide dismutase. <i>Free Radical Research</i> , 2020, 54, 670-677.	3.3	7
20	Negative Association between Caloric Intake and Estimated Glomerular Filtration Rate in a Chinese Population: Mediation Models Involving Mitochondrial Function. <i>Gerontology</i> , 2020, 66, 439-446.	2.8	5
21	<p>Long Sleep Duration is Associated with Increased High-Sensitivity C-Reactive Protein: A Nationwide Study on Chinese Population</p>. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2020, Volume 13, 4423-4434.	2.4	8
22	<p>Reduced Insulin Resistance Partly Mediated the Association of High Dietary Magnesium Intake with Less Metabolic Syndrome in a Large Chinese Population</p>. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2020, Volume 13, 2541-2550.	2.4	8
23	Association between metformin and neurodegenerative diseases of observational studies: systematic review and meta-analysis. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e001370.	2.8	45
24	Low glucose enhanced metformin–s inhibitory effect on pancreatic cancer cells by suppressing glycolysis and inducing energy stress via up-regulation of miR-210-5p. <i>Cell Cycle</i> , 2020, 19, 2168-2181.	2.6	22
25	Subpopulation Differences in the Cardiovascular Efficacy of Long-Acting Glucagon-Like Peptide‑1 Receptor Agonists in Type‑2 Diabetes Mellitus: A Systematic Review and Meta-analysis. <i>Diabetes Therapy</i> , 2020, 11, 2121-2143.	2.5	4
26	C-Peptide: A Mediator of the Association Between Serum Uric Acid to Creatinine Ratio and Non-Alcoholic Fatty Liver Disease in a Chinese Population With Normal Serum Uric Acid Levels. <i>Frontiers in Endocrinology</i> , 2020, 11, 600472.	3.5	15
27	Genetic and Clinical Profiles of Pheochromocytoma and Paraganglioma: A Single Center Study. <i>Frontiers in Endocrinology</i> , 2020, 11, 574662.	3.5	14
28	The Effects of Different Calcium Channel Blockers on Aldosterone-Producing Adenoma Cells. <i>Frontiers in Endocrinology</i> , 2020, 11, 260.	3.5	2
29	TNF‑ Mediates the Interaction of Telomeres and Mitochondria Induced by Hyperglycemia: A Rural Community-Based Cross-Sectional Study. <i>Oxidative Medicine and Cellular Longevity</i> , 2020, 2020, 1-7.	4.0	3
30	Relationship between Decreased Serum Superoxide Dismutase Activity and Metabolic Syndrome: Synergistic Mediating Role of Insulin Resistance and <i>NADPH Oxidase</i>-Cell Dysfunction. <i>Oxidative Medicine and Cellular Longevity</i> , 2020, 2020, 1-10.	4.0	8
31	Triglyceride is independently correlated with insulin resistance and islet beta cell function: a study in population with different glucose and lipid metabolism states. <i>Lipids in Health and Disease</i> , 2020, 19, 121.	3.0	66
32	Low HbA1c With Normal Hemoglobin in a Diabetes Patient Caused by PIEZO1 Gene Variant: A Case Report. <i>Frontiers in Endocrinology</i> , 2020, 11, 356.	3.5	4
33	Potential Protective Effect of Dietary Intake of Non-‑-Tocopherols on Cellular Aging Markers Mediated by Tumor Necrosis Factor-‑ in Prediabetes: A Cross-Sectional Study of Chinese Adults. <i>Oxidative Medicine and Cellular Longevity</i> , 2020, 2020, 1-9.	4.0	2
34	Leukocyte Telomere Length Independently Predicts 3-Year Diabetes Risk in a Longitudinal Study of Chinese Population. <i>Oxidative Medicine and Cellular Longevity</i> , 2020, 2020, 1-10.	4.0	7
35	Temozolomide Is a Potential Therapeutic Tool for Patients With Metastatic Pheochromocytoma/Paraganglioma– Case Report and Review of the Literature. <i>Frontiers in Endocrinology</i> , 2020, 11, 61.	3.5	20
36	Dietary Magnesium Intake and Leukocyte Telomere Attrition in Adults: The Regulatory Role of Serum Tumor Necrosis Factor <i>TNF-‑</i>. <i>Mediators of Inflammation</i> , 2020, 2020, 1-6.	3.0	7

#	ARTICLE	IF	CITATIONS
37	A rare form of diabetes and a rare complication of treatment. <i>Diabetic Medicine</i> , 2020, 37, 1954-1955.	2.3	1
38	The Effect of LM25 and LM50 on Hypoglycemia in Chinese T2DM Patients: Post Hoc Analysis of a Randomized Crossover Trial. <i>Diabetes Therapy</i> , 2020, 11, 643-654.	2.5	1
39	SP506PERITONEAL GLUCOSE EXPOSURE PREDICTS FUTURE PERITONEAL MEMBRANE TRANSPORT EVOLUTION IN CONTINUOUS AMBULANCE PERITONEAL DIALYSIS PATIENTS. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, .	0.7	0
40	Co-Occurrence of Multiple Endocrine Abnormalities Induced by the DIHS/DRESS. <i>International Journal of Endocrinology</i> , 2019, 2019, 1-8.	1.5	9
41	The shape of the glucose response curve during an oral glucose tolerance test heralds Î²â€‘cell function in a large Chinese population. <i>BMC Endocrine Disorders</i> , 2019, 19, 119.	2.2	14
42	Decreased Serum <i>microRNA-21</i> , <i>microRNA-25</i> , <i>microRNA-146a</i> , and <i>microRNA-181a</i> in Autoimmune Diabetes: Potential Biomarkers for Diagnosis and Possible Involvement in Pathogenesis. <i>International Journal of Endocrinology</i> , 2019, 2019, 1-9.	1.5	16
43	Negative Association of Serum Uric Acid with Peripheral Blood Cellular Aging Markers. <i>Journal of Nutrition, Health and Aging</i> , 2019, 23, 547-551.	3.3	9
44	Identification of Novel T1D Risk Loci and Their Association With Age and Islet Function at Diagnosis in Autoantibody-Positive T1D Individuals: Based on a Two-Stage Genome-Wide Association Study. <i>Diabetes Care</i> , 2019, 42, 1414-1421.	8.6	60
45	Sex-Specific Negative Association between Iron Intake and Cellular Aging Markers: Mediation Models Involving TNF-Î±. <i>Oxidative Medicine and Cellular Longevity</i> , 2019, 2019, 1-9.	4.0	13
46	Effects of Insulin Lispro Mix 25 and Insulin Lispro Mix 50 on Postprandial Glucose Excursion in Patients with Type 2 Diabetes: A Prospective, Open-Label, Randomized Clinical Trial. <i>Diabetes Therapy</i> , 2018, 9, 699-711.	2.5	5
47	Clinical Management of Malignant Insulinoma: a single Institutionâ€™s experience over three decades. <i>BMC Endocrine Disorders</i> , 2018, 18, 92.	2.2	20
48	AZD8055 inhibits ACTH secretion in a case of bilateral ACTH-secreting pheochromocytoma. <i>Oncology Letters</i> , 2018, 16, 4561-4566.	1.8	4
49	Contribution of BHG and PPHG to Overall Hyperglycemia in T2DM Patients Treated with LM25 and LM50: Post Hoc Analysis of a Randomized Crossover Trial. <i>Diabetes Therapy</i> , 2018, 9, 1605-1614.	2.5	1
50	Uncoupling Protein 2 and Peroxisome Proliferator-Activated Receptor Î³ Gene Polymorphisms in Association with Diabetes Susceptibility in Chinese Han Population with Variant Glucose Tolerance. <i>International Journal of Endocrinology</i> , 2018, 2018, 1-16.	1.5	5
51	Successful treatment of type B insulin resistance with mixed connective tissue disease by pulse glucocorticoids and cyclophosphamide. <i>Journal of Diabetes Investigation</i> , 2017, 8, 626-628.	2.4	10
52	Rationale and Design of RNAFH Study: Effect of Rosuvastatin (10â€‘mg/d) on Nonalcoholic Fatty Liver in Metabolic Syndrome Patients without Overt Diabetes Evaluated by ¹ H-Magnetic Resonance Spectroscopy. <i>International Journal of Endocrinology</i> , 2016, 2016, 1-6.	1.5	2
53	Reduced peripheral blood mtDNA content is associated with impaired glucose-stimulated islet Î²-cell function in a Chinese population with different degrees of glucose tolerance. <i>Diabetes/Metabolism Research and Reviews</i> , 2016, 32, 768-774.	4.0	24
54	The triglyceride to high-density lipoprotein cholesterol (TG/HDL-C) ratio as a predictor of insulin resistance but not of Î² cell function in a Chinese population with different glucose tolerance status. <i>Lipids in Health and Disease</i> , 2016, 15, 104.	3.0	76

#	ARTICLE	IF	CITATIONS
55	Influence of diet on leukocyte telomere length, markers of inflammation and oxidative stress in individuals with varied glucose tolerance: a Chinese population study. <i>Nutrition Journal</i> , 2015, 15, 39.	3.4	52
56	Log (TG/HDL)-C ratio as a predictor of decreased islet beta cell function in patients with type 2 diabetes: 6-year cohort study. <i>Journal of Diabetes</i> , 2015, 7, 689-698.	1.8	17
57	Using continuous glucose monitoring to measure glucose variation of patients with type 2 diabetes: switching from premixed human insulin 70/30 to insulin lispro mix 75/25 or lispro mix 50/50 for 8 weeks. <i>Journal of Diabetes Research & Clinical Metabolism</i> , 2013, 2, 15.	0.2	3
58	Clinical, biochemical, and immunological characteristics of newly diagnosed nonobese diabetic patients aged 18-45 years in China. <i>Journal of Diabetes and Its Complications</i> , 2012, 26, 40-43.	2.3	3
59	Role of AMP-activated protein kinase in mechanism of metformin action. <i>Journal of Clinical Investigation</i> , 2001, 108, 1167-1174.	8.2	4,597
60	The localization of type 2 diabetes susceptibility gene loci in northern Chinese Han families. <i>Science Bulletin</i> , 2000, 45, 1792-1795.	1.7	0
61	Dipeptidyl peptidase-4 inhibitors and gallbladder or biliary disease in type 2 diabetes: systematic review and pairwise and network meta-analysis of randomised controlled trials. <i>BMJ</i> , The, 0, , e068882.	6.0	13