

# Simeon I Taylor

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1197359/publications.pdf>

Version: 2024-02-01

104  
papers

9,648  
citations

50170

46  
h-index

35952

97  
g-index

105  
all docs

105  
docs citations

105  
times ranked

8291  
citing authors

#	ARTICLE	IF	CITATIONS
1	Individualized Glycemic Goals for Older Adults Are a Moving Target. <i>Diabetes Care</i> , 2022, 45, 1029-1031.	4.3	6
2	SGLT2i Improves Glycemic Control in Patients With Congenital Severe Insulin Resistance. <i>Pediatrics</i> , 2022, 150, .	1.0	6
3	Pharmacological treatment of hyperglycemia in type 2 diabetes. <i>Journal of Clinical Investigation</i> , 2021, 131, .	3.9	102
4	Genetic and functional evidence links a missense variant in <i>B4GALT1</i> to lower LDL and fibrinogen. <i>Science</i> , 2021, 374, 1221-1227.	6.0	14
5	The High Cost of Diabetes Drugs: Disparate Impact on the Most Vulnerable Patients. <i>Diabetes Care</i> , 2020, 43, 2330-2332.	4.3	33
6	Smarter Modeling to Enable a Smarter Insulin. <i>Diabetes</i> , 2020, 69, 1608-1610.	0.3	8
7	YIPF5 mutations cause neonatal diabetes and microcephaly: progress for precision medicine and mechanistic understanding. <i>Journal of Clinical Investigation</i> , 2020, 130, 6228-6231.	3.9	3
8	The complicated clinical course in a case of atypical lipodystrophy after development of neutralizing antibody to metreleptin: treatment with setmelanotide. <i>Endocrinology, Diabetes and Metabolism Case Reports</i> , 2020, 2020, .	0.2	5
9	Letter to the Editor: "Hypertension and Type 2 Diabetes Are Associated With Decreased Inhibition of Dipeptidyl Peptidase-4 by Sitagliptin". <i>Journal of the Endocrine Society</i> , 2020, 4, bvaa005.	0.1	0
10	SGLT2 inhibitors as adjunctive therapy for type 1 diabetes: balancing benefits and risks. <i>Lancet Diabetes and Endocrinology</i> , 2019, 7, 949-958.	5.5	69
11	Sodium-Glucose Cotransporter 2 Inhibitors: A Case Study in Translational Research. <i>Diabetes</i> , 2019, 68, 1109-1120.	0.3	38
12	Sodium-Glucose Cotransporter-2 Inhibitors: Lack of a Complete History Delays Diagnosis. <i>Annals of Internal Medicine</i> , 2019, 171, 421.	2.0	8
13	Increased usual physical activity is associated with a blunting of the triglyceride response to a high-fat meal. <i>Journal of Clinical Lipidology</i> , 2019, 13, 109-114.	0.6	9
14	Insulin: still a miracle after all these years. <i>Journal of Clinical Investigation</i> , 2019, 129, 3045-3047.	3.9	4
15	GLP-1 receptor agonists: differentiation within the class. <i>Lancet Diabetes and Endocrinology</i> , 2018, 6, 83-85.	5.5	30
16	Monocyte DPP4 Expression in Human Atherosclerosis Is Associated With Obesity and Dyslipidemia. <i>Diabetes Care</i> , 2018, 41, e1-e3.	4.3	9
17	Canagliflozin triggers the FGF23/1,25-dihydroxyvitamin D/PTH axis in healthy volunteers in a randomized crossover study. <i>JCI Insight</i> , 2018, 3, .	2.3	96
18	Insulin Access and Affordability Working Group: Conclusions and Recommendations. <i>Diabetes Care</i> , 2018, 41, 1299-1311.	4.3	210

#	ARTICLE	IF	CITATIONS
19	Adverse effects of SGLT2 inhibitors on bone health. <i>Nature Reviews Nephrology</i> , 2018, 14, 473-474.	4.1	42
20	Cardiovascular outcome trials of diabetes drugs: lessons learned. <i>Journal of Clinical Investigation</i> , 2018, 128, 893-896.	3.9	9
21	Familial Hypercholesterolemia and Type 2 Diabetes in the Old Order Amish. <i>Diabetes</i> , 2017, 66, 2054-2058.	0.3	28
22	Deletion of interleukin 1 receptor-associated kinase 1 (Irak1) improves glucose tolerance primarily by increasing insulin sensitivity in skeletal muscle. <i>Journal of Biological Chemistry</i> , 2017, 292, 12339-12350.	1.6	28
23	Ketoacidosis associated with SGLT2 inhibitor treatment: Analysis of FAERS data. <i>Diabetes/Metabolism Research and Reviews</i> , 2017, 33, e2924.	1.7	147
24	Human biallelic MFN2 mutations induce mitochondrial dysfunction, upper body adipose hyperplasia, and suppression of leptin expression. <i>ELife</i> , 2017, 6, .	2.8	60
25	Effect of Leptin Administration on Circulating Apolipoprotein CIII levels in Patients With Lipodystrophy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 1790-1797.	1.8	10
26	Diabetic ketoacidosis, sodium glucose transporter-2 inhibitors and the kidney. <i>Journal of Diabetes and Its Complications</i> , 2016, 30, 1162-1166.	1.2	28
27	Response to the Letter: Comment to letter by Segar L.. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, L29-L29.	1.8	0
28	Metabolic syndrome: an ill wind that blows some good?. <i>Diabetes/Metabolism Research and Reviews</i> , 2015, 31, 344-345.	1.7	1
29	Possible adverse effects of SGLT2 inhibitors on bone. <i>Lancet Diabetes and Endocrinology</i> , the, 2015, 3, 8-10.	5.5	223
30	SGLT2 Inhibitors May Predispose to Ketoacidosis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 2849-2852.	1.8	411
31	The Dual Peroxisome Proliferator-Activated Receptor $\alpha/\beta$ Activator Muraglitazar Prevents the Natural Progression of Diabetes in db/db Mice. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2007, 321, 107-115.	1.3	16
32	Intensive, Long-Term Plasma Exchange Therapy for Severe Hypertriglyceridemia in Acquired Generalized Lipodystrophy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 380-384.	1.8	30
33	Leptin-Replacement Therapy for Lipodystrophy. <i>New England Journal of Medicine</i> , 2002, 346, 570-578.	13.9	1,130
34	AGPAT2 is mutated in congenital generalized lipodystrophy linked to chromosome 9q34. <i>Nature Genetics</i> , 2002, 31, 21-23.	9.4	475
35	Leptin reverses insulin resistance and hepatic steatosis in patients with severe lipodystrophy. <i>Journal of Clinical Investigation</i> , 2002, 109, 1345-1350.	3.9	373
36	Sorting Nexin 6, a Novel SNX, Interacts with the Transforming Growth Factor- $\beta$ Family of Receptor Serine-Threonine Kinases. <i>Journal of Biological Chemistry</i> , 2001, 276, 19332-19339.	1.6	119

#	ARTICLE	IF	CITATIONS
37	Insulin Receptor Substrate-1 Pleckstrin Homology and Phosphotyrosine-binding Domains Are Both Involved in Plasma Membrane Targeting. <i>Journal of Biological Chemistry</i> , 2001, 276, 40795-40802.	1.6	31
38	Identification and Characterization of SNX15, a Novel Sorting Nexin Involved in Protein Trafficking. <i>Journal of Biological Chemistry</i> , 2001, 276, 5074-5084.	1.6	75
39	Activation of Serum- and Glucocorticoid-induced Protein Kinase (Sgk) by Cyclic AMP and Insulin. <i>Journal of Biological Chemistry</i> , 2001, 276, 9406-9412.	1.6	120
40	Treatment of Lipodystrophy with Troglitazone. <i>Annals of Internal Medicine</i> , 2001, 134, 1153.	2.0	0
41	Lipoatrophy syndromes: when "too little fat"™ is a clinical problem. <i>Pediatric Diabetes</i> , 2000, 1, 155-168.	1.2	18
42	Overexpression of a Novel Sorting Nexin, SNX15, Affects Endosome Morphology and Protein Trafficking. <i>Traffic</i> , 2000, 1, 904-916.	1.3	47
43	Characterization of Drosophila Insulin Receptor Substrate. <i>Journal of Biological Chemistry</i> , 2000, 275, 23346-23354.	1.6	34
44	Rational design of peptide agonists of cell-surface receptors. <i>Trends in Pharmacological Sciences</i> , 2000, 21, 9-10.	4.0	2
45	Mutational and Haplotype Analyses of Families with Familial Partial Lipodystrophy (Dunnigan Variety) Reveal Recurrent Missense Mutations in the Globular C-Terminal Domain of Lamin A/C. <i>American Journal of Human Genetics</i> , 2000, 66, 1192-1198.	2.6	260
46	Lipoatrophy Revisited. <i>Trends in Endocrinology and Metabolism</i> , 2000, 11, 410-416.	3.1	193
47	Genetically Defined Forms of Diabetes in Children. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999, 84, 4390-4396.	1.8	31
48	A Gene for Congenital Generalized Lipodystrophy Maps to Human Chromosome 9q34. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999, 84, 3390-3394.	1.8	167
49	Interaction of Insulin Receptor Substrate 3 with Insulin Receptor, Insulin Receptor-related Receptor, Insulin-like Growth Factor-1 Receptor, and Downstream Signaling Proteins. <i>Journal of Biological Chemistry</i> , 1999, 274, 15262-15270.	1.6	40
50	Subcellular Localization and Internalization of the Four Human Leptin Receptor Isoforms. <i>Journal of Biological Chemistry</i> , 1999, 274, 21416-21424.	1.6	120
51	Deconstructing Type 2 Diabetes. <i>Cell</i> , 1999, 97, 9-12.	13.5	290
52	Action of Insulin Receptor Substrate-3 (IRS-3) and IRS-4 to Stimulate Translocation of GLUT4 in Rat Adipose Cells. <i>Molecular Endocrinology</i> , 1999, 13, 505-514.	3.7	56
53	Syndromes Associated with Insulin Resistance and Acanthosis Nigricans. <i>Journal of Basic and Clinical Physiology and Pharmacology</i> , 1998, 9, 419-439.	0.7	34
54	Identification of a Family of Sorting Nexin Molecules and Characterization of Their Association with Receptors. <i>Molecular and Cellular Biology</i> , 1998, 18, 7278-7287.	1.1	233

#	ARTICLE	IF	CITATIONS
55	Physiological Role of Akt in Insulin-Stimulated Translocation of GLUT4 in Transfected Rat Adipose Cells. <i>Molecular Endocrinology</i> , 1997, 11, 1881-1890.	3.7	332
56	Insulin Receptor Substrate-2 (IRS-2) Can Mediate the Action of Insulin to Stimulate Translocation of GLUT4 to the Cell Surface in Rat Adipose Cells. <i>Journal of Biological Chemistry</i> , 1997, 272, 29829-29833.	1.6	46
57	Dual Role of a Dileucine Motif in Insulin Receptor Endocytosis. <i>Journal of Biological Chemistry</i> , 1997, 272, 21685-21691.	1.6	58
58	Four Mutant Alleles of the Insulin Receptor Gene Associated with Genetic Syndromes of Extreme Insulin Resistance. <i>Biochemical and Biophysical Research Communications</i> , 1997, 237, 516-520.	1.0	24
59	Development of a Novel Polygenic Model of NIDDM in Mice Heterozygous for IR and IRS-1 Null Alleles. <i>Cell</i> , 1997, 88, 561-572.	13.5	517
60	Cloning of the chicken insulin receptor substrate 1 gene. <i>Gene</i> , 1996, 178, 51-55.	1.0	20
61	Effects of Overexpressing Wild-Type and Mutant PDGF Receptors on Translocation of GLUT4 in Transfected Rat Adipose Cells. <i>Biochemical and Biophysical Research Communications</i> , 1996, 226, 587-594.	1.0	32
62	Early neonatal death in mice homozygous for a null allele of the insulin receptor gene. <i>Nature Genetics</i> , 1996, 12, 106-109.	9.4	554
63	Homozygosity for a null allele of the insulin receptor gene in a patient with leprechaunism. <i>Human Mutation</i> , 1995, 6, 17-22.	1.1	35
64	Two mutant alleles of the insulin receptor gene in a family with a genetic form of insulin resistance: a 10 base pair deletion in exon 1 and a mutation substituting serine for asparagine-462. <i>Human Genetics</i> , 1995, 95, 174-182.	1.8	22
65	Insulin-induced Activation of Phosphatidylinositol (PI) 3-Kinase. <i>Journal of Biological Chemistry</i> , 1995, 270, 30018-30022.	1.6	11
66	Tyrosine Phosphorylation of Insulin Receptor Substrate-1 in Vivo Depends upon the Presence of Its Pleckstrin Homology Region. <i>Journal of Biological Chemistry</i> , 1995, 270, 18083-18087.	1.6	97
67	Insulin signal transduction pathways. <i>Trends in Endocrinology and Metabolism</i> , 1994, 5, 369-376.	3.1	41
68	Mutagenesis of Phe381 and Phe382 in the extracellular domain of the insulin receptor: effects on receptor biosynthesis, processing, and ligand-dependent internalization. <i>FEBS Letters</i> , 1994, 341, 104-108.	1.3	1
69	Absence of insulin receptor gene mutations in three insulin-resistant women with the polycystic ovary syndrome. <i>Metabolism: Clinical and Experimental</i> , 1994, 43, 1568-1574.	1.5	63
70	Paradoxical biological effects of overexpressed insulin-like growth factor-1 receptors in chinese hamster ovary cells. <i>Journal of Cellular Physiology</i> , 1993, 156, 145-152.	2.0	21
71	Homozygous deletion of the human insulin receptor gene results in leprechaunism. <i>Nature Genetics</i> , 1993, 5, 71-73.	9.4	117
72	Substitution of Leu for Pro-193 in the insulin receptor in a patient with a genetic form of severe insulin resistance. <i>Human Molecular Genetics</i> , 1993, 2, 1437-1441.	1.4	23

#	ARTICLE	IF	CITATIONS
73	GENETIC BASIS OF ENDOCRINE DISEASE I Molecular Genetics of Insulin Resistant Diabetes Mellitus. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1991, 73, 1158-1163.	1.8	54
74	Unusual Forms of Insulin Resistance. <i>Annual Review of Medicine</i> , 1991, 42, 373-379.	5.0	19
75	A Mutation in the Tyrosine Kinase Domain of the Insulin Receptor Associated with Insulin Resistance in an Obese Woman*. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1991, 73, 894-901.	1.8	77
76	Structural and Functional Analysis of the Insulin Receptor Promoter. <i>Molecular Endocrinology</i> , 1990, 4, 647-656.	3.7	43
77	Two Unrelated Patients with Familial Hyperproinsulinemia due to a Mutation Substituting Histidine for Arginine at Position 65 in the Proinsulin Molecule: Identification of the Mutation by Direct Sequencing of Genomic Deoxyribonucleic Acid Amplified by Polymerase Chain Reaction. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1990, 71, 164-169.	1.8	35
78	The Amino Acid Sequence of the Insulin Receptor Is Normal in an Insulin-Resistant Pima Indian*. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1990, 70, 1155-1166.	1.8	54
79	Mutations in Insulin-Receptor Gene in Insulin-Resistant Patients. <i>Diabetes Care</i> , 1990, 13, 257-279.	4.3	219
80	Mutations of the human insulin receptor gene. <i>Trends in Endocrinology and Metabolism</i> , 1990, 1, 134-139.	3.1	13
81	Hepatocyte plasma membrane ecto-ATPase (pp120HA4) is a substrate for tyrosine kinase activity of the insulin receptor. <i>Biochemical and Biophysical Research Communications</i> , 1990, 166, 562-566.	1.0	110
82	Atypical Antiinsulin Receptor Antibodies in a Patient With Type B Insulin Resistance and Scleroderma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1989, 68, 227-231.	1.8	19
83	Human diabetes associated with a mutation in the tyrosine kinase domain of the insulin receptor. <i>Science</i> , 1989, 245, 66-68.	6.0	218
84	pp-120: A common endogenous substrate for insulin and IGF-1 receptor-associated tyrosine kinase activity in the highly malignant AS-30D rat hepatoma cells. <i>Biochemical and Biophysical Research Communications</i> , 1989, 160, 168-173.	1.0	11
85	Use of polymerase chain reaction catalyzed by Taq DNA polymerase for site-specific mutagenesis. <i>Gene</i> , 1989, 76, 161-166.	1.0	146
86	Autoantibodies to the insulin receptor as a cause of autoimmune hypoglycemia in systemic lupus erythematosus. <i>American Journal of Medicine</i> , 1988, 84, 334-338.	0.6	45
87	Defects in Human Insulin Receptor Gene Expression. <i>Molecular Endocrinology</i> , 1988, 2, 242-247.	3.7	47
88	Rat liver membranes contain a 120 kDa glycoprotein which serves as a substrate for the tyrosine kinases of the receptors for insulin and epidermal growth factor. <i>FEBS Letters</i> , 1987, 212, 141-144.	1.3	24
89	Insulin stimulated protein phosphorylation in human plasma liver membranes: Detection of endogenous or plasma membrane associated substrates for insulin receptor kinase. <i>Biochemical and Biophysical Research Communications</i> , 1987, 149, 1008-1016.	1.0	15
90	Genetics of the Insulin Receptor Defect in a Patient with Extreme Insulin Resistance*. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1986, 62, 1130-1135.	1.8	27

#	ARTICLE	IF	CITATIONS
91	[51] Assay of antibodies directed against cell surface receptors. <i>Methods in Enzymology</i> , 1985, 109, 656-667.	0.4	11
92	Insulin-Stimulated Receptor Phosphorylation Appears Normal in Cultured Epstein-Barr Virus-Transformed Lymphocyte Cell Lines Derived from Patients with Extreme Insulin Resistance*. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1985, 60, 381-386.	1.8	22
93	Anti-receptor Antibodies Mimic the Effect of Insulin to Down-Regulate Insulin Receptors in Cultured Human Lymphoblastoid (IM-9) Cells. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1984, 58, 182-186.	1.8	55
94	Tyrosine Kinase Activity of the Insulin Receptor of Patients with Type A Extreme Insulin Resistance: Studies with Circulating Mononuclear Cells and Cultured Lymphocytes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1984, 59, 1152-1158.	1.8	73
95	Unique Features of the Insulin Receptor in Rat Brain. <i>Journal of Neurochemistry</i> , 1984, 43, 1302-1309.	2.1	102
96	The insulin-stimulated receptor kinase is a tyrosine-specific casein kinase. <i>FEBS Journal</i> , 1983, 137, 631-637.	0.2	29
97	11 Insulin receptors in normal and disease states. <i>Clinics in Endocrinology and Metabolism</i> , 1983, 12, 191-219.	1.8	44
98	Insulin stimulates phosphorylation of serine residues in soluble insulin receptors. <i>Biochemical and Biophysical Research Communications</i> , 1983, 116, 1129-1135.	1.0	54
99	Decreased Insulin Binding to Cultured Cells from a Patient with the Rabson-Mendenhall Syndrome: Dichotomy between Studies with Cultured Lymphocytes and Cultured Fibroblasts*. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1983, 56, 856-861.	1.8	57
100	Decreased Insulin Binding in Cultured Lymphocytes from Two Patients with Extreme Insulin Resistance*. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1982, 54, 919-930.	1.8	109
101	Extreme Insulin Resistance in Association with Abnormally High Binding Affinity of Insulin Receptors from a Patient with Leprechaunism: Evidence for a Defect Intrinsic to the Receptor. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1982, 55, 1108-1113.	1.8	54
102	Hypoglycemia Associated with Antibodies to the Insulin Receptor. <i>New England Journal of Medicine</i> , 1982, 307, 1422-1426.	13.9	144
103	Insulin Resistance Associated with Androgen Excess in Women with Autoantibodies to the Insulin Receptor. <i>Annals of Internal Medicine</i> , 1982, 97, 851.	2.0	134
104	Regulation of lipogenesis in adipose tissue: The significance of the activation of pyruvate dehydrogenase by insulin. <i>Archives of Biochemistry and Biophysics</i> , 1974, 164, 12-19.	1.4	38