Klaus Heeg

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/11973929/klaus-heeg-publications-by-year.pdf

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

8,064 88 142 44 h-index g-index citations papers 8,660 6.1 147 5.44 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
142	Staphylococcus massiliensis isolated from human blood cultures, Germany, 2017-2020 <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2022 , 1	5.3	
141	Direct-PCR from rectal swabs and environmental reservoirs: A fast and efficient alternative to detect bla carbapenemase genes in an Enterobacter cloacae outbreak setting. <i>Environmental Research</i> , 2022 , 203, 111808	7.9	1
140	Comparative Genomic Reveals Clonal Heterogeneity in Persistent Infection <i>Frontiers in Cellular and Infection Microbiology</i> , 2022 , 12, 817841	5.9	
139	Inflammatory Response Against Intracellular Sensing of Nucleic Acids in Keratinocytes <i>Frontiers in Immunology</i> , 2022 , 13, 828626	8.4	2
138	Cefiderocol Protects against Cytokine- and Endotoxin-Induced Disruption of Vascular Endothelial Cell Integrity in an In Vitro Experimental Model. <i>Antibiotics</i> , 2022 , 11, 581	4.9	O
137	New Delhi metallo-beta-lactamase facilitates the emergence of cefiderocol resistance in. <i>Antimicrobial Agents and Chemotherapy</i> , 2021 , AAC0201121	5.9	4
136	The Impact of Discontinuing Contact Precautions and Enforcement of Basic Hygiene Measures on Nosocomial Vancomycin-Resistant Enterococcus faecium Transmission. <i>Journal of Hospital Infection</i> , 2021 ,	6.9	2
135	Genomic Investigation and Successful Containment of an Intermittent Common Source Outbreak of OXA-48-Producing Enterobacter cloacae Related to Hospital Shower Drains. <i>Microbiology Spectrum</i> , 2021 , e0138021	8.9	0
134	Phenotypic Detection of Hemin-Inducible Trimethoprim-Sulfamethoxazole Heteroresistance in Staphylococcus aureus. <i>Microbiology Spectrum</i> , 2021 , 9, e0151021	8.9	O
133	Acquisition and Transmission of Carbapenemase-Producing (blaKPC-2) Enterobacter cloacae in a Highly Frequented Outpatient Clinic. <i>Clinical Infectious Diseases</i> , 2021 , 72, e158-e161	11.6	5
132	Genomic structure of ST8-t008 USA300 and USA300-LV MRSA in the Rhine-Neckar Region, Germany, 2012-2018. <i>International Journal of Antimicrobial Agents</i> , 2021 , 57, 106312	14.3	6
131	Rapid development of cefiderocol resistance in carbapenem-resistant Enterobacter cloacae during therapy is associated with heterogeneous mutations in the catecholate siderophore receptor cira. <i>Clinical Infectious Diseases</i> , 2021 ,	11.6	17
130	Fast and automated detection of common carbapenemase genes using multiplex real-time PCR on the BD MAXIsystem. <i>Journal of Microbiological Methods</i> , 2021 , 185, 106224	2.8	4
129	Pitfalls in genotypic antimicrobial susceptibility testing caused by low expression of blaKPC in Escherichia coli. <i>Journal of Antimicrobial Chemotherapy</i> , 2021 , 76, 2795-2801	5.1	3
128	The potential of SARS-CoV-2 antigen-detection tests in the screening of asymptomatic persons. <i>Clinical Microbiology and Infection</i> , 2021 , 27, 1700.e1-1700.e3	9.5	6
127	Soluble Notch ligand DLL1 is associated with bleeding complication in patients with dengue fever infection. <i>Journal of Infectious Diseases</i> , 2021 ,	7	1
126	Molecular analysis of an increase in trimethoprim/sulfamethoxazole-resistant MRSA reveals multiple introductions into a tertiary care hospital, Germany 2012-19. <i>Journal of Antimicrobial Chemotherapy</i> , 2021 ,	5.1	1

125	Surveillance for Colonization, Transmission, and Infection With Methicillin-Susceptible Staphylococcus aureus in a Neonatal Intensive Care Unit. <i>JAMA Network Open</i> , 2021 , 4, e2124938	10.4	1
124	Notch Ligand Delta-Like 1 Is Associated With Loss of Vascular Endothelial Barrier Function <i>Frontiers in Physiology</i> , 2021 , 12, 766713	4.6	2
123	Nasal colonization with Staphylococcus aureus is a risk factor for ventricular assist device infection in the first year after implantation: A prospective, single-centre, cohort study. <i>Journal of Infection</i> , 2020 , 80, 511-518	18.9	7
122	Emergence of carbapenem-resistant ST131 carrying in Germany, 2019 to 2020. <i>Eurosurveillance</i> , 2020 , 25,	19.8	4
121	Challenges in interpretation of WGS and epidemiological data to investigate nosocomial transmission of vancomycin-resistant Enterococcus faecium in an endemic region: incorporation of patient movement network and admission screening. <i>Journal of Antimicrobial Chemotherapy</i> , 2020 ,	5.1	9
120	Entry of Panton-Valentine leukocidin-positive methicillin-resistant Staphylococcus aureus into the hospital: prevalence and population structure in Heidelberg, Germany 2015-2018. <i>Scientific Reports</i> , 2020 , 10, 13243	4.9	11
119	Integrative Analysis of Whole Genome Sequencing and Phenotypic Resistance Toward Prediction of Trimethoprim-Sulfamethoxazole Resistance in. <i>Frontiers in Microbiology</i> , 2020 , 11, 607842	5.7	7
118	Molecular characterization of carbapenem-resistant Acinetobacter baumannii using WGS revealed missed transmission events in Germany from 2012-15. <i>Journal of Antimicrobial Chemotherapy</i> , 2019 , 74, 3473-3480	5.1	9
117	Silencing SOCS1 via Liposome-Packed siRNA Sustains TLR4-Ligand Adjuvant. <i>Frontiers in Immunology</i> , 2019 , 10, 1279	8.4	7
116	Host-Derived as a Novel Diagnostic Biomarker for Bacterial Sepsis-Results From a Combinational Secondary Analysis. <i>Frontiers in Cellular and Infection Microbiology</i> , 2019 , 9, 267	5.9	7
115	Streptococcal Pyrogenic Exotoxin A-Stimulated Monocytes Mediate Regulatory T-Cell Accumulation through PD-L1 and Kynurenine. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	6
114	Increase in the prevalence of Panton-Valentine leukocidin and clonal shift in community-onset methicillin-resistant Staphylococcus aureus causing skin and soft-tissue infections in the Rhine-Neckar Region, Germany, 2012-2016. <i>International Journal of Antimicrobial Agents</i> , 2019 , 53, 261	14.3 - 267	19
113	Significant increase in cultivation of Gardnerella vaginalis, Alloscardovia omnicolens, Actinotignum schaalii, and Actinomyces spp. in urine samples with total laboratory automation. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2018 , 37, 1305-1311	5.3	26
112	The Interplay of Notch Signaling and STAT3 in TLR-Activated Human Primary Monocytes. <i>Frontiers in Cellular and Infection Microbiology</i> , 2018 , 8, 241	5.9	26
111	Hsa-miR-99b/let-7e/miR-125a Cluster Regulates Pathogen Recognition Receptor-Stimulated Suppressive Antigen-Presenting Cells. <i>Frontiers in Immunology</i> , 2018 , 9, 1224	8.4	14
110	Draft Genome Sequence of Staphylococcus aureus Strain HD1410, Isolated from a Persistent Nasal Carrier. <i>Genome Announcements</i> , 2018 , 6,		3
109	Cross-specificity of protective human antibodies against Klebsiella pneumoniae LPS O-antigen. Nature Immunology, 2018, 19, 617-624	19.1	64
108	Improvement of infection control management by routine molecular evaluation of pathogen clusters. <i>Diagnostic Microbiology and Infectious Disease</i> , 2017 , 88, 82-87	2.9	4

107	a Neonatal Intensive Care Unit: Recurrent Skin and Soft- Tissue Infections as a Marker for Epidemic Community-Associated-MRSA Colonization. <i>Infection Control and Hospital Epidemiology</i> , 2017 , 38, 883-8	2 8 85	11
106	IL-1IAs Mediator of Resolution That Reprograms Human Peripheral Monocytes toward a Suppressive Phenotype. <i>Frontiers in Immunology</i> , 2017 , 8, 899	8.4	12
105	T-cell activation or tolerization: the Yin and Yang of bacterial superantigens. <i>Frontiers in Microbiology</i> , 2015 , 6, 1153	5.7	5
104	Pasteurella multocida Toxin Manipulates T Cell Differentiation. <i>Frontiers in Microbiology</i> , 2015 , 6, 1273	5.7	9
103	Inhibition of Histone Deacetylases Permits Lipopolysaccharide-Mediated Secretion of Bioactive IL-1 (Via a Caspase-1-Independent Mechanism. <i>Journal of Immunology</i> , 2015 , 195, 5421-31	5.3	30
102	Granzyme A produces bioactive IL-1[through a nonapoptotic inflammasome-independent pathway. <i>Cell Reports</i> , 2014 , 9, 910-7	10.6	28
101	Ca(2+) -related signaling events influence TLR9-induced IL-10 secretion in human B cells. <i>European Journal of Immunology</i> , 2014 , 44, 1285-98	6.1	21
100	Heterogeneity of host TLR2 stimulation by Staphylocoocus aureus isolates. <i>PLoS ONE</i> , 2014 , 9, e96416	3.7	24
99	Phosphorothioate-modified CpG oligodeoxynucleotides mimic autoantigens and reveal a potential role for Toll-like receptor 9 in receptor revision. <i>Immunology</i> , 2013 , 139, 166-78	7.8	4
98	Functional variation reflects intra-strain diversity of Staphylococcus aureus small colony variants in the host-pathogen interaction. <i>International Journal of Medical Microbiology</i> , 2013 , 303, 61-9	3.7	11
97	Bifunctional oligodeoxynucleotide/antagomiR constructs: evaluation of a new tool for microRNA silencing. <i>Nucleic Acid Therapeutics</i> , 2013 , 23, 427-34	4.8	7
96	IRAK4 turns IL-10+ phospho-FOXO+ monocytes into pro-inflammatory cells by suppression of protein kinase B. <i>European Journal of Immunology</i> , 2013 , 43, 1630-42	6.1	13
95	Pathogen-triggered activation of plasmacytoid dendritic cells induces IL-10-producing B cells in response to Staphylococcus aureus. <i>Journal of Immunology</i> , 2013 , 190, 1591-602	5.3	42
94	Regulation of Toll-like receptor 4-mediated immune responses through Pasteurella multocida toxin-induced G protein signalling. <i>Cell Communication and Signaling</i> , 2012 , 10, 22	7.5	19
93	Poke weed mitogen requires Toll-like receptor ligands for proliferative activity in human and murine B lymphocytes. <i>PLoS ONE</i> , 2012 , 7, e29806	3.7	24
92	Induction of type I IFN is a physiological immune reaction to apoptotic cell-derived membrane microparticles. <i>Journal of Immunology</i> , 2012 , 189, 1747-56	5.3	44
91	Outbreak of Nosocomial Respiratory Syncytial Virus Infections in a Hematology and Transplant Unit <i>Blood</i> , 2012 , 120, 3032-3032	2.2	
90	PD-L1 expression on tolerogenic APCs is controlled by STAT-3. <i>European Journal of Immunology</i> , 2011 , 41, 413-24	6.1	236

(2007-2011)

89	Pasteurella multocida toxin-stimulated osteoclast differentiation is B cell dependent. <i>Infection and Immunity</i> , 2011 , 79, 220-8	3.7	22
88	Pasteurella multocida Toxin-induced Pim-1 expression disrupts suppressor of cytokine signalling (SOCS)-1 activity. <i>Cellular Microbiology</i> , 2010 , 12, 1732-45	3.9	17
87	Extractable organic matter of standard reference material 1649a influences immunological response induced by pathogen-associated molecular patterns. <i>Environmental Science and Pollution Research</i> , 2010 , 17, 1257-67	5.1	2
86	Kinetic of RelA activation controls magnitude of TLR-mediated IL-12p40 induction. <i>Journal of Immunology</i> , 2009 , 182, 2176-84	5.3	36
85	PDC expressing CD36, CD61 and IL-10 may contribute to propagation of immune tolerance. <i>Autoimmunity</i> , 2009 , 42, 353-5	3	10
84	Characterization of suppressive oligodeoxynucleotides that inhibit Toll-like receptor-9-mediated activation of innate immunity. <i>Immunology</i> , 2008 , 123, 118-28	7.8	36
83	The Toll-like receptor 2 R753Q mutation modifies cytokine production and Toll-like receptor expression in atopic dermatitis. <i>Journal of Allergy and Clinical Immunology</i> , 2008 , 121, 1013-9	11.5	80
82	Structural requirements for uptake and recognition of CpG oligonucleotides. <i>International Journal of Medical Microbiology</i> , 2008 , 298, 33-8	3.7	37
81	CpG oligonucleotides as adjuvant in therapeutic vaccines against parasitic infections. <i>International Journal of Medical Microbiology</i> , 2008 , 298, 39-44	3.7	29
80	Regulation of innate immunity by suppressor of cytokine signaling (SOCS) proteins. <i>Immunobiology</i> , 2008 , 213, 225-35	3.4	136
79	Modifications in small interfering RNA that separate immunostimulation from RNA interference. <i>Journal of Immunology</i> , 2008 , 180, 3229-37	5.3	88
78	Staphylococcus aureus-induced plasmacytoid dendritic cell activation is based on an IgG-mediated memory response. <i>Journal of Immunology</i> , 2008 , 181, 3823-33	5.3	52
77	TLR9-activating DNA up-regulates ZAP70 via sustained PKB induction in IgM+ B cells. <i>Journal of Immunology</i> , 2008 , 181, 8267-77	5.3	28
76	Identification of a nuclear localization signal in suppressor of cytokine signaling 1. <i>FASEB Journal</i> , 2008 , 22, 4296-305	0.9	32
75	Immunostimulatory CpG oligonucleotides form defined three-dimensional structures: results from an NMR study. <i>ChemMedChem</i> , 2007 , 2, 549-60	3.7	9
74	Histone deacetylase inhibitors decrease Toll-like receptor-mediated activation of proinflammatory gene expression by impairing transcription factor recruitment. <i>Immunology</i> , 2007 , 122, 596-606	7.8	138
73	Differential recognition of TLR-dependent microbial ligands in human bronchial epithelial cells. <i>Journal of Immunology</i> , 2007 , 178, 3134-42	5.3	148
72	The Innate Immune System. <i>NeuroImmune Biology</i> , 2007 , 87-99		

71	Induction of suppressor of cytokine signaling-1 by Toxoplasma gondii contributes to immune evasion in macrophages by blocking IFN-gamma signaling. <i>Journal of Immunology</i> , 2006 , 176, 1840-7	5.3	85
70	Activation of toll-like receptor 9 by DNA from different bacterial species. <i>Infection and Immunity</i> , 2006 , 74, 940-6	3.7	131
69	Involvement of suppressors of cytokine signaling in toll-like receptor-mediated block of dendritic cell differentiation. <i>Blood</i> , 2006 , 108, 4102-8	2.2	52
68	Differences in innate immune responses upon stimulation with gram-positive and gram-negative bacteria. <i>Journal of Periodontal Research</i> , 2006 , 41, 447-54	4.3	50
67	Real-time polymerase chain reaction for detection and quantification of bacteria in periodontal patients. <i>Journal of Periodontology</i> , 2005 , 76, 1542-9	4.6	66
66	Micromonas (Peptostreptococcus) micros: unusual case of prosthetic joint infection associated with dental procedures. <i>International Journal of Medical Microbiology</i> , 2005 , 294, 465-70	3.7	42
65	Differential effects of CpG-DNA in Toll-like receptor-2/-4/-9 tolerance and cross-tolerance. <i>Immunology</i> , 2005 , 116, 203-12	7.8	91
64	Toll-like receptors differentially induce nucleosome remodelling at the IL-12p40 promoter. <i>EMBO Reports</i> , 2004 , 5, 172-7	6.5	33
63	Suppressor of cytokine signaling (SOCS) proteins indirectly regulate toll-like receptor signaling in innate immune cells. <i>Journal of Biological Chemistry</i> , 2004 , 279, 54708-15	5.4	213
62	The toll-like receptor 2 R753Q polymorphism defines a subgroup of patients with atopic dermatitis having severe phenotype. <i>Journal of Allergy and Clinical Immunology</i> , 2004 , 113, 565-7	11.5	206
61	Poly-guanosine strings improve cellular uptake and stimulatory activity of phosphodiester CpG oligonucleotides in human leukocytes. <i>Vaccine</i> , 2004 , 23, 148-55	4.1	32
60	CpG-DNA as immune response modifier. <i>International Journal of Medical Microbiology</i> , 2004 , 294, 345-5	43.7	25
59	Quantitative detection of periodontopathogens by real-time PCR. <i>Journal of Microbiological Methods</i> , 2004 , 59, 117-25	2.8	96
58	Triggering of Toll-like receptors modulates IFN-gamma signaling: involvement of serine 727 STAT1 phosphorylation and suppressors of cytokine signaling. <i>European Journal of Immunology</i> , 2003 , 33, 177	6-8 7	61
57	CpG oligonucleotides with modified termini and nicked dumbbell structure show enhanced immunostimulatory activity. <i>Journal of Medicinal Chemistry</i> , 2003 , 46, 5031-44	8.3	12
56	Immunostimulatory DNA as adjuvant: efficacy of phosphodiester CpG oligonucleotides is enhanced by 3Tsequence modifications. <i>Vaccine</i> , 2003 , 21, 990-5	4.1	13
55	TLR-induced negative regulatory circuits: role of suppressor of cytokine signaling (SOCS) proteins in innate immunity. <i>Vaccine</i> , 2003 , 21 Suppl 2, S61-7	4.1	25
54	DNA from periodontopathogenic bacteria is immunostimulatory for mouse and human immune cells. <i>Infection and Immunity</i> , 2003 , 71, 850-6	3.7	52

53	Signal Integration Following Toll-like Receptor Triggering. Critical Reviews in Immunology, 2002, 22, 34	1.8	33
52	Effective postexposure treatment of retrovirus-induced disease with immunostimulatory DNA containing CpG motifs. <i>Journal of Virology</i> , 2002 , 76, 11397-404	6.6	49
51	Phosphodiester CpG oligonucleotides as adjuvants: polyguanosine runs enhance cellular uptake and improve immunostimulative activity of phosphodiester CpG oligonucleotides in vitro and in vivo. <i>Immunology</i> , 2002 , 106, 102-12	7.8	101
50	Immunostimulatory CpG-DNA activates murine microglia. <i>Journal of Immunology</i> , 2002 , 168, 4854-63	5.3	125
49	Immunopharmacology of CpG DNA. <i>Biological Chemistry</i> , 2002 , 383, 1491-500	4.5	22
48	CpG DNA in the prevention and treatment of infections. <i>BioDrugs</i> , 2002 , 16, 419-31	7.9	33
47	Interaction of lipoteichoic acid and CpG-DNA during activation of innate immune cells. <i>Immunobiology</i> , 2002 , 206, 392-407	3.4	21
46	IL-4 instructs TH1 responses and resistance to Leishmania major in susceptible BALB/c mice. <i>Nature Immunology</i> , 2001 , 2, 1054-60	19.1	228
45	Suppressors of cytokine signaling (SOCS)-1 and SOCS-3 are induced by CpG-DNA and modulate cytokine responses in APCs. <i>Journal of Immunology</i> , 2001 , 166, 7082-9	5.3	207
44	CpG-oligonucleotides in vaccination: signaling and mechanisms of action. <i>Immunobiology</i> , 2001 , 204, 667-76	3.4	19
43	CpG-DNA-mediated transient lymphadenopathy is associated with a state of Th1 predisposition to antigen-driven responses. <i>Journal of Immunology</i> , 2000 , 165, 1228-35	5.3	118
42	CpG DNA as a Th1 trigger. International Archives of Allergy and Immunology, 2000, 121, 87-97	3.7	90
41	Role of interleukin-18 (IL-18) during lethal shock: decreased lipopolysaccharide sensitivity but normal superantigen reaction in IL-18-deficient mice. <i>Infection and Immunity</i> , 2000 , 68, 3502-8	3.7	61
40	CpG-oligodeoxynucleotides co-stimulate primary T cells in the absence of antigen-presenting cells. <i>European Journal of Immunology</i> , 1999 , 29, 1209-18	6.1	138
39	Guanosine-rich oligodeoxynucleotides induce proliferation of macrophage progenitors in cultures of murine bone marrow cells. <i>European Journal of Immunology</i> , 1999 , 29, 3496-506	6.1	30
38	Guanosine-rich oligodeoxynucleotides induce proliferation of macrophage progenitors in cultures of murine bone marrow cells 1999 , 29, 3496		8
37	CpG-DNA-specific activation of antigen-presenting cells requires stress kinase activity and is preceded by non-specific endocytosis and endosomal maturation. <i>EMBO Journal</i> , 1998 , 17, 6230-40	13	509
36	Self-veto mechanism of CD8+ cytotoxic effector T cells. Peptide-induced paralysis affects the peptide-MHC-recognizing cytotoxic T lymphocytes and is independent of Fas/Fas ligand interactions. European Journal of Immunology, 1998, 28, 1911-22	6.1	9

35	Bacterial DNA and immunostimulatory CpG oligonucleotides trigger maturation and activation of murine dendritic cells. <i>European Journal of Immunology</i> , 1998 , 28, 2045-54	6.1	698
34	Bacterial DNA and immunostimulatory CpG oligonucleotides trigger maturation and activation of murine dendritic cells 1998 , 28, 2045		6
33	Bacterial DNA causes septic shock. <i>Nature</i> , 1997 , 386, 336-7	50.4	370
32	Superantigen and endotoxin synergize in the induction of lethal shock. <i>European Journal of Immunology</i> , 1997 , 27, 825-33	6.1	95
31	Macrophages sense pathogens via DNA motifs: induction of tumor necrosis factor-alpha-mediated shock. <i>European Journal of Immunology</i> , 1997 , 27, 1671-9	6.1	370
30	CpG-containing synthetic oligonucleotides promote B and cytotoxic T cell responses to protein antigen: a new class of vaccine adjuvants. <i>European Journal of Immunology</i> , 1997 , 27, 2340-4	6.1	338
29	Immunostimulatory DNA: sequence-dependent production of potentially harmful or useful cytokines. <i>European Journal of Immunology</i> , 1997 , 27, 3420-6	6.1	229
28	HLA-A2-restricted peripheral blood cytolytic T lymphocyte response to HPV type 16 proteins E6 and E7 from patients with neoplastic cervical lesions. <i>Cancer Immunology, Immunotherapy</i> , 1996 , 42, 15	1-76 0	44
27	Mechanisms of peripheral T cell deletion: anergized T cells are Fas resistant but undergo proliferation-associated apoptosis. <i>European Journal of Immunology</i> , 1996 , 26, 1459-67	6.1	38
26	Superantigen-reactive T cells that display an anergic phenotype in vitro appear functional in vivo. <i>International Immunology</i> , 1995 , 7, 105-14	4.9	19
25	In vivo CTL induction with point-substituted ovalbumin peptides: immunogenicity correlates with peptide-induced MHC class I stability. <i>Vaccine</i> , 1995 , 13, 313-20	4.1	44
24	DIFFERENTIAL EFFECTS OF THE IMMUNOSUPPRESSIVE AGENTS CYCLOSPORINE AND LEFLUNOMIDE IN VIVO LEFLUNOMIDE BLOCKS CLONAL T CELL EXPANSION YET ALLOWS PRODUCTION OF LYMPHOKINES AND MANIFESTATION OF T CELL-MEDIATED SHOCK.	1.8	30
23	Bacterial superantigens induce T cell unresponsiveness in B cell-deficient mice. <i>European Journal of Immunology</i> , 1995 , 25, 3187-90	6.1	12
22	Exogenous superantigens acutely trigger distinct levels of peripheral T cell tolerance/immunosuppression: dose-response relationship. <i>European Journal of Immunology</i> , 1994 , 24, 1893-902	6.1	43
21	Vaccination with immunodominant peptides encapsulated in Quil A-containing liposomes induces peptide-specific primary CD8+ cytotoxic T cells. <i>Vaccine</i> , 1994 , 12, 73-80	4.1	69
20	Superantigen mediated shock: a cytokine release syndrome. <i>Immunobiology</i> , 1993 , 189, 270-84	3.4	111
19	Induction of unresponsiveness to the superantigen staphylococcal enterotoxin B: cyclosporin A resistant split unresponsiveness unfolds in vivo without preceding clonal expansion. <i>International Immunology</i> , 1993 , 5, 929-37	4.9	20
18	Clonal deletion as direct consequence of an in vivo T cell response to bacterial superantigen. <i>European Journal of Immunology</i> , 1993 , 23, 1197-200	6.1	63

LIST OF PUBLICATIONS

17	Vaccination of class I major histocompatibility complex (MHC)-restricted murine CD8+ cytotoxic T lymphocytes towards soluble antigens: immunostimulating-ovalbumin complexes enter the class I MHC-restricted antigen pathway and allow sensitization against the immunodominant peptide.	6.1	87
16	Dissection of signals controlling T cell function and activation: H7, an inhibitor of protein kinase C, blocks induction of primary T cell proliferation by suppressing interleukin (IL)2 receptor expression without affecting IL2 production. <i>European Journal of Immunology</i> , 1991 , 21, 1575-82	6.1	12
15	Plasmodium falciparum merozoites primarily stimulate the V gamma 9 subset of human gamma/delta T cells. <i>European Journal of Immunology</i> , 1991 , 21, 2613-6	6.1	91
14	Mechanisms of T-Cell Activation 1990 , 19-23		
13	Synergy between interleukin 4 and interleukin 2 conveys resistance to cyclosporin A during primary in vitro activation of murine CD8 cytotoxic T cell precursors. <i>European Journal of Immunology</i> , 1989 , 19, 625-30	6.1	10
12	Reactivity of Ly-2+ T cells against 2,4,6-trinitrophenyl (TNP)-modified syngeneic stimulator cells: specificity, frequency of interleukin 2-producing Ly-2+ helper T cells and clonal segregation from Ly-2+ cytotoxic T lymphocytes. <i>European Journal of Immunology</i> , 1988 , 18, 325-32	6.1	8
11	Interleukin 4 (BSF-1) induces growth in resting murine CD8 T cells triggered via cross-linking of T3 cell surface structures. <i>European Journal of Immunology</i> , 1988 , 18, 767-72	6.1	19
10	L3T4+ T-cell-independent reactivity of Lyt2+ T cells in vivo. <i>Cellular Immunology</i> , 1988 , 111, 148-57	4.4	4
9	High-dose irradiated splenic stimulator cells show no endogenous interleukin-2 production but stimulate clonally developing helper T cells to produce interleukin-2. <i>Journal of Immunological Methods</i> , 1988 , 109, 185-91	2.5	3
8	Identification of interleukin 2-producing T helper cells within murine Lyt-2+ T lymphocytes: frequency, specificity and clonal segregation from Lyt-2+ precursors of cytotoxic T lymphocytes. <i>European Journal of Immunology</i> , 1987 , 17, 229-36	6.1	29
7	Multiple Signals Required in Cytolytic T Cell Responses 1986 , 386-395		2
6	Analysis of immunological tolerance to major histocompatibility complex antigens. I. High frequencies of tolerogen-specific cytotoxic T lymphocyte precursors in mice neonatally tolerized to class I major histocompatibility complex antigens. <i>European Journal of Immunology</i> , 1985 , 15, 25-30	6.1	15
5	Alloreactive cytotoxic T cells. I. Alloreactive and allorestricted cytotoxic T cells. <i>European Journal of Immunology</i> , 1985 , 15, 387-93	6.1	14
4	A rapid colorimetric assay for the determination of IL-2-producing helper T cell frequencies. <i>Journal of Immunological Methods</i> , 1985 , 77, 237-46	2.5	116
3	T-T cell interactions during in vitro cytotoxic T cell responses. VI. The role of T cell-derived colony-stimulating factor in helper T cell activation. <i>European Journal of Immunology</i> , 1984 , 14, 176-80	6.1	8
2	Frequency analysis of cyclosporine-sensitive cytotoxic T lymphocyte precursors. <i>Transplantation</i> , 1984 , 38, 532-6	1.8	21
1	T-T cell interactions during cytotoxic T lymphocyte (CTL) responses: T cell derived helper factor (Interleukin 2) as a probe to analyze CTL responsiveness and thymic maturation of CTL progenitors. <i>Immunological Reviews</i> , 1980 , 51, 215-55	11.3	201