

# Jean-Pierre Sauvage

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11974790/publications.pdf>

Version: 2024-02-01

265  
papers

24,978  
citations

5248

83  
h-index

8835

145  
g-index

295  
all docs

295  
docs citations

295  
times ranked

11027  
citing authors

#	ARTICLE	IF	CITATIONS
1	Transition Metal-Containing Rotaxanes and Catenanes in Motion: Toward Molecular Machines and Motors. <i>Accounts of Chemical Research</i> , 1998, 31, 611-619.	7.6	844
2	Chemical Topology: Complex Molecular Knots, Links, and Entanglements. <i>Chemical Reviews</i> , 2011, 111, 5434-5464.	23.0	742
3	Shuttles and Muscles: Linear Molecular Machines Based on Transition Metals. <i>Accounts of Chemical Research</i> , 2001, 34, 477-487.	7.6	683
4	From Chemical Topology to Molecular Machines (Nobel Lecture). <i>Angewandte Chemie - International Edition</i> , 2017, 56, 11080-11093.	7.2	635
5	Towards Synthetic Molecular Muscles: Contraction and Stretching of a Linear Rotaxane Dimer. <i>Angewandte Chemie - International Edition</i> , 2000, 39, 3284-3287.	7.2	496
6	Transition metal complexes as molecular machine prototypes. <i>Chemical Society Reviews</i> , 2007, 36, 358-366.	18.7	464
7	Electrochemically Triggered Swinging of a [2]-Catenate. <i>Journal of the American Chemical Society</i> , 1994, 116, 9399-9400.	6.6	450
8	A Synthetic Molecular Trefoil Knot. <i>Angewandte Chemie International Edition in English</i> , 1989, 28, 189-192.	4.4	443
9	Synthesis and study of a mixed-ligand ruthenium(II) complex in its ground and excited states: bis(2,2'-bipyridine)(dipyrido[3,2-a : 2',3'-c]phenazine-N4N5)ruthenium(II). <i>Journal of the Chemical Society Dalton Transactions</i> , 1990, , 1841-1845.		345
10	A family of luminescent coordination compounds: iridium(III) polyimine complexes. <i>Chemical Society Reviews</i> , 2000, 29, 385-391.	18.7	344
11	Nickel(II)-cyclam: an extremely selective electrocatalyst for reduction of CO <sub>2</sub> in water. <i>Journal of the Chemical Society Chemical Communications</i> , 1984, , 1315.	2.0	331
12	From ruthenium(II) to iridium(III): 15 years of triads based on bis-terpyridine complexes. <i>Chemical Society Reviews</i> , 2004, 33, 147.	18.7	329
13	Rotaxanes Incorporating Two Different Coordinating Units in Their Thread: Synthesis and Electrochemically and Photochemically Induced Molecular Motions. <i>Journal of the American Chemical Society</i> , 1999, 121, 4397-4408.	6.6	328
14	A strategy for constructing photosynthetic models: porphyrin-containing modules assembled around transition metals. <i>Chemical Society Reviews</i> , 1996, 25, 41.	18.7	313
15	Rotaxanes as new architectures for photoinduced electron transfer and molecular motions. <i>Chemical Society Reviews</i> , 1999, 28, 293-305.	18.7	310
16	Synthesis and Photophysical Properties of Iridium(III) Bisterpyridine and Its Homologues: a Family of Complexes with a Long-Lived Excited State. <i>Journal of the American Chemical Society</i> , 1999, 121, 5009-5016.	6.6	265
17	Rigid Rod-Like Dinuclear Ru(II)/Os(II) Terpyridine-Type Complexes. Electrochemical Behavior, Absorption Spectra, Luminescence Properties, and Electronic Energy Transfer through Phenylene Bridges. <i>Journal of the American Chemical Society</i> , 1994, 116, 7692-7699.	6.6	257
18	Electrochemically and Photochemically Driven Ring Motions in a Disymmetrical Copper [2]-Catenate. <i>Journal of the American Chemical Society</i> , 1997, 119, 12114-12124.	6.6	247

#	ARTICLE	IF	CITATIONS
19	High-Yield Synthesis of [2] Catenanes by Intramolecular Ring-Closing Metathesis. <i>Angewandte Chemie International Edition in English</i> , 1997, 36, 1308-1310.	4.4	238
20	Templated synthesis of interlocked macrocyclic ligands, the catenands. Preparation and characterization of the prototypical bis-30 membered ring system. <i>Tetrahedron</i> , 1990, 46, 503-512.	1.0	236
21	Design and synthesis of porphyrin-containing catenanes and rotaxanes. <i>Chemical Society Reviews</i> , 2009, 38, 422-442.	18.7	223
22	2D Supramolecular Assemblies of Benzene-1,3,5-triyl-tribenzoic Acid: A Temperature-Induced Phase Transformations and Hierarchical Organization with Macrocyclic Molecules. <i>Journal of the American Chemical Society</i> , 2006, 128, 15644-15651.	6.6	221
23	Synthesis of Catenane Structures via Ring-Closing Metathesis. <i>Journal of Organic Chemistry</i> , 1999, 64, 5463-5471.	1.7	217
24	Chemically Induced Contraction and Stretching of a Linear Rotaxane Dimer. <i>Chemistry - A European Journal</i> , 2002, 8, 1456-1466.	1.7	198
25	Light-Driven Machine Prototypes Based on Dissociative Excited States: Photoinduced Decoordination and Thermal Reoordination of a Ring in a Ruthenium(II)-Containing [2] Catenane. <i>Angewandte Chemie - International Edition</i> , 2004, 43, 2392-2395.	7.2	197
26	Redox Control of the Ring-Gliding Motion in a Cu-Complexed Catenane: A Process Involving Three Distinct Geometries. <i>Journal of the American Chemical Society</i> , 1996, 118, 11980-11981.	6.6	184
27	A Transition Metal Containing Rotaxane in Motion: Electrochemically Induced Pirouetting of the Ring on the Threaded Dumbbell. <i>Chemistry - A European Journal</i> , 1999, 5, 3310-3317.	1.7	172
28	Copper(I)- or Iron(II)-Templated Synthesis of Molecular Knots Containing Two Tetrahedral or Octahedral Coordination Sites. <i>Journal of the American Chemical Society</i> , 1999, 121, 994-1001.	6.6	172
29	Photoassisted C-C coupling via electron transfer to benzylic halides by a bis(di-imine) copper(I) complex. <i>Journal of the Chemical Society Chemical Communications</i> , 1987, , 546-548.	2.0	171
30	Structure of a Synthetic Trefoil Knot Coordinated to Two Copper(I) Centers. <i>Angewandte Chemie International Edition in English</i> , 1990, 29, 1154-1156.	4.4	169
31	Long-Range Electronic Coupling in Bis(cyclometalated) Ruthenium Complexes. <i>Journal of the American Chemical Society</i> , 1998, 120, 3717-3725.	6.6	163
32	From classical chirality to topologically chiral catenands and knots. , 1993, , 131-162.		162
33	Photoinduced Electron- and Energy-Transfer Processes Occurring within Porphyrin-Metal-Bisterpyridyl Conjugates. <i>Journal of the American Chemical Society</i> , 1994, 116, 5679-5690.	6.6	162
34	Iridium Terpyridine Complexes as Functional Assembling Units in Arrays for the Conversion of Light Energy. <i>Accounts of Chemical Research</i> , 2008, 41, 857-871.	7.6	160
35	A Copper(I)-Complexed Rotaxane with Two Fullerene Stoppers: Synthesis, Electrochemistry, and Photoinduced Processes. <i>Chemistry - A European Journal</i> , 1998, 4, 406-416.	1.7	157
36	Transition metal-complexed catenanes and rotaxanes as molecular machine prototypes. <i>Chemical Communications</i> , 2005, , 1507.	2.2	156

#	ARTICLE	IF	CITATIONS
37	Energy Transfer in Rigid Ru(II)/Os(II) Dinuclear Complexes with Biscyclometalating Bridging Ligands Containing a Variable Number of Phenylene Units. <i>Inorganic Chemistry</i> , 1996, 35, 136-142.	1.9	154
38	Multistep Electron Transfer between Porphyrin Modules Assembled around a Ruthenium Center. <i>Journal of the American Chemical Society</i> , 1995, 117, 9461-9472.	6.6	153
39	Towards artificial muscles at the nanometric level. <i>Chemical Communications</i> , 2003, , 1613.	2.2	147
40	Spectral sensitization of large-band-gap semiconductors (thin films and ceramics) by a carboxylated bis(1,10-phenanthroline)copper(I) complex. <i>Journal of the Chemical Society Dalton Transactions</i> , 1994, , 1649.	1.1	146
41	A Study on Delocalization of MLCT Excited States by Rigid Bridging Ligands in Homometallic Dinuclear Complexes of Ruthenium(II). <i>Journal of Physical Chemistry A</i> , 1997, 101, 9061-9069.	1.1	146
42	Eine Kleeblattknoten-Verbindung. <i>Angewandte Chemie</i> , 1989, 101, 192-194.	1.6	144
43	Von der chemischen Topologie zu molekularen Maschinen (Nobel-Aufsatz). <i>Angewandte Chemie</i> , 2017, 129, 11228-11242.	1.6	142
44	Molecular Composite Knots. <i>Journal of the American Chemical Society</i> , 1996, 118, 9110-9116.	6.6	133
45	Bis(2,9-diphenyl-1,10-phenanthroline)copper(I): a copper complex with a long-lived charge-transfer excited state. <i>Journal of the Chemical Society Chemical Communications</i> , 1983, , 513.	2.0	129
46	Photoexpulsion of Surface-Grafted Ruthenium Complexes and Subsequent Release of Cytotoxic Cargos to Cancer Cells from Mesoporous Silica Nanoparticles. <i>Journal of the American Chemical Society</i> , 2013, 135, 11603-11613.	6.6	128
47	Quantitative and Spontaneous Formation of a Doubly Interlocking [2]Catenane Using Copper(I) and Palladium(II) as Templating and Assembling Centers. <i>Journal of the American Chemical Society</i> , 1999, 121, 11014-11015.	6.6	127
48	A copper-complexed rotaxane in motion: pirouetting of the ring on the millisecond timescale. <i>Chemical Communications</i> , 2004, , 474.	2.2	127
49	A Light-Induced Molecular Switch Driven by Radical-Radical Interactions in Water. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 6782-6788.	7.2	127
50	Construction of One-Dimensional Multicomponent Molecular Arrays: Control of Electronic and Molecular Motions. <i>European Journal of Inorganic Chemistry</i> , 1998, 1998, 1-14.	1.0	124
51	Absorption and luminescence properties of 1, 10-phenanthroline, 2, 9-diphenyl-1, 10-phenanthroline, 2,9-dianisyl-1, 10-phenanthroline and their protonated forms in dichloromethane solution. <i>Journal of the Chemical Society, Faraday Transactions</i> , 1992, 88, 553.	1.7	123
52	Copper-complexed catenanes and rotaxanes in motion: 15 years of molecular machines. <i>Dalton Transactions</i> , 2010, 39, 10557.	1.6	122
53	Long-range coupling in a mixed-valence diruthenium complexes containing bis-terpyridine ligands of various lengths as bridges. <i>Journal of the Chemical Society Chemical Communications</i> , 1993, , 434-435.	2.0	120
54	Photoinduced processes in multicomponent arrays containing transition metal complexes. <i>Coordination Chemistry Reviews</i> , 1999, 190-192, 671-682.	9.5	118

#	ARTICLE	IF	CITATIONS
55	A Hermaphrodite Molecule: Quantitative Copper(I)-Directed Formation of a Doubly Threaded Assembly from a Ring Attached to a String. <i>Angewandte Chemie - International Edition</i> , 2000, 39, 1295-1298.	7.2	118
56	Quantitative Formation of [2]Catenanes Using Copper(I) and Palladium(II) as Templating and Assembling Centers: The Entwining Route and the Threading Approach. <i>Journal of the American Chemical Society</i> , 2003, 125, 5717-5725.	6.6	114
57	A Switchable Hybrid [2]-Catenane Based on Transition Metal Complexation and $\pi$ -Electron Donor-Acceptor Interactions. <i>Journal of the American Chemical Society</i> , 1996, 118, 3905-3913.	6.6	112
58	Photoinduced Electron and Energy Transfer in Rigidly Bridged Ru(II)-Rh(III) Binuclear Complexes. <i>Inorganic Chemistry</i> , 1996, 35, 303-312.	1.9	111
59	Rotaxanes and Catenanes Built Around Octahedral Transition Metals. <i>European Journal of Organic Chemistry</i> , 2004, 2004, 1627-1638.	1.2	108
60	Sterically non-hindering endocyclic ligands of the bi-isoquinoline family. <i>Chemical Communications</i> , 2006, , 171-173.	2.2	107
61	Metal-Organic Frameworks Incorporating Copper-Complexed Rotaxanes. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 2160-2163.	7.2	105
62	Long-Range Electron Transfer in Porphyrin-Containing [2]-Rotaxanes: Tuning the Rate by Metal Cation Coordination. <i>Journal of the American Chemical Society</i> , 2002, 124, 4347-4362.	6.6	103
63	A copper(I)-complexed rotaxane with two fullerene stoppers. <i>Journal of the Chemical Society Chemical Communications</i> , 1995, , 781.	2.0	101
64	Functional Rotaxanes: From Controlled Molecular Motions to Electron Transfer Between Chemically Nonconnected Chromophores. <i>Chemistry - A European Journal</i> , 1998, 4, 1362-1366.	1.7	100
65	Electrochemically Driven Sequential Machines: An Implementation of Copper Rotaxanes. <i>Chemistry - A European Journal</i> , 2009, 15, 1310-1313.	1.7	100
66	A [2]Catenane Constructed around a Ru(Diimine) $^{2+}$ Complex Used as a Template. <i>Journal of the American Chemical Society</i> , 2003, 125, 2016-2017.	6.6	98
67	Stereoselective Synthesis of a Topologically Chiral Molecule: The Trefoil Knot. <i>Angewandte Chemie - International Edition</i> , 2004, 43, 4482-4485.	7.2	97
68	Adjustable Receptor Based on a [3]Rotaxane Whose Two Threaded Rings Are Rigidly Attached to Two Porphyrinic Plates: Synthesis and Complexation Studies. <i>Journal of the American Chemical Society</i> , 2009, 131, 5609-5620.	6.6	97
69	Copper(II)-Mediated Oxidative Coupling of Bis(dimethylaminomethyl)aryl ruthenium Complexes to give [(terpy)Ru(III)(pincer-pincer)-Ru(III)(terpy)](CuCl <sub>2</sub> ) <sub>4</sub> . <i>Angewandte Chemie International Edition in English</i> , 1994, 33, 1282-1285.	4.4	96
70	Construction of Interlocking and Threaded Rings Using Two Different Transition Metals as Templating and Connecting Centers: Catenanes and Rotaxanes Incorporating Ru(terpy) <sub>2</sub> -Units in Their Framework. <i>Journal of the American Chemical Society</i> , 1997, 119, 2656-2664.	6.6	96
71	Transition-Metal-Complexed Catenanes and Rotaxanes in Motion: Towards Molecular Machines. , 0, , 29-62.		96
72	Cyclic [4]Rotaxanes Containing Two Parallel Porphyrinic Plates: Toward Switchable Molecular Receptors and Compressors. <i>Accounts of Chemical Research</i> , 2014, 47, 633-645.	7.6	96

#	ARTICLE	IF	CITATIONS
73	Porphyritic Dyads and Triads Assembled around Iridium(III) Bis-terpyridine: Photoinduced Electron Transfer Processes. <i>Inorganic Chemistry</i> , 2001, 40, 5507-5517.	1.9	94
74	Molecular Knots. <i>Topics in Current Chemistry</i> , 0, , 261-283.	4.0	93
75	Efficient synthesis of a labile copper(I)-rotaxane complex using click chemistry. <i>Tetrahedron Letters</i> , 2006, 47, 4907-4909.	0.7	93
76	A Liquid-Crystalline [2]Catenane and Its Copper(I) Complex. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 4680-4683.	7.2	93
77	Luminescent Dinuclear Complexes Containing Ruthenium(II)- and Osmium(II)-Terpyridine-type Chromophores Bridged by a Rigid Biscyclometalating Ligand. <i>Inorganic Chemistry</i> , 1994, 33, 2543-2547.	1.9	90
78	Efficient and Selective Photochemical Labilization of a Given Bidentate Ligand in Mixed Ruthenium(II) Complexes of the Ru(phen) <sub>2</sub> L <sub>2</sub> <sup>+</sup> and Ru(bipy) <sub>2</sub> L <sub>2</sub> <sup>+</sup> Family (L = Sterically Hindering Chelate). <i>European Journal of Inorganic Chemistry</i> , 1999, 1999, 383-386.	1.0	89
79	Iron(II)-Templated Synthesis of [3]Rotaxanes by Passing Two Threads through the Same Ring. <i>Journal of the American Chemical Society</i> , 2008, 130, 448-449.	6.6	89
80	Triplet-Triplet Energy Transfer between Porphyrins Linked via a Ruthenium(II) Bisterpyridine Complex. <i>Inorganic Chemistry</i> , 1999, 38, 661-667.	1.9	88
81	Ru (bipy) <sub>2</sub> dppz <sub>2</sub> <sup>+</sup> : a highly sensitive luminescent probe for micellar sodium dodecyl sulfate solutions. <i>Chemical Physics Letters</i> , 1991, 182, 603-607.	1.2	87
82	A rotaxane with two rigidly held porphyrins as stoppers. <i>Journal of the Chemical Society Chemical Communications</i> , 1992, , 1131.	2.0	87
83	Multicomponent Molecular Systems Incorporating Porphyrins and Copper(I) Complexes: Simultaneous Synthesis of [3]- and [5]Rotaxanes. <i>Angewandte Chemie International Edition in English</i> , 1996, 35, 906-909.	4.4	87
84	Vectorial transfer of electronic energy in rod-like ruthenium-osmium dinuclear complexes. <i>Chemical Communications</i> , 1997, , 333-338.	2.2	85
85	Disulfide- and Thiol-Incorporating Copper Catenanes: Synthesis, Deposition onto Gold, and Surface Studies. <i>Chemistry - A European Journal</i> , 2002, 8, 2153.	1.7	85
86	Heteroleptic Copper(I) Pseudorotaxanes Incorporating Macrocyclic Phenanthroline Ligands of Different Sizes. <i>Journal of the American Chemical Society</i> , 2018, 140, 2336-2347.	6.6	85
87	Multiporphyrinic Rotaxanes: Control of Intramolecular Electron Transfer Rate by Steering the Mutual Arrangement of the Chromophores. <i>Journal of the American Chemical Society</i> , 2000, 122, 11834-11844.	6.6	84
88	Copper(I)-Directed Formation of a Cyclic Pseudorotaxane Tetramer and Its Trimeric Homologue. <i>Angewandte Chemie - International Edition</i> , 2006, 45, 258-261.	7.2	84
89	Photoinduced Processes in Dyads Made of a Porphyrin Unit and a Ruthenium Complex. <i>Journal of Physical Chemistry B</i> , 1997, 101, 5936-5943.	1.2	83
90	Effiziente Synthese von [2]-Catenanen durch intramolekulare Olefinmetathese. <i>Angewandte Chemie</i> , 1997, 109, 1365-1367.	1.6	83

#	ARTICLE	IF	CITATIONS
91	Porphyrin-Stoppered [3]- and [5]-Rotaxanes. <i>Journal of the American Chemical Society</i> , 1999, 121, 3684-3692.	6.6	83
92	Bimetallic Iridium(III) Complexes Consisting of Ir(ppy) <sub>2</sub> Units (ppy = 2-Phenylpyridine) and Two Laterally Connected N <sup>+</sup> ~S <sup>-</sup> N Chelates as Bridge: Synthesis, Separation, and Photophysical Properties. <i>Inorganic Chemistry</i> , 2007, 46, 6911-6919.	1.9	83
93	Molecular Muscles: From Species in Solution to Materials and Devices. <i>Chemistry Letters</i> , 2014, 43, 964-974.	0.7	83
94	Synthesis of a Bis-macrocycle Containing Two Back-to-Back Rigidly Connected 1,10-Phenanthroline Units as a Central Core and its Incorporation in a Handcuff-Like Catenane. <i>Chemistry - A European Journal</i> , 2007, 13, 7584-7594.	1.7	82
95	Fast Electrochemically Induced Translation of the Ring in a Copper-Complexed [2]Rotaxane: The Biisoquinoline Effect. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 3537-3540.	7.2	82
96	Lithium templated synthesis of catenanes: efficient synthesis of doubly interlocked [2]-catenanes. <i>Chemical Communications</i> , 1999, , 615-616.	2.2	81
97	Passing Two Strings through the Same Ring Using an Octahedral Metal Center as Template: A New Synthesis of [3]Rotaxanes. <i>Journal of the American Chemical Society</i> , 2009, 131, 6794-6807.	6.6	81
98	Copper(I)-Assembled [3]Rotaxane Whose Two Rings Act as Flapping Wings. <i>Journal of the American Chemical Society</i> , 2012, 134, 1802-1809.	6.6	81
99	Resolution of a Molecular Trefoil Knot. <i>Journal of the American Chemical Society</i> , 1996, 118, 10932-10933.	6.6	80
100	A Fast-Moving [2]Rotaxane Whose Stoppers Are Remote from the Copper Complex Core. <i>Organic Letters</i> , 2005, 7, 5753-5756.	2.4	80
101	A Fast-Moving Copper-Based Molecular Shuttle: Synthesis and Dynamic Properties. <i>Chemistry - A European Journal</i> , 2009, 15, 4124-4134.	1.7	79
102	Photoinduced Processes in Highly Coupled Multicomponent Arrays Based on a Ruthenium(II)Bis(terpyridine) Complex and Porphyrins. <i>Chemistry - A European Journal</i> , 1998, 4, 1744-1754.	1.7	78
103	Charge Separation in a Molecular Triad Consisting of an Iridium(III)-bis-terpy Central Core and Porphyrins as Terminal Electron Donor and Acceptor Groups. <i>Angewandte Chemie - International Edition</i> , 2000, 39, 1292-1295.	7.2	78
104	Electron Transfer between Mechanically Linked Porphyrins in a [2]Rotaxane. <i>Journal of the American Chemical Society</i> , 1997, 119, 11329-11330.	6.6	77
105	Interlocked and Knotted Rings in Biology and Chemistry. <i>Bioorganic Chemistry Frontiers</i> , 1991, , 195-248.	1.2	77
106	Pronounced Electronic Coupling in Rigidly Connected N,C,N-Coordinated Diruthenium Complexes over a Distance of Up to 20Å.... <i>Angewandte Chemie International Edition in English</i> , 1994, 33, 1775-1778.	4.4	76
107	Photochemical or Thermal Chelate Exchange in the Ruthenium Coordination Sphere of Complexes of the Ru(phen) <sub>2</sub> L Family (L = Diimine or Dinitrile Ligands). <i>Inorganic Chemistry</i> , 2002, 41, 1215-1222.	1.9	76
108	A Triad Based on an Iridium(III) Bisterpyridine Complex Leading to a Charge-Separated State with a 120-ns Lifetime at Room Temperature. <i>Chemistry - A European Journal</i> , 2006, 12, 6592-6606.	1.7	76

#	ARTICLE	IF	CITATIONS
109	Templated Synthesis of Cyclic [4]Rotaxanes Consisting of Two Stiff Rods Threaded through Two Bis-macrocycles with a Large and Rigid Central Plate as Spacer. <i>Journal of the American Chemical Society</i> , 2010, 132, 6840-6850.	6.6	76
110	High-yield synthesis of a dicopper(I) trefoil knot containing 1,3-phenylene groups as bridges between the chelate units. <i>Journal of the Chemical Society Chemical Communications</i> , 1994, , 2231.	2.0	75
111	Molecular Machines and Motors Based on Transition Metal-Containing Catenanes and Rotaxanes. <i>Structure and Bonding</i> , 2001, , 55-78.	1.0	75
112	π-π Stacking-Induced Cooperativity in Copper(I) Complexes with Phenanthroline Ligands. <i>Inorganic Chemistry</i> , 1999, 38, 2279-2287.	1.9	73
113	Zinc(II)-Templated Synthesis of a [2]-Catenane Consisting of a 2,6-Terpyridine-Incorporating Cycle and a 1,10-Phenanthroline-Containing Ring. <i>Inorganic Chemistry</i> , 2003, 42, 1877-1883.	1.9	73
114	Synthesis of a Copper [3]Rotaxane Able To Function as an Electrochemically Driven Oscillatory Machine in Solution, and To Form SAMs on a Metal Surface. <i>Inorganic Chemistry</i> , 2003, 42, 6780-6792.	1.9	73
115	Dicopper(I) Trefoil Knots: Topological and Structural Effects on the Demetalation Rates and Mechanism. <i>Journal of the American Chemical Society</i> , 1997, 119, 4599-4607.	6.6	72
116	The separation of optically active copper (I) catenanes. <i>Tetrahedron Letters</i> , 1993, 34, 1019-1022.	0.7	71
117	Octahedral Fe(II) and Ru(II) Complexes Based on a New Bis 1,10-Phenanthroline Ligand That Imposes a Well Defined Axis. <i>Journal of the American Chemical Society</i> , 2001, 123, 12215-12221.	6.6	71
118	A Rapidly Shuttling Copper-Complexed [2]Rotaxane with Three Different Chelating Groups in Its Axis. <i>Angewandte Chemie - International Edition</i> , 2009, 48, 8532-8535.	7.2	71
119	Transition-metal template synthesis of a rotaxane incorporating two different coordinating units in its thread. <i>Tetrahedron Letters</i> , 1997, 38, 3521-3524.	0.7	69
120	Electrochemical and Spectroscopic Properties of Cyclometallated and Non-Cyclometallated Ruthenium(II) Complexes Containing Sterically Hindering Ligands of the Phenanthroline and Terpyridine Families. <i>European Journal of Inorganic Chemistry</i> , 2000, 2000, 113-119.	1.0	69
121	Dyads Containing Iridium(III) Bis-terpyridine as Photoactive Center: Synthesis and Electron Transfer Study. <i>Inorganic Chemistry</i> , 2004, 43, 3057-3066.	1.9	69
122	Electrochemically induced molecular motions in a copper(I) complex pseudorotaxane. <i>Chemical Communications</i> , 1996, , 2005-2006.	2.2	67
123	Synthesis of catenanes and molecular knots by copper(I)-directed formation of the precursors followed by ruthenium(II)-catalysed ring-closing metathesis. <i>Coordination Chemistry Reviews</i> , 1999, 185-186, 167-176.	9.5	67
124	Absorption and emission properties of a 2-catenand, its protonated forms, and its complexes with Li <sup>+</sup> , Cu <sup>+</sup> , Ag <sup>+</sup> , Co <sup>2+</sup> , Ni <sup>2+</sup> , Zn <sup>2+</sup> , Pd <sup>2+</sup> and Cd <sup>2+</sup> : tuning of the luminescence over the whole visible spectral region. <i>Journal of the Chemical Society Dalton Transactions</i> , 1993, , 3241.	1.1	66
125	Poly[2]-catenanes containing alternating topological and covalent bonds. <i>Chemical Communications</i> , 1996, , 1243-1244.	2.2	66
126	A Dicopper(I) Trefoil Knot with m-Phenylene Bridges between the Ligand Subunits: Synthesis, Resolution, and Absolute Configuration. <i>Chemistry - A European Journal</i> , 1999, 5, 1432-1439.	1.7	66



#	ARTICLE	IF	CITATIONS
127	Synthesis of a [2]Catenane around a Ru(diimine) <sub>3</sub> <sup>2+</sup> Scaffold by Ring-Closing Metathesis of Olefins. <i>Organic Letters</i> , 2003, 5, 1887-1890.	2.4	65
128	Changeover in a multimodal copper(ii) catenate as monitored by EPR spectroscopy. <i>Chemical Communications</i> , 1997, , 35-36.	2.2	63
129	Synthesis, X-ray Structure, and Electrochemical and Excited-State Properties of Multicomponent Complexes Made of a [Ru(Tpy) <sub>2</sub> ] <sup>2+</sup> Unit Covalently Linked to a [2]-Catenate Moiety. Controlling the Energy-Transfer Direction by Changing the Catenate Metal Ion. <i>Journal of the American Chemical Society</i> , 1999, 121, 5481-5488.	6.6	61
130	Towards molecular machines and motors based on transition metal complexes. <i>Journal of Physical Organic Chemistry</i> , 2002, 15, 476-483.	0.9	61
131	Photochemical and thermal synthesis and characterization of polypyridine ruthenium(ii) complexes containing different monodentate ligands Electronic supplementary information (ESI) available: View of the dimeric units of 8 and proton indexation used in the 1H NMR data. See <a href="http://www.rsc.org/suppdata/DT/b3/b310198c/">http://www.rsc.org/suppdata/DT/b3/b310198c/</a> . <i>Dalton Transactions</i> , 2003, , 4654.	1.6	61
132	Porphyrim-containing [2]-Rotaxanes: Metal Coordination Enhanced Superexchange Electron Transfer between Noncovalently Linked Chromophores. <i>Journal of the American Chemical Society</i> , 2000, 122, 3526-3527.	6.6	60
133	Multiring Catenanes with a Macrobicyclic Core. <i>Angewandte Chemie International Edition in English</i> , 1993, 32, 1434-1437.	4.4	59
134	Photoinduced Electron Transfer in Multiporphyrinic Interlocked Structures: The Effect of Copper(I) Coordination in the Central Site. <i>Chemistry - A European Journal</i> , 2004, 10, 2689-2699.	1.7	59
135	Rotaxanes and other transition metal-assembled porphyrin arrays for long-range photoinduced charge separation. <i>Coordination Chemistry Reviews</i> , 1998, 178-180, 1299-1312.	9.5	58
136	Temperature Independent Ru → Os Electronic Energy Transfer in a Rodlike Dinuclear Complex with a 2.4 nm Intermetal Separation. <i>Journal of the American Chemical Society</i> , 1996, 118, 11972-11973.	6.6	57
137	Chiroptical Properties of an Optically Pure Dicopper(I) Trefoil Knot and Its Enantioselectivity in Luminescence Quenching Reactions. <i>Chemistry - A European Journal</i> , 2000, 6, 2129-2134.	1.7	57
138	Controlled Molecular Motions in Copper-Complexed Rotaxanes: An XAS Study. <i>Inorganic Chemistry</i> , 2000, 39, 1555-1560.	1.9	57
139	Unexpected Synthesis of an 8-Shaped Macrocyclic Instead of an Interlocking-Ring System. <i>Inorganic Chemistry</i> , 2000, 39, 5169-5172.	1.9	57
140	Photochemical expulsion of a Ru(phen) <sub>2</sub> unit from a macrocyclic receptor and its thermal re-coordination. <i>New Journal of Chemistry</i> , 2001, 25, 22-24.	1.4	57
141	Switching of Electron- to Energy-Transfer by Selective Excitation of Different Chromophores in Arrays Based on Porphyrins and a Polypyridyl Iridium Complex. <i>Journal of Physical Chemistry B</i> , 2002, 106, 6663-6671.	1.2	57
142	Transition metal-complexed catenanes and rotaxanes in motion: Towards molecular machines. <i>Inorganic Chemistry Communication</i> , 2005, 8, 1063-1074.	1.8	57
143	Topologically complex molecules obtained by transition metal templation: it is the presentation that determines the synthesis strategy. <i>New Journal of Chemistry</i> , 2013, 37, 49-57.	1.4	57
144	Struktur einer an zwei Kupfer(I)-Zentren koordinierten Kleeblattknoten-Verbindung. <i>Angewandte Chemie</i> , 1990, 102, 1202-1204.	1.6	56

#	ARTICLE	IF	CITATIONS
145	Templated Synthesis of a Rotaxane with a [Ru(diimine) <sub>3</sub> ] <sup>2+</sup> Core. <i>Chemistry - A European Journal</i> , 2003, 9, 4247-4254.	1.7	56
146	A catenane consisting of a large ring threaded through both cyclic units of a handcuff-like compound. <i>Chemical Communications</i> , 2005, , 5310.	2.2	55
147	Photochemical Expulsion of the Neutral Monodentate Ligand L in Ru(Terpy*)(Diimine)(L) <sub>2</sub> <sup>+</sup> : A Dramatic Effect of the Steric Properties of the Spectator Diimine Ligand. <i>Inorganic Chemistry</i> , 2004, 43, 8346-8354.	1.9	54
148	A [2]Catenane and a [2]Rotaxane as Prototypes of Topological and Euclidean Molecular "Rubber Gloves". <i>Chemistry - A European Journal</i> , 2001, 7, 4085-4096.	1.7	53
149	Dinuclear Iridium(III) Complexes Consisting of Back-to-Back terpyridine Bridging Ligands (n = 0, 1, or 2). <i>Inorganic Chemistry</i> , 2005, 44, 1312-1318.	0.784314	33
150	Electroactive films with a polyrotaxane organic backbone. <i>Advanced Materials</i> , 1996, 8, 580-582.	11.1	52
151	Construction of multicomponent systems by utilizing functionalized transition metal complexes as building blocks. <i>Tetrahedron Letters</i> , 1996, 37, 2963-2966.	0.7	51
152	Complexes Containing 2,9-Bis(p-biphenyl)-1,10-phenanthroline Units Incorporated into a 56-Membered Ring. Synthesis, Electrochemistry, and Photophysical Properties. <i>Inorganic Chemistry</i> , 1997, 36, 5329-5338.	1.9	51
153	Luminescent Iridium(III)-Terpyridine Complexes - Interplay of Ligand Centred and Charge Transfer States. <i>European Journal of Inorganic Chemistry</i> , 2005, 2005, 1312-1318.	1.0	51
154	Porphyrim Rotaxanes and Catenanes: Copper(I)-Templated Synthesis and Photoinduced Processes. <i>Structure and Bonding</i> , 2006, , 217-261.	1.0	51
155	The magic effect of endocyclic but non-sterically hindering bisquinoline chelates: From fast-moving molecular shuttles to [3]rotaxanes. <i>Coordination Chemistry Reviews</i> , 2010, 254, 1748-1759.	9.5	51
156	Knotted Heterodinuclear Complexes. <i>Angewandte Chemie International Edition in English</i> , 1996, 35, 1119-1121.	4.4	49
157	Conjugated Polyrotaxanes Incorporating Mono- or Divalent Copper Complexes. <i>Inorganic Chemistry</i> , 1999, 38, 4203-4210.	1.9	48
158	Light-Driven Expulsion of the Sterically Hindering Ligand L in Tris-diimine Ruthenium(II) Complexes of the Ru(phen) <sub>2</sub> (L) <sub>2</sub> <sup>+</sup> Family: A Pronounced Ring Effect. <i>Inorganic Chemistry</i> , 2005, 44, 4693-4698.	1.9	48
159	Improved Synthesis of 2,6-Oligopyridines by Stille Cross-coupling Reaction. <i>Synlett</i> , 1996, 1996, 916-918.	1.0	47
160	Phosphorus-Containing [2]Catenanes as an Example of Interlocking Chiral Structures. <i>Angewandte Chemie - International Edition</i> , 2006, 45, 2104-2107.	7.2	46
161	A Cyclic [4]rotaxane that Behaves as a Switchable Molecular Receptor: Formation of a Rigid Scaffold from a Collapsed Structure by Complexation with Copper(I) Ions. <i>Angewandte Chemie - International Edition</i> , 2010, 49, 10172-10175.	7.2	46
162	Rings-and-String Approach to the Construction of Porphyrin Arrays by Transition-Metal-Directed Threading. <i>Journal of the American Chemical Society</i> , 1996, 118, 3285-3286.	6.6	45

#	ARTICLE	IF	CITATIONS
163	Synthesis of Multi-1,10-phenanthroline Ligands with 1,3-Phenylene Linkers and Their Lithium Complexes. <i>Chemistry - A European Journal</i> , 2005, 11, 4374-4386.	1.7	45
164	Interconversion between a Vertically Oriented Transition Metal-Complexed Figure-of-Eight and a Horizontally Disposed One. <i>Journal of the American Chemical Society</i> , 2014, 136, 5876-5879.	6.6	45
165	Donor-acceptor molecular figures-of-eight. <i>Chemical Communications</i> , 2011, 47, 11870.	2.2	44
166	A copper(I) [2]-catenane incorporating a tetrathiafulvalene unit. <i>Tetrahedron Letters</i> , 1994, 35, 4339-4342.	0.7	43
167	Copper(I) and copper(II) complexes of entwined or interlocked phenanthroline type ligands: ESR and crystallographic investigations. <i>Inorganica Chimica Acta</i> , 1990, 167, 157-164.	1.2	42
168	Cyclic [2]Pseudorotaxane Tetramers Consisting of Two Rigid Rods Threaded through Two Bis-Macrocycles: Copper(I)-Templated Synthesis and X-ray Structure Studies. <i>Journal of the American Chemical Society</i> , 2008, 130, 11013-11022.	6.6	42
169	Templating and Clipping Coordination Reactions Leading to Heteronuclear Trimetallic Complexes Containing Interlocking Rings. <i>Inorganic Chemistry</i> , 1997, 36, 2777-2783.	1.9	41
170	Toward Mechanical Switching of Surface-Adsorbed [2]Catenane by in Situ Copper Complexation. <i>Journal of the American Chemical Society</i> , 2007, 129, 15662-15667.	6.6	41
171	Synthesis of new copper(I)-complexed rotaxanes via click chemistry. <i>Tetrahedron</i> , 2008, 64, 8496-8503.	1.0	41
172	Synthesis of bis-porphyrins containing a 2,9-diphenyl-1,10-phenanthroline spacer. <i>Tetrahedron</i> , 1991, 47, 5123-5132.	1.0	40
173	Molecular Structures of a Monovalent and a Divalent Nickel Catenate: Competition between Metal Orbital Requirements and Geometrical Constraints Imposed by the Ligand. <i>Inorganic Chemistry</i> , 1994, 33, 3498-3502.	1.9	40
174	Copper(I)-templated synthesis of [2]catenates bearing pendant porphyrins. <i>New Journal of Chemistry</i> , 1998, 22, 395-409.	1.4	40
175	A Ruthenium(II)-Complexed Rotaxane Whose Ring Incorporates a 6,6'-Diphenyl-2,2'-bipyridine: Synthesis and Light-Driven Motions. <i>European Journal of Inorganic Chemistry</i> , 2005, 2005, 1850-1855.	1.0	40
176	Synthesis and Photochemistry of a Two-Position Ru(terpy)(phen)(L) <sub>2</sub> +Scorpionate Complex. <i>Inorganic Chemistry</i> , 2006, 45, 4024-4034.	1.9	40
177	A Linear Multiporphyrinic [2]-Rotaxane via Amide Bond Formation. <i>Organic Letters</i> , 2000, 2, 3051-3054.	2.4	39
178	Transition Metal-complexed Catenanes and Rotaxanes as Light-driven Molecular Machines Prototypes. <i>Chemistry Letters</i> , 2005, 34, 742-747.	0.7	39
179	Catenane mit makrobicyclischer Zentraleinheit. <i>Angewandte Chemie</i> , 1993, 105, 1526-1529.	1.6	38
180	Modulation of the luminescence properties of a ruthenium-terpyridine complex by protonation of a remote site. <i>Chemical Communications</i> , 1996, , 1329-1330.	2.2	38

#	ARTICLE	IF	CITATIONS
181	Selective and efficient synthesis of di-, tri- and tetrasubstituted 1, 10-phenanthrolines. <i>Tetrahedron Letters</i> , 1999, 40, 3395-3396.	0.7	38
182	Multiring interlocked systems via transition metal-templated strategy: The single-cyclization synthesis of [3]-catenanes. <i>Tetrahedron</i> , 1996, 52, 10921-10934.	1.0	36
183	Synthesis of Copper(I) Catenanes Incorporating a Disulfide Bridge and Their Deposition on a Gold Surface. <i>Organic Letters</i> , 2000, 2, 1991-1994.	2.4	35
184	Synthesis of [5]Rotaxanes Containing Bi- and Tridentate Coordination Sites in the Axis. <i>Chemistry - A European Journal</i> , 2011, 17, 947-957.	1.7	35
185	Complete rearrangement of a multi-porphyrinic rotaxane by metallation/demetallation of the central coordination site. <i>Chemical Communications</i> , 1998, , 2469-2470.	2.2	34
186	Coordination Chemistry-Assembled Porphyrinic Catenanes. <i>Journal of the American Chemical Society</i> , 2010, 132, 4409-4417.	6.6	34
187	Nature of the lowest energy excited state of a bis-phenanthroline [2]-catenand and its Cu(I), Ag(I) and Co(II) complexes. <i>Chemical Physics Letters</i> , 1995, 241, 555-558.	1.2	33
188	From chemical topology to molecular machines. <i>Comptes Rendus Chimie</i> , 2010, 13, 315-328.	0.2	33
189	An unsymmetrical gold (III) - Zinc (II) oblique bis-porphyrin. <i>Tetrahedron Letters</i> , 1991, 32, 197-198.	0.7	31
190	A Chemically Achiral Molecule with No Rigidly Achiral Presentations. <i>Journal of the American Chemical Society</i> , 1997, 119, 9558-9559.	6.6	31
191	Photochemical and thermal ligand exchange in a ruthenium(ii) complex based on a scorpionate terpyridine ligand. <i>Chemical Communications</i> , 2003, , 188-189.	2.2	31
192	Transition-Metal-Complexed Cyclic [3]- and [4]Pseudorotaxanes Containing Rigid Ring and Filament Conjugates: Synthesis and Solution Studies. <i>Chemistry - A European Journal</i> , 2011, 17, 5404-5414.	1.7	31
193	Macrocyclic Complexes of [Ru(N-N)2]2+ Units [N-N = 1,10 Phenanthroline or 4-(p-Anisyl)-1,10-Phenanthroline]: Synthesis and Photochemical Expulsion Studies. <i>European Journal of Inorganic Chemistry</i> , 2003, 2003, 467-474.	1.0	30
194	Pirouetting Copper(I)-Assembled Pseudo-Rotaxanes: Strong Influence of the Axle Structure on the Motion Rate. <i>European Journal of Inorganic Chemistry</i> , 2007, 2007, 2420-2425.	1.0	30
195	A copper-based shuttling [2]rotaxane with two bidentate chelates in the axis: steric control of the motion. <i>New Journal of Chemistry</i> , 2010, 34, 34-43.	1.4	30
196	[2]Catenanes Built Around Octahedral Transition-Metal Complexes that Contain Two Intertwined Endocyclic but Non-sterically Hindering Tridentate Ligands. <i>Chemistry - A European Journal</i> , 2012, 18, 5565-5573.	1.7	30
197	Transition-metal-templated synthesis of rotaxanes and catenanes: From small molecules to polymers. <i>Journal of Polymer Science Part A</i> , 2003, 41, 3470-3477.	2.5	29
198	CHEMISTRY: A Light-Driven Linear Motor at the Molecular Level. <i>Science</i> , 2001, 291, 2105-2106.	6.0	29

#	ARTICLE	IF	CITATIONS
199	A rotaxane with two Ru(terpy) <sub>2</sub> derivatives as stoppers. <i>Chemical Communications</i> , 1996, , 1915-1916.	2.2	28
200	From Photoinduced Charge Separation to Light-driven Molecular Machines. <i>Structure and Bonding</i> , 2006, , 41-78.	1.0	28
201	Light-Induced Geometrical Changes in Acyclic Ruthenium(II) Complexes and Their Ruthena <sup>2+</sup> Macrocyclic Analogues. <i>Inorganic Chemistry</i> , 2007, 46, 10520-10533.	1.9	28
202	The Beauty of Knots at the Molecular Level. <i>Topics in Current Chemistry</i> , 2011, 323, 107-125.	4.0	28
203	Singly and doubly interlocked [2]-catenanes: influence of the degree of entanglement on chemical stability as estimated by fast atom bombardment (FAB) and electrospray ionization (ESI) mass spectrometries (MS). <i>Journal of the Chemical Society Chemical Communications</i> , 1994, , 2257.	2.0	27
204	[3]Rotaxanes and [3]pseudorotaxanes with a rigid two-bidentate chelate axle threaded through two coordinating rings. <i>New Journal of Chemistry</i> , 2009, 33, 2148.	1.4	27
205	Preparation of Copper(I) Pseudo <sup>+</sup> rotaxanes from Bis <sup>+</sup> phosphine Ligands. <i>Chemistry - A European Journal</i> , 2012, 18, 12192-12195.	1.7	27
206	Mehrkomponenten <sup>+</sup> Molek <sup>1/4</sup> systeme aus Porphyrinen und Kupfer(I) <sup>+</sup> Komplexen: simultane Synthese von [3] <sup>+</sup> und [5]Rotaxanen. <i>Angewandte Chemie</i> , 1996, 108, 957-960.	1.6	25
207	A [2]-catenane whose rings incorporate two differently metallated porphyrins. <i>New Journal of Chemistry</i> , 2001, 25, 790-796.	1.4	24
208	A Flexible Copper(I)-Complexed [4]Rotaxane Containing Two Face-to-Face Porphyrinic Plates that Behaves as a Distensible Receptor. <i>Chemistry - A European Journal</i> , 2012, 18, 8366-8376.	1.7	24
209	Stereochemistry of Molecular Figures <sup>+</sup> Eight. <i>Chemistry - A European Journal</i> , 2012, 18, 10312-10323.	1.7	24
210	Combining Topological and Steric Constraints for the Preparation of Heteroleptic Copper(I) Complexes. <i>Chemistry - A European Journal</i> , 2014, 20, 12083-12090.	1.7	24
211	Resolution of topologically chiral molecular objects. <i>Chirality</i> , 1998, 10, 125-133.	1.3	23
212	A [2]Catenane Containing 1,1 <sup>+</sup> -Binaphthyl Units and 1,10-Phenanthroline Fragments: Synthesis and Intermolecular Energy Transfer Processes. <i>European Journal of Organic Chemistry</i> , 2004, 2004, 770-775.	1.2	23
213	Transition-Metal-Complexed Catenanes and Rotaxanes: From Dynamic Systems to Functional Molecular Machines. <i>Topics in Current Chemistry</i> , 2014, 354, 35-70.	4.0	23
214	A trefoil knot coordinated to two lithium ions: synthesis and structure. <i>New Journal of Chemistry</i> , 1999, 23, 911-914.	1.4	21
215	Dynamic topomerization of Cu( <sup>+</sup> )-complexed pseudorotaxanes. <i>Chemical Communications</i> , 2013, 49, 1261-1263.	2.2	21
216	Building [2]Catenanes around a Tris(diimine)ruthenium(2+) ([Ru(diimine) <sub>3</sub> ] <sup>2+</sup> ) Complex Core Used as Template. <i>Helvetica Chimica Acta</i> , 2003, 86, 4195-4213.	1.0	20

#	ARTICLE	IF	CITATIONS
217	Three-Component Entanglements Consisting of Three Crescent-Shaped Bidentate Ligands Coordinated to an Octahedral Metal Centre. <i>Chemistry - A European Journal</i> , 2007, 13, 8749-8753.	1.7	20
218	Computational, Structural, and Mechanistic Analysis of the Electrochemically Driven Pirouetting Motion of a Copper Rotaxane. <i>Journal of Physical Chemistry B</i> , 2009, 113, 6219-6229.	1.2	20
219	Long-Lived MLCT Excited States-RuII Complexes with a Helical Bis-Phen Ligand. <i>European Journal of Inorganic Chemistry</i> , 2003, 2003, 3752-3758.	1.0	19
220	Quantitative formation of a tetraporphyrin [2]catenane via copper and zinc coordination. <i>Chemical Communications</i> , 2008, , 5396.	2.2	19
221	Quantitative formation of [4]pseudorotaxanes from two rods and two bis-macrocycles incorporating porphyrinic plates between the rings. <i>Chemical Communications</i> , 2009, , 1706.	2.2	19
222	A pseudo-rotaxane based on an iridium(III)-copper(I) dyad. <i>New Journal of Chemistry</i> , 2004, 28, 1091-1095.	1.4	18
223	Macrocycles Incorporating an Endocyclic But Non-Sterically-Hindering Chelate: Synthesis and Structural Studies. <i>Helvetica Chimica Acta</i> , 2007, 90, 1439-1446.	1.0	18
224	A Ru(terpy)(phen)-incorporating ring and its light-induced geometrical changes. <i>Chemical Communications</i> , 2005, , 3195.	2.2	17
225	Ligand and Metal Control of Self-Assembly in Supramolecular Chemistry. <i>Perspectives in Supramolecular Chemistry</i> , 2007, , 1-51.	0.1	17
226	Synthesis of multifunctional ligands: a 2,9-diaryl-1,10-phenanthroline/2,2',6',2''-terpyridine conjugate. <i>Tetrahedron Letters</i> , 2001, 42, 2779-2781.	0.7	15
227	Contractile and Extensible Molecular Figures-of-Eight. <i>Chemistry - A European Journal</i> , 2015, 21, 14393-14400.	1.7	14
228	Verknotete Hetero-Zweikernkomplexe. <i>Angewandte Chemie</i> , 1996, 108, 1190-1193.	1.6	13
229	A 1,10-Phenanthroline-Containing Ring Connected to a Porphyrin by a Rigid Aromatic Spacer and Its Copper-Complexed Pseudorotaxane. <i>European Journal of Inorganic Chemistry</i> , 2007, 2007, 2416-2419.	1.0	13
230	A Triphenylamine/Bis(terpyridine)Ir(III) Dyad for the Assembly of Charge-Separation Constructs with Improved Performances. <i>European Journal of Inorganic Chemistry</i> , 2007, 2007, 5189-5198.	1.0	13
231	A highly rigid ditopic conjugate with orthogonal coordination axes and its zinc(II) and copper(II) complexes. <i>New Journal of Chemistry</i> , 2008, 32, 1048.	1.4	13
232	Light Intensity Effects on Photoinduced Charge Separation Parameters in a Molecular Triad Based on an Iridium(III) Bis(terpyridine) Unit. <i>ChemPhysChem</i> , 2007, 8, 1943-1949.	1.0	12
233	Ultrafast dynamics of two copper bis-phenanthroline complexes measured by x-ray transient absorption spectroscopy. <i>Journal of Physics B: Atomic, Molecular and Optical Physics</i> , 2017, 50, 154006.	0.6	12
234	Synthesis and Copper(I)-Driven Disaggregation of a Zinc-Complexed Phthalocyanine Bearing Four Lateral Coordinating Rings. <i>European Journal of Organic Chemistry</i> , 2012, 2012, 6888-6894.	1.2	11

#	ARTICLE	IF	CITATIONS
235	Use of Cleavable Coordinating Rings as Protective Groups in the Synthesis of a Rotaxane with an Axis that Incorporates More Chelating Groups Than Threaded Macrocycles. <i>Chemistry - A European Journal</i> , 2013, 19, 12815-12823.	1.7	11
236	Synthesis of a Linear Assembly Consisting of a Central Ru(Phen) <sub>3</sub> <sup>2+</sup> Derivative and Two Peripheral Porphyrins. <i>European Journal of Organic Chemistry</i> , 2002, 2002, 3276-3280.	1.2	10
237	Various Synthetic Routes to a Gable-Like Bis(porphyrin) Constructed on a 1,10-Phenanthroline Chelate. <i>European Journal of Organic Chemistry</i> , 2009, 2009, 2801-2805.	1.2	10
238	From Chemical Topology To Molecular Machines : The Transition Metal Approach. <i>Bulletin of Japan Society of Coordination Chemistry</i> , 2010, 55, 3-18.	0.1	10
239	Synthesis of [2]-, [3]-, and [4]rotaxanes whose axis contains two bidentate and two tridentate chelates. <i>New Journal of Chemistry</i> , 2011, 35, 2009.	1.4	10
240	A phen <sup>3</sup> -terpy conjugate whose chelate coordination axes are orthogonal to one another and its zinc complex. <i>New Journal of Chemistry</i> , 2006, 30, 22-25.	1.4	9
241	The dual role of Cu(I) as a protective group and a template in the synthesis of a tetra-rhodium(III)porphyrin [2]catenane. <i>New Journal of Chemistry</i> , 2010, 34, 1825.	1.4	9
242	Synthesis of a metal-free coordinating ring via formation of a cleavable [2]catenane. <i>Chemical Communications</i> , 2013, 49, 10790.	2.2	9
243	Unconventional Synthesis of a Cu <sup>I</sup> Rotaxane with a Superacceptor Stopper: Ultrafast Excited-State Dynamics and Near-Infrared Luminescence. <i>Chemistry - A European Journal</i> , 2018, 24, 10422-10433.	1.7	9
244	Formation of copper(I)-templated [2]rotaxanes using "click" methodology: influence of the base, the thread and the catalyst. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2011, 71, 507-515.	1.6	8
245	Bigger, better, faster: molecular shuttles with sterically non-hindering bisquinoline chelates. <i>Supramolecular Chemistry</i> , 2011, 23, 42-52.	1.5	8
246	Fe(II), Ru(II) and Re(I) complexes of endtopic, sterically non-hindering, U-shaped 8,8-disubstituted-3,3-bisquinoline ligands: syntheses and spectroscopic properties. <i>Dalton Transactions</i> , 2008, , 491-498.	1.6	7
247	Formation of a copper(I) catenane on an electrode surface via S-Au interactions. <i>Comptes Rendus De L'Academie Des Sciences - Series IIc: Chemistry</i> , 1999, 2, 41-47.	0.1	6
248	Copper-Complexed Pirouetting [2]pseudorotaxanes with Sulfur-Containing End-Groups Attached to the Thread: Synthesis, Electrochemical Studies, and Deposition on Gold Electrodes. <i>Australian Journal of Chemistry</i> , 2009, 62, 1231.	0.5	6
249	NIR emission of cyclic [4]rotaxanes containing $\pi$ -extended porphyrin chromophores. <i>Physical Chemistry Chemical Physics</i> , 2012, 14, 10589.	1.3	6
250	A Zinc Porphyrin Bearing Two Lateral dpp <sup>+</sup> -Containing Rings and Its [3]Pseudorotaxane (dpp <sup>+</sup> ) <sub>3</sub> [2]Tf 50 14	1.2	5
251	A noncovalently assembled porphyrinic catenane consisting of two interlocking [43]-membered rings. <i>New Journal of Chemistry</i> , 2011, 35, 1751.	1.4	5
252	Luminescence studies of copper(I)-containing [2]pseudorotaxanes. <i>Canadian Journal of Chemistry</i> , 2011, 89, 98-103.	0.6	5

#	ARTICLE	IF	CITATIONS
253	Copper(I)-Assembled Pseudorotaxanes Bearing Bis(nitrile) Ligands: Selective Formation of Large Chelate Rings. <i>European Journal of Inorganic Chemistry</i> , 2004, 2004, 575-580.	1.0	4
254	1,2-Dicyano-4,5-bis[2-(2-benzyloxyethoxy)ethoxy]benzene " precursor towards new functionalized phthalocyanines. <i>Mendeleev Communications</i> , 2010, 20, 237-238.	0.6	4
255	Cu(I)/Zn <sup>2+</sup> exchange has no geometrical effect in a cyclic [4]rotaxane whereas it induces rearrangement in a simpler [3]rotaxane. <i>Inorganica Chimica Acta</i> , 2014, 417, 186-191.	1.2	4
256	Polymallorotaxanes conjugués contenant des unités pentacoordinantes. <i>Comptes Rendus Chimie</i> , 2007, 10, 1234-1242.	0.2	3
257	Inside Cover: A Light-Stimulated Molecular Switch Driven by Radical-Radical Interactions in Water ( <i>Angew. Chem. Int. Ed.</i> 30/2011). <i>Angewandte Chemie - International Edition</i> , 2011, 50, 6674-6674.	7.2	3
258	Synthesis of one-dimensional bis-porphyrinic compounds with a transition metal complex as bridging unit. <i>Journal of Porphyrins and Phthalocyanines</i> , 2004, 08, 82-92.	0.4	2
259	The Chirality of Polynuclear Transition Metal Complexes. <i>Perspectives in Supramolecular Chemistry</i> , 0, , 135-191.	0.1	2
260	Switchable Interlocked Molecules, Threaded Complexes and Interlocking in Crystals. , 1996, , 65-83.		2
261	Porphyrin-containing catenanes and rotaxanes. <i>Advances in Molecular Structure Research</i> , 1999, , 153-187.	0.3	2
262	Rotaxanes: From Random to Transition Metal-Templated Threading of Rings at the Molecular Level. <i>Perspectives in Supramolecular Chemistry</i> , 0, , 225-284.	0.1	2
263	From Ruthenium(II) to Iridium(III): 15 Years of Triads Based on Bis-terpyridine Complexes. <i>ChemInform</i> , 2004, 35, no.	0.1	0
264	Innentitelbild: A Light-Stimulated Molecular Switch Driven by Radical-Radical Interactions in Water ( <i>Angew. Chem.</i> 30/2011). <i>Angewandte Chemie</i> , 2011, 123, 6804-6804.	1.6	0
265	Coordination Photochemistry: Photoinduced Electron Transfer and Redox Photocatalysis. <i>Catalysis By Metal Complexes</i> , 1988, , 277-292.	0.6	0