

# Ernesto F Sim-Alfonso

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/1198242/ernesto-f-simo-alfonso-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

148  
papers

2,215  
citations

27  
h-index

34  
g-index

148  
ext. papers

2,513  
ext. citations

4.8  
avg, IF

5.22  
L-index

#	Paper	IF	Citations
148	Micellar liquid chromatography: suitable technique for screening analysis. <i>Journal of Chromatography A</i> , <b>2002</b> , 947, 31-45	4.5	58
147	Tannin analysis of chestnut bark samples ( <i>Castanea sativa</i> Mill.) by HPLC-DAD-MS. <i>Food Chemistry</i> , <b>2014</b> , 157, 290-5	8.5	50
146	Use of triacylglycerol profiles established by high performance liquid chromatography with ultraviolet-visible detection to predict the botanical origin of vegetable oils. <i>Journal of Chromatography A</i> , <b>2011</b> , 1218, 7521-7	4.5	46
145	Optimised procedures for the reversed-phase liquid chromatographic analysis of formulations containing tricyclic antidepressants. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2003</b> , 32, 71-84	3.5	45
144	Solid-phase extraction based on ground methacrylate monolith modified with gold nanoparticles for isolation of proteins. <i>Analytica Chimica Acta</i> , <b>2016</b> , 917, 37-43	6.6	42
143	Determination of tocopherols and tocotrienols in vegetable oils by nanoliquid chromatography with ultraviolet-visible detection using a silica monolithic column. <i>Journal of Agricultural and Food Chemistry</i> , <b>2010</b> , 58, 757-61	5.7	40
142	Determination of cow milk in non-bovine and mixed cheeses by capillary electrophoresis of whey proteins in acidic isoelectric buffers. <i>Journal of Chromatography A</i> , <b>2000</b> , 878, 261-71	4.5	40
141	Hybrid methacrylate monolithic columns containing magnetic nanoparticles for capillary electrochromatography. <i>Journal of Chromatography A</i> , <b>2015</b> , 1385, 77-84	4.5	39
140	Carbon nanotube-modified monolithic polymethacrylate pipette tips for (micro)solid-phase extraction of antidepressants from urine samples. <i>Mikrochimica Acta</i> , <b>2018</b> , 185, 127	5.8	38
139	Classification of extra virgin olive oils according to their geographical origin using phenolic compound profiles obtained by capillary electrochromatography. <i>Food Research International</i> , <b>2009</b> , 42, 1446-1452	7	38
138	New In-Depth Analytical Approach of the Porcine Seminal Plasma Proteome Reveals Potential Fertility Biomarkers. <i>Journal of Proteome Research</i> , <b>2018</b> , 17, 1065-1076	5.6	37
137	Use of an enzyme-assisted method to improve protein extraction from olive leaves. <i>Food Chemistry</i> , <b>2015</b> , 169, 28-33	8.5	36
136	Classification of vegetable oils according to their botanical origin using sterol profiles established by direct infusion mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , <b>2008</b> , 22, 973-8	2.2	36
135	Prediction of the genetic variety of Spanish extra virgin olive oils using fatty acid and phenolic compound profiles established by direct infusion mass spectrometry. <i>Food Chemistry</i> , <b>2008</b> , 108, 1142-8	8.5	36
134	High-performance micellar liquid chromatography determination of sulphonamides in pharmaceuticals after azodye precolumn derivatization. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>1995</b> , 13, 237-45	3.5	35
133	Triacylglycerol Analysis in Human Milk and Other Mammalian Species: Small-Scale Sample Preparation, Characterization, and Statistical Classification Using HPLC-ELSD Profiles. <i>Journal of Agricultural and Food Chemistry</i> , <b>2015</b> , 63, 5761-70	5.7	33
132	Derivatization of hydroxyl functional groups for liquid chromatography and capillary electroseparation. <i>Journal of Chromatography A</i> , <b>2013</b> , 1296, 140-56	4.5	33

131	Classification of Pecorino cheeses produced in Italy according to their ripening time and manufacturing technique using Fourier transform infrared spectroscopy. <i>Journal of Dairy Science</i> , <b>2010</b> , 93, 4490-6	4	33
130	Classification of vegetable oils according to their botanical origin using n-alkane profiles established by GC-MS. <i>Food Chemistry</i> , <b>2015</b> , 167, 36-9	8.5	32
129	Preparation and evaluation of lauryl methacrylate monoliths with embedded silver nanoparticles for capillary electrochromatography. <i>Electrophoresis</i> , <b>2013</b> , 34, 925-34	3.6	30
128	Incorporation of zeolitic imidazolate framework (ZIF-8)-derived nanoporous carbons in methacrylate polymeric monoliths for capillary electrochromatography. <i>Talanta</i> , <b>2017</b> , 164, 348-354	6.2	30
127	Photo-polymerized lauryl methacrylate monolithic columns for CEC using lauroyl peroxide as initiator. <i>Electrophoresis</i> , <b>2009</b> , 30, 3748-56	3.6	30
126	Determination of cationic surfactants by capillary zone electrophoresis and micellar electrokinetic chromatography with deoxycholate micelles in the presence of large organic solvent concentrations. <i>Journal of Chromatography A</i> , <b>2000</b> , 895, 227-35	4.5	30
125	Determination of tocopherols in vegetable oils by CEC using methacrylate ester-based monolithic columns. <i>Electrophoresis</i> , <b>2007</b> , 28, 4128-35	3.6	29
124	Rapid determination of sterols in vegetable oils by CEC using methacrylate ester-based monolithic columns. <i>Electrophoresis</i> , <b>2008</b> , 29, 4603-11	3.6	29
123	Sensitive determination of parabens in human urine and serum using methacrylate monoliths and reversed-phase capillary liquid chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , <b>2015</b> , 1379, 65-73	4.5	28
122	Determination of cow@ milk and ripening time in nonbovine cheese by capillary electrophoresis of the ethanol-water protein fraction. <i>Electrophoresis</i> , <b>2000</b> , 21, 633-40	3.6	28
121	Use of gold nanoparticle-coated sorbent materials for the selective preconcentration of sulfonylurea herbicides in water samples and determination by capillary liquid chromatography. <i>Talanta</i> , <b>2013</b> , 105, 372-8	6.2	27
120	Methacrylate monolithic columns functionalized with epinephrine for capillary electrochromatography applications. <i>Journal of Chromatography A</i> , <b>2013</b> , 1298, 61-7	4.5	27
119	Study of chemical changes produced in virgin olive oils with different phenolic contents during an accelerated storage treatment. <i>Journal of Agricultural and Food Chemistry</i> , <b>2009</b> , 57, 7834-40	5.7	26
118	Fast separation and determination of sterols in vegetable oils by ultraperformance liquid chromatography with atmospheric pressure chemical ionization mass spectrometry detection. <i>Journal of Agricultural and Food Chemistry</i> , <b>2010</b> , 58, 2771-6	5.7	25
117	Current trends in affinity-based monoliths in microextraction approaches: A review. <i>Analytica Chimica Acta</i> , <b>2019</b> , 1084, 1-20	6.6	24
116	Determination of azoxystrobin and chlorothalonil using a methacrylate-based polymer modified with gold nanoparticles as solid-phase extraction sorbent. <i>Analytical and Bioanalytical Chemistry</i> , <b>2017</b> , 409, 243-250	4.4	24
115	Determination of sulphonamides in human urine by azo dye precolumn derivatization and micellar liquid chromatography. <i>Biomedical Applications</i> , <b>1995</b> , 670, 183-7		24
114	Rapid differentiation of commercial juices and blends by using sugar profiles obtained by capillary zone electrophoresis with indirect UV detection. <i>Journal of Agricultural and Food Chemistry</i> , <b>2015</b> , 63, 2639-46	5.7	23

113	Classification of extra virgin olive oils produced at La Comunitat Valenciana according to their genetic variety using sterol profiles established by high-performance liquid chromatography with mass spectrometry detection. <i>Journal of Agricultural and Food Chemistry</i> , <b>2009</b> , 57, 10512-7	5.7	23
112	Capillary electrophoresis of free fatty acids by indirect ultraviolet detection: application to the classification of vegetable oils according to their botanical origin. <i>Journal of Agricultural and Food Chemistry</i> , <b>2011</b> , 59, 10775-80	5.7	22
111	On the determination of underivatized fatty alcohol ethoxylates by electrospray ionisation-mass spectrometry. <i>Journal of Chromatography A</i> , <b>2006</b> , 1118, 188-98	4.5	22
110	Quality control of fruit juices by using organic acids determined by capillary zone electrophoresis with poly(vinyl alcohol)-coated bubble cell capillaries. <i>Food Chemistry</i> , <b>2015</b> , 188, 596-603	8.5	20
109	Polymeric sorbents modified with gold and silver nanoparticles for solid-phase extraction of proteins followed by MALDI-TOF analysis. <i>Mikrochimica Acta</i> , <b>2017</b> , 184, 1683-1690	5.8	19
108	Prediction of the genetic variety of extra virgin olive oils produced at La Comunitat Valenciana, Spain, by Fourier transform infrared spectroscopy. <i>Journal of Agricultural and Food Chemistry</i> , <b>2009</b> , 57, 9985-9	5.7	19
107	Determination of fatty alcohol ethoxylates by derivatization with phthalic anhydride followed by liquid chromatography with UV-vis detection. <i>Journal of Chromatography A</i> , <b>2008</b> , 1203, 47-53	4.5	19
106	Extraction and preconcentration of organophosphorus pesticides in water by using a polymethacrylate-based sorbent modified with magnetic nanoparticles. <i>Analytical and Bioanalytical Chemistry</i> , <b>2017</b> , 409, 3561-3571	4.4	18
105	Enzyme-assisted extraction of proteins from Citrus fruits and prediction of their cultivar using protein profiles obtained by capillary gel electrophoresis. <i>Food Control</i> , <b>2017</b> , 72, 14-19	6.2	18
104	Incorporation of metal-organic framework amino-modified MIL-101 into glycidyl methacrylate monoliths for nano LC separation. <i>Journal of Separation Science</i> , <b>2019</b> , 42, 834-842	3.4	18
103	Preparation of organic monolithic columns in polytetrafluoroethylene tubes for reversed-phase liquid chromatography. <i>Analytica Chimica Acta</i> , <b>2017</b> , 960, 160-167	6.6	17
102	Determination of non-ionic and anionic surfactants in industrial products by separation on a weak ion-exchanger, derivatization and liquid chromatography. <i>Journal of Chromatography A</i> , <b>2013</b> , 1320, 66-71	4.5	17
101	Organo-silica hybrid capillary monolithic column with mesoporous silica particles for separation of small aromatic molecules. <i>Mikrochimica Acta</i> , <b>2017</b> , 184, 3799-3808	5.8	17
100	Classification of vegetable oils according to their botanical origin using amino acid profiles established by direct infusion mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , <b>2007</b> , 21, 3751-5	2.2	17
99	Capillary electrophoresis enhanced by automatic two-way background correction using cubic smoothing splines and multivariate data analysis applied to the characterisation of mixtures of surfactants. <i>Journal of Chromatography A</i> , <b>2005</b> , 1065, 301-13	4.5	17
98	Comparison on photo-initiators for the preparation of methacrylate monolithic columns for capillary electrochromatography. <i>Journal of Chromatography A</i> , <b>2010</b> , 1217, 3231-7	4.5	16
97	Determination of fatty alcohol ethoxylates and alkylether sulfates by anionic exchange separation, derivatization with a cyclic anhydride and liquid chromatography. <i>Journal of Chromatography A</i> , <b>2011</b> , 1218, 8511-8	4.5	15
96	Chemical initiation for butyl and lauryl acrylate monolithic columns for CEC. <i>Electrophoresis</i> , <b>2009</b> , 30, 599-606	3.6	15

95	Determination of fatty alcohol ethoxylates with diphenic anhydride derivatization and liquid chromatography with spectrophotometric detection: a comparative study with other anhydrides. <i>Journal of Chromatography A</i> , <b>2009</b> , 1216, 3023-30	4.5	15
94	Characterization of the alcoholic fraction of vegetable oils by derivatization with diphenic anhydride followed by high-performance liquid chromatography with spectrophotometric and mass spectrometric detection. <i>Journal of Chromatography A</i> , <b>2009</b> , 1216, 230-6	4.5	15
93	Peroxodisulfate as a chemical initiator for methacrylate-ester monolithic columns for capillary electrochromatography. <i>Electrophoresis</i> , <b>2008</b> , 29, 910-8	3.6	15
92	Simultaneous Determination of l-Ascorbic Acid, Glutathione, and Their Oxidized Forms in Ozone-Exposed Vascular Plants by Capillary Zone Electrophoresis. <i>Environmental Science &amp; Technology</i> , <b>2000</b> , 34, 1331-1336	10.3	15
91	CEC column behaviour of butyl and lauryl methacrylate monoliths prepared in non-aqueous media. <i>Electrophoresis</i> , <b>2009</b> , 30, 607-15	3.6	14
90	Comparison of thermal- and photo-polymerization of lauryl methacrylate monolithic columns for CEC. <i>Electrophoresis</i> , <b>2009</b> , 30, 1929-36	3.6	14
89	Role of the co-surfactant nature in soybean w/o microemulsions. <i>Journal of Colloid and Interface Science</i> , <b>2009</b> , 337, 579-85	9.3	14
88	Separation of homologues and isomers of linear alkylbenzenesulfonates by capillary electrophoresis with sodium dodecyl sulfate, carboxylic acids and bile salts. <i>Electrophoresis</i> , <b>2003</b> , 24, 681-6	3.6	14
87	Design, characterization and comparison of materials based on $\beta$ -cyclodextrin covalently connected to microporous silica for environmental analysis. <i>Journal of Chromatography A</i> , <b>2018</b> , 1563, 10-19	4.5	14
86	Evaluation of 2,3-epoxypropyl groups and functionalization yield in glycidyl methacrylate monoliths using gas chromatography. <i>Journal of Chromatography A</i> , <b>2015</b> , 1379, 100-5	4.5	13
85	Classification of vegetable oils according to their botanical origin using amino acid profiles established by High Performance Liquid Chromatography with UV-vis detection: A first approach. <i>Food Chemistry</i> , <b>2010</b> , 120, 1149-1154	8.5	13
84	Lauroyl peroxide as thermal initiator of lauryl methacrylate monolithic columns for CEC. <i>Electrophoresis</i> , <b>2008</b> , 29, 4399-406	3.6	13
83	3D printed fluidic platform with in-situ covalently immobilized polymer monolithic column for automatic solid-phase extraction. <i>Analytica Chimica Acta</i> , <b>2020</b> , 1111, 40-48	6.6	13
82	Phosphatidylcholine covalently linked to a methacrylate-based monolith as a biomimetic stationary phase for capillary liquid chromatography. <i>Journal of Chromatography A</i> , <b>2015</b> , 1402, 27-35	4.5	12
81	Preparation and evaluation of butyl acrylate-based monolithic columns for CEC using ammonium peroxodisulfate as a chemical initiator. <i>Electrophoresis</i> , <b>2008</b> , 29, 3858-65	3.6	12
80	Characterization of hydroxyaromatic compounds in vegetable oils by capillary electrophoresis with direct injection in an oil-miscible KOH/propanol/methanol medium. <i>Electrophoresis</i> , <b>2005</b> , 26, 3307-14	3.6	12
79	Separation and determination of homologues of linear alkylbenzenesulfonates by nonaqueous capillary zone electrophoresis using alkylammonium salts in ethanol. <i>Electrophoresis</i> , <b>2001</b> , 22, 2017-24	3.6	12
78	Determination of antibiotics in meat samples using analytical methodologies: A review. <i>Comprehensive Reviews in Food Science and Food Safety</i> , <b>2021</b> , 20, 1681-1716	16.4	12

77	A new proposal for the determination of polychlorinated biphenyls in environmental water by using host-guest adsorption. <i>Science of the Total Environment</i> , <b>2020</b> , 724, 138266	10.2	11
76	Photografted methacrylate-based monolithic columns coated with cellulose tris(3,5-dimethylphenylcarbamate) for chiral separation in CEC. <i>Journal of Separation Science</i> , <b>2018</b> , 41, 1424-1432	3.4	11
75	Cultivar discrimination and prediction of mixtures of Tunisian extra virgin olive oils by FTIR. <i>European Journal of Lipid Science and Technology</i> , <b>2016</b> , 118, 1236-1242	3	11
74	Efficient extraction of olive pulp and stone proteins by using an enzyme-assisted method. <i>Journal of Food Science</i> , <b>2014</b> , 79, C1298-304	3.4	11
73	Preparation and characterization of hexyl methacrylate monolithic columns for CEC. <i>Electrophoresis</i> , <b>2008</b> , 29, 3866-74	3.6	11
72	Characterization of industrial alkylpolyphosphonates by infusion electrospray ionization-ion trap mass spectrometry with identification of the impurities by tandem capillary zone electrophoresis. <i>Journal of Mass Spectrometry</i> , <b>2006</b> , 41, 23-33	2.2	11
71	Identification of Leguminosae gums and evaluation of carob-guar mixtures by capillary zone electrophoresis of protein extracts. <i>Electrophoresis</i> , <b>2002</b> , 23, 1709-15	3.6	11
70	Phenolic profiles of olive mill wastewaters treated by membrane filtration systems. <i>Journal of Chemical Technology and Biotechnology</i> , <b>2015</b> , 90, 1086-1093	3.5	10
69	Extraction of $\beta$ -blockers from urine with a polymeric monolith modified with 1-allyl-3-methylimidazolium chloride in spin column format. <i>Talanta</i> , <b>2020</b> , 214, 120860	6.2	10
68	In situ growth of metal-organic framework HKUST-1 in an organic polymer as sorbent for nitrated and oxygenated polycyclic aromatic hydrocarbon in environmental water samples prior to quantitation by HPLC-UV. <i>Mikrochimica Acta</i> , <b>2020</b> , 187, 301	5.8	10
67	Fully Automated Electric-Field-Driven Liquid Phase Microextraction System with Renewable Organic Membrane As a Front End to High Performance Liquid Chromatography. <i>Analytical Chemistry</i> , <b>2019</b> , 91, 10808-10815	7.8	10
66	Analysis of Aliphatic Organic Acids in Commercial Fruit Juices by Capillary Electrophoresis with Indirect UV Detection: Application to Differentiation of Fruit Juices. <i>Food Analytical Methods</i> , <b>2017</b> , 10, 3991-4002	3.4	10
65	Solid-phase extraction of phospholipids using mesoporous silica nanoparticles: application to human milk samples. <i>Analytical and Bioanalytical Chemistry</i> , <b>2018</b> , 410, 4847-4854	4.4	10
64	Molecularly imprinted polymers for selective solid-phase extraction of phospholipids from human milk samples. <i>Mikrochimica Acta</i> , <b>2017</b> , 184, 3389-3397	5.8	9
63	Bio-metal-organic frameworks for molecular recognition and sorbent extraction of hydrophilic vitamins followed by their determination using HPLC-UV. <i>Mikrochimica Acta</i> , <b>2020</b> , 187, 201	5.8	9
62	Poly(ethylene glycol) diacrylate based monolithic capillary columns for the analysis of polar small solutes by capillary electrochromatography. <i>Journal of Separation Science</i> , <b>2018</b> , 41, 2632-2639	3.4	9
61	A poly(glycidyl-co-ethylene dimethacrylate) nanohybrid modified with $\beta$ -cyclodextrin as a sorbent for solid-phase extraction of phenolic compounds. <i>Mikrochimica Acta</i> , <b>2019</b> , 186, 615	5.8	9
60	Use of protein profiles established by CZE to predict the cultivar of olive leaves and pulps. <i>Electrophoresis</i> , <b>2014</b> , 35, 1652-1659	3.6	9

59	Evaluation of the oxidative status of virgin olive oils with different phenolic content by direct infusion atmospheric pressure chemical ionization mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , <b>2009</b> , 395, 1543-50	4.4	9
58	Recent Advances in Affinity MOF-Based Sorbents with Sample Preparation Purposes. <i>Molecules</i> , <b>2020</b> , 25,	4.8	9
57	Highly Efficient Removal of Neonicotinoid Insecticides by Thioether-Based (Multivariate) Metal-Organic Frameworks. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2021</b> , 13, 28424-28432	9.5	9
56	Proteomic fingerprinting of mistletoe ( <i>Viscum album</i> L.) via combinatorial peptide ligand libraries and mass spectrometry analysis. <i>Journal of Proteomics</i> , <b>2017</b> , 164, 52-58	3.9	8
55	Recent Advances in Molecularly Imprinted Membranes for Sample Treatment and Separation. <i>Separations</i> , <b>2020</b> , 7, 69	3.1	8
54	Hybrid monoliths with metal-organic frameworks in spin columns for extraction of non-steroidal drugs prior to their quantitation by reversed-phase HPLC. <i>Mikrochimica Acta</i> , <b>2019</b> , 186, 759	5.8	8
53	Cultivar discrimination of Spanish olives by using direct FTIR data combined with linear discriminant analysis. <i>European Journal of Lipid Science and Technology</i> , <b>2015</b> , 117, 1473-1479	3	8
52	Acrylate ester-based monolithic columns for capillary electrochromatography separation of triacylglycerols in vegetable oils. <i>Journal of Chromatography A</i> , <b>2011</b> , 1218, 7528-33	4.5	8
51	Rapid evaluation of oxidized fatty acid concentration in virgin olive oils using metal oxide semiconductor sensors and multiple linear regression. <i>Journal of Agricultural and Food Chemistry</i> , <b>2009</b> , 57, 9365-9	5.7	8
50	Determination of thyreostatics in animal feed by micellar electrokinetic chromatography. <i>Analyst, The</i> , <b>1999</b> , 124, 125-8	5	8
49	Application of Organic Monolithic Materials to Enantioseparation in Capillary Separation Techniques. <i>Current Medicinal Chemistry</i> , <b>2017</b> , 24, 781-795	4.3	8
48	Photografted fluoropolymers as novel chromatographic supports for polymeric monolithic stationary phases. <i>Talanta</i> , <b>2018</b> , 187, 216-222	6.2	8
47	Classification of olive leaves and pulps according to their cultivar by using protein profiles established by capillary gel electrophoresis. <i>Analytical and Bioanalytical Chemistry</i> , <b>2014</b> , 406, 1731-8	4.4	7
46	Preparation and characterization of octadecyl acrylate monoliths for capillary electrochromatography by photochemical, thermal, and chemical initiation. <i>Journal of Separation Science</i> , <b>2013</b> , 36, 2283-90	3.4	7
45	Single-pump bi-dimensional LC applied to the characterization of derivatized fatty alcohol ethoxylates. <i>Journal of Separation Science</i> , <b>2010</b> , 33, 1398-404	3.4	7
44	Determination of benzomercaptans in environmental complex samples by combining zeolitic imidazolate framework-8-based solid-phase extraction and high-performance liquid chromatography with UV detection. <i>Journal of Chromatography A</i> , <b>2020</b> , 1631, 461580	4.5	7
43	Use of triacylglycerol profiles established by HPLC <sup>UV</sup> and ELSD to predict cultivar and maturity of Tunisian olive oils. <i>European Food Research and Technology</i> , <b>2016</b> , 242, 1607-1619	3.4	7
42	Determination of the four major surfactant classes in cleaning products by reversed-phase liquid chromatography using serially connected UV and evaporative light-scattering detection. <i>Analytica Chimica Acta</i> , <b>2016</b> , 932, 106-13	6.6	7

41	Polymer-based materials modified with magnetite nanoparticles for enrichment of phospholipids. <i>Talanta</i> , <b>2018</b> , 180, 162-167	6.2	6
40	Study of peak shape and efficiency in butyl acrylate-based monolithic columns for capillary electrochromatography. <i>Journal of Chromatography A</i> , <b>2009</b> , 1216, 6831-7	4.5	6
39	Infusion mass spectrometry as a fingerprint to characterize varnishes in oil pictorial artworks. <i>Rapid Communications in Mass Spectrometry</i> , <b>2007</b> , 21, 851-6	2.2	6
38	Characterization and quantitation of mixtures of alkyl ether sulfates and carboxylic acids by capillary electrophoresis with indirect photometric detection. <i>Electrophoresis</i> , <b>2003</b> , 24, 2805-13	3.6	6
37	In syringe hybrid monoliths modified with gold nanoparticles for selective extraction of glutathione in biological fluids prior to its determination by HPLC. <i>Talanta</i> , <b>2020</b> , 209, 120566	6.2	6
36	Proteomic fingerprinting of apple fruit, juice, and cider via combinatorial peptide ligand libraries and MS analysis. <i>Electrophoresis</i> , <b>2019</b> , 40, 266-271	3.6	6
35	Improving Fractionation of Human Milk Proteins through Calcium Phosphate Coprecipitation and Their Rapid Characterization by Capillary Electrophoresis. <i>Journal of Proteome Research</i> , <b>2018</b> , 17, 3557-3564	5.6	6
34	Poly(ethylene glycol) diacrylate-based solid-phase extraction for determination of sulfonamides in meat samples. <i>Microchemical Journal</i> , <b>2020</b> , 157, 104931	4.8	5
33	Single-pump heart-cutting two-dimensional liquid chromatography applied to the determination of fatty alcohol ethoxylates. <i>Journal of Chromatography A</i> , <b>2014</b> , 1361, 108-16	4.5	5
32	According to the CPLL proteome sheriffs, not all aperitifs are created equal!. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , <b>2014</b> , 1844, 1493-9	4	5
31	Chemical Composition, Antioxidant Properties and Antimicrobial Activity of the Essential Oil of <i>Murraya Paniculata</i> Leaves from the Mountains of Central Cuba. <i>Natural Product Communications</i> , <b>2012</b> , 7, 1934578X1200701	0.9	5
30	Prediction of wheat dough W and P/L inflation test parameters by capillary zone electrophoresis of a protein extract followed by multivariate regression. <i>Electrophoresis</i> , <b>2004</b> , 25, 2970-7	3.6	5
29	Electrokinetic capillary chromatography in a polar continuous-phase water-in-oil microemulsion constituted by water, sodium dodecyl sulfate, and n-pentanol. <i>Electrophoresis</i> , <b>2005</b> , 26, 858-66	3.6	5
28	A new mathematical function for describing electrophoretic peaks. <i>Electrophoresis</i> , <b>2005</b> , 26, 2076-85	3.6	5
27	Preparation of monolithic polymer-magnetite nanoparticle composites into poly(ethylene-co-tetrafluoroethylene) tubes for uses in micro-bore HPLC separation and extraction of phosphorylated compounds. <i>Talanta</i> , <b>2021</b> , 224, 121806	6.2	5
26	Sterol profiles of Tunisian virgin olive oils: classification among different cultivars and maturity indexes. <i>European Food Research and Technology</i> , <b>2018</b> , 244, 675-684	3.4	4
25	Classification of Tunisian extra virgin olive oils according to their genetic variety and maturity index using fatty acid profiles established by direct infusion mass spectrometry. <i>European Journal of Lipid Science and Technology</i> , <b>2016</b> , 118, 735-743	3	4
24	Chemical Analysis and Antioxidant Activity of the Essential Oils of Three Piperaceae Species Growing in the Central Region of Cuba. <i>Natural Product Communications</i> , <b>2013</b> , 8, 1934578X1300800	0.9	4



23	Chromium(VI) oxide oxidation of non-ethoxylated and ethoxylated alcohols for determination by electrospray ionization mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , <b>2010</b> , 24, 2093-100	4.2	4
22	Resolution of overlapped non-absorbing and absorbing solutes using either an absorption null-balance detection window or multivariate deconvolution applied to capillary electrophoresis of anionic surfactants. <i>Journal of Chromatography A</i> , <b>2004</b> , 1036, 205-16	4.5	4
21	Cyclodextrins as a Key Piece in Nanostructured Materials: Quantitation and Remediation of Pollutants. <i>Nanomaterials</i> , <b>2020</b> , 11,	5.4	4
20	Influence of photo-initiators in the preparation of methacrylate monoliths into poly(ethylene-co-tetrafluoroethylene) tubing for microbore HPLC. <i>Analytica Chimica Acta</i> , <b>2020</b> , 1093, 160-167	6.6	4
19	A hybrid nano-MOF/polymer material for trace analysis of fluoroquinolones in complex matrices at microscale by on-line solid-phase extraction capillary electrophoresis. <i>Talanta</i> , <b>2021</b> , 233, 122529	6.2	4
18	Enzyme class identification in cleaning products by hydrolysis followed by derivatization with o-phthalaldehyde, HPLC and linear discriminant analysis. <i>Talanta</i> , <b>2009</b> , 79, 275-9	6.2	3
17	Methacrylate ester-based monolithic columns for nano-LC separation of tocopherols in vegetable oils. <i>Journal of Separation Science</i> , <b>2010</b> , 33, 2681-7	3.4	3
16	Rapid characterization of alkylpolyphosphonates by CZE with indirect photometric and mass spectrometric detection. <i>Electrophoresis</i> , <b>2007</b> , 28, 341-52	3.6	3
15	Rapid classification of enzymes in cleaning products by hydrolysis, mass spectrometry and linear discriminant analysis. <i>Rapid Communications in Mass Spectrometry</i> , <b>2008</b> , 22, 3667-72	2.2	3
14	Statistical classification of pumpkin seed oils by direct infusion mass spectrometry: Correlation with GC-FID profiles. <i>European Journal of Lipid Science and Technology</i> , <b>2015</b> , 117, 331-337	3	2
13	Classification of olive leaves and pulp extracts by comprehensive two-dimensional liquid chromatography of polyphenolic fingerprints. <i>Food Chemistry</i> , <b>2020</b> , 320, 126630	8.5	2
12	Assessment of migrating endocrine-disrupting chemicals in bottled acidic juice using type UVM-7 mesoporous silica modified with cyclodextrin.. <i>Food Chemistry</i> , <b>2022</b> , 380, 132207	8.5	2
11	Zeolitic imidazolate framework-8 decorated with gold nanoparticles for solid-phase extraction of neonicotinoids in agricultural samples. <i>Mikrochimica Acta</i> , <b>2021</b> , 188, 197	5.8	2
10	An automatic flow-through system for exploration of the human bioaccessibility of endocrine disrupting compounds from microplastics. <i>Analyst, The</i> , <b>2021</b> , 146, 3858-3870	5	2
9	Host-guest interactions for extracting antibiotics with a Cyclodextrin poly(glycidyl-co-ethylene dimethacrylate) hybrid sorbent. <i>Talanta</i> , <b>2021</b> , 232, 122478	6.2	2
8	Study of elution behaviour with gradient voltage in CEC using methacrylate monolithic columns. <i>Electrophoresis</i> , <b>2010</b> , 31, 1003-10	3.6	1
7	Reticular materials in sorbent-based extraction methods <b>2021</b> , 323-376		1
6	Development of hybrid monoliths incorporating metal-organic frameworks for stir bar sorptive extraction coupled with liquid chromatography for determination of estrogen endocrine disruptors in water and human urine samples.. <i>Mikrochimica Acta</i> , <b>2022</b> , 189, 92	5.8	0

- 5 Selection and characterization of DNA aptamers for highly selective recognition of the major allergen of olive pollen Ole e 1.. *Analytica Chimica Acta*, **2022**, 1192, 339334 6.6 ○
- 4 3D printed spinning cup-shaped device for immunoaffinity solid-phase extraction of diclofenac in wastewaters.. *Mikrochimica Acta*, **2022**, 189, 173 5.8 ○
- 3 Chemical composition of essential oils from the leaves of *Mosiera bullata* (Britton & P.Wilson), an unexplored Cuban endemic species. *Journal of Essential Oil Research*, **2022**, 34, 123-130 2.3 ○
- 2 Reticular framework materials in miniaturized and emerging formats in analytical chemistry.. *Journal of Chromatography A*, **2022**, 1673, 463092 4.5 ○
- 1 Smart Materials for Solid-Phase Extraction Applications **2019**, 531-580