

# Paul J Colombo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11984507/publications.pdf>

Version: 2024-02-01

22  
papers

1,118  
citations

567144

15  
h-index

713332

21  
g-index

22  
all docs

22  
docs citations

22  
times ranked

1033  
citing authors

#	ARTICLE	IF	CITATIONS
1	Music Training, and the Ability of Musicians to Harmonize, Are Associated With Enhanced Planning and Problem-Solving. <i>Frontiers in Psychology</i> , 2021, 12, 805186.	1.1	2
2	Editorial: Music Training, Neural Plasticity, and Executive Function. <i>Frontiers in Integrative Neuroscience</i> , 2020, 14, 41.	1.0	6
3	Music Training, Working Memory, and Neural Oscillations: A Review. <i>Frontiers in Psychology</i> , 2020, 11, 266.	1.1	18
4	Phosphorylation of tyrosine receptor kinase B in the dorsal striatum and dorsal hippocampus is associated with response learning in a water plus maze.. <i>Behavioral Neuroscience</i> , 2017, 131, 33-41.	0.6	1
5	Protein Phosphatase-1 Inhibitor-2 Is a Novel Memory Suppressor. <i>Journal of Neuroscience</i> , 2015, 35, 15082-15087.	1.7	31
6	Effects of lentivirus-mediated CREB expression in the dorsolateral striatum: Memory enhancement and evidence for competitive and cooperative interactions with the hippocampus. <i>Hippocampus</i> , 2013, 23, 1066-1074.	0.9	29
7	Lentivirus-mediated chronic expression of dominant-negative CREB in the dorsal hippocampus impairs memory for place learning and contextual fear conditioning. <i>Neurobiology of Learning and Memory</i> , 2013, 99, 10-16.	1.0	12
8	Dynamic interactions between memory systems. <i>Hippocampus</i> , 2013, 23, 971-972.	0.9	0
9	The orbitofrontal cortex is not necessary for acquisition or remote recall of socially transmitted food preferences. <i>Behavioural Brain Research</i> , 2010, 208, 243-249.	1.2	10
10	Transfection of mutant CREB in the striatum, but not the hippocampus, impairs long-term memory for response learning. <i>Neurobiology of Learning and Memory</i> , 2008, 89, 27-35.	1.0	33
11	Long-term memory for place learning is facilitated by expression of cAMP response element-binding protein in the dorsal hippocampus. <i>Learning and Memory</i> , 2007, 14, 195-199.	0.5	82
12	Time-courses of Fos expression in rat hippocampus and neocortex following acquisition and recall of a socially transmitted food preference. <i>Neurobiology of Learning and Memory</i> , 2007, 88, 65-74.	1.0	37
13	CREB phosphorylation and c-Fos expression in the hippocampus of rats during acquisition and recall of a socially transmitted food preference. <i>Hippocampus</i> , 2005, 15, 56-67.	0.9	52
14	Hippocampal overexpression of mutant creb blocks long-term, but not short-term memory for a socially transmitted food preference. <i>Learning and Memory</i> , 2005, 12, 12-17.	0.5	48
15	Hippocampal c-fos is necessary for long-term memory of a socially transmitted food preference. <i>Neurobiology of Learning and Memory</i> , 2005, 84, 175-183.	1.0	62
16	Learning-induced activation of transcription factors among multiple memory systems. <i>Neurobiology of Learning and Memory</i> , 2004, 82, 268-277.	1.0	33
17	Cognitive Strategy-Specific Increases in Phosphorylated cAMP Response Element-Binding Protein and c-Fos in the Hippocampus and Dorsal Striatum. <i>Journal of Neuroscience</i> , 2003, 23, 3547-3554.	1.7	151
18	Individual differences in spatial memory among aged rats are related to hippocampal PKC? immunoreactivity. <i>Hippocampus</i> , 2002, 12, 285-289.	0.9	57

#	ARTICLE	IF	CITATIONS
19	Metabotropic Glutamate Receptor-Mediated Hippocampal Phosphoinositide Turnover Is Blunted in Spatial Learning-Impaired Aged Rats. <i>Journal of Neuroscience</i> , 1999, 19, 9604-9610.	1.7	84
20	Individual Differences in Spatial Memory and Striatal ChAT Activity among Young and Aged Rats. <i>Neurobiology of Learning and Memory</i> , 1998, 70, 314-327.	1.0	50
21	Ageing: the cholinergic hypothesis of cognitive decline. <i>Current Opinion in Neurobiology</i> , 1995, 5, 161-168.	2.0	204
22	Allocentric spatial and tactile memory impairments in rats with dorsal caudate lesions are affected by preoperative behavioral training.. <i>Behavioral Neuroscience</i> , 1989, 103, 1242-1250.	0.6	116