

William Ussler

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11988468/publications.pdf>

Version: 2024-02-01

29
papers

3,063
citations

236612

25
h-index

476904

29
g-index

29
all docs

29
docs citations

29
times ranked

2678
citing authors

#	ARTICLE	IF	CITATIONS
1	In situ Autonomous Acquisition and Preservation of Marine Environmental DNA Using an Autonomous Underwater Vehicle. <i>Frontiers in Marine Science</i> , 2019, 6, .	1.2	88
2	Co-registered Geochemistry and Metatranscriptomics Reveal Unexpected Distributions of Microbial Activity within a Hydrothermal Vent Field. <i>Frontiers in Microbiology</i> , 2017, 8, 1042.	1.5	26
3	Autonomous Application of Quantitative PCR in the Deep Sea: In Situ Surveys of Aerobic Methanotrophs Using the Deep-Sea Environmental Sample Processor. <i>Environmental Science & Technology</i> , 2013, 47, 9339-9346.	4.6	47
4	Are 34S-enriched authigenic sulfide minerals a proxy for elevated methane flux and gas hydrates in the geologic record?. <i>Marine and Petroleum Geology</i> , 2013, 43, 381-395.	1.5	142
5	Abundance and distribution of diverse membrane-bound monooxygenase ($CMMO$) genes within the C-R-ica oxygen minimum zone. <i>Environmental Microbiology Reports</i> , 2013, 5, 414-423.	1.0	42
6	A hydrothermal seep on the Costa Rica margin: middle ground in a continuum of reducing ecosystems. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2012, 279, 2580-2588.	1.2	81
7	In situ Raman-based measurements of high dissolved methane concentrations in hydrate-rich ocean sediments. <i>Geophysical Research Letters</i> , 2011, 38, n/a-n/a.	1.5	47
8	Distributions of putative aerobic methanotrophs in diverse pelagic marine environments. <i>ISME Journal</i> , 2010, 4, 700-710.	4.4	77
9	Development and deployment of a deep-sea Raman probe for measurement of pore water geochemistry. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2010, 57, 297-306.	0.6	55
10	Sources of methane inferred from pore-water $\delta^{13}C$ of dissolved inorganic carbon in Pockmark G11, offshore Mid-Norway. <i>Chemical Geology</i> , 2010, 275, 127-138.	1.4	44
11	Origin of pockmarks and chimney structures on the flanks of the Storegga Slide, offshore Norway. <i>Geo-Marine Letters</i> , 2008, 28, 43-51.	0.5	79
12	Association among active seafloor deformation, mound formation, and gas hydrate growth and accumulation within the seafloor of the Santa Monica Basin, offshore California. <i>Marine Geology</i> , 2008, 250, 258-275.	0.9	84
13	Planktonic and Sediment-Associated Aerobic Methanotrophs in Two Seep Systems along the North American Margin. <i>Applied and Environmental Microbiology</i> , 2008, 74, 3985-3995.	1.4	85
14	Authigenic carbon entombed in methane-soaked sediments from the northeastern transform margin of the Guaymas Basin, Gulf of California. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2007, 54, 1240-1267.	0.6	57
15	Authigenic carbonate formation at hydrocarbon seeps in continental margin sediments: A comparative study. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2007, 54, 1268-1291.	0.6	229
16	Methane-derived authigenic carbonates from the northern Gulf of Mexico – MD02 Cruise. <i>Journal of Geochemical Exploration</i> , 2007, 95, 1-15.	1.5	24
17	Discordant ^{14}C -stratigraphies in upper Monterey Canyon: A signal of anthropogenic disturbance. <i>Marine Geology</i> , 2006, 233, 21-36.	0.9	37
18	Trail of sand in upper Monterey Canyon: Offshore California. <i>Bulletin of the Geological Society of America</i> , 2005, 117, 1134.	1.6	131

#	ARTICLE	IF	CITATIONS
19	Deep sea vibracoring system improves ROV sampling capability. <i>Eos</i> , 2001, 82, 325-325.	0.1	13
20	Global and local variations of interstitial sulfate gradients in deep-water, continental margin sediments: Sensitivity to underlying methane and gas hydrates. <i>Marine Geology</i> , 1999, 159, 131-154.	0.9	328
21	Carbon cycling within the upper methanogenic zone of continental rise sediments; An example from the methane-rich sediments overlying the Blake Ridge gas hydrate deposits. <i>Marine Chemistry</i> , 1997, 57, 299-311.	0.9	135
22	Marine pore-water sulfate profiles indicate in situ methane flux from underlying gas hydrate. <i>Geology</i> , 1996, 24, 655.	2.0	478
23	Increased continental-margin slumping frequency during sea-level lowstands above gas hydrate-bearing sediments. <i>Geology</i> , 1996, 24, 143.	2.0	157
24	Methane-rich plumes on the Carolina continental rise: Associations with gas hydrates. <i>Geology</i> , 1995, 23, 89.	2.0	173
25	Graphical analysis of enthalpy-composition relationships in mixed magmas. <i>Journal of Volcanology and Geothermal Research</i> , 1992, 51, 23-40.	0.8	14
26	Is the extent of glaciation limited by marine gas hydrates?. <i>Geophysical Research Letters</i> , 1991, 18, 432-434.	1.5	230
27	Phase equilibria along a basalt-rhyolite mixing line: implications for the origin of calc-alkaline intermediate magmas. <i>Contributions To Mineralogy and Petrology</i> , 1989, 101, 232-244.	1.2	41
28	Crustal extension, crustal density, and the evolution of Cenozoic magmatism in the basin and range of the western United States. <i>Journal of Geophysical Research</i> , 1989, 94, 7952-7960.	3.3	51
29	Trapping of magma at midcrustal density discontinuities. <i>Geophysical Research Letters</i> , 1988, 15, 673-675.	1.5	68