

Swapan Kumar Das

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11989705/publications.pdf>

Version: 2024-02-01

19
papers

855
citations

567281

15
h-index

794594

19
g-index

19
all docs

19
docs citations

19
times ranked

1510
citing authors

#	ARTICLE	IF	CITATIONS
1	Genome-wide prediction of G4 DNA as regulatory motifs: Role in Escherichia coli global regulation. <i>Genome Research</i> , 2006, 16, 644-655.	5.5	287
2	The Genetic Basis of Type 2 Diabetes. <i>Cellscience</i> , 2006, 2, 100-131.	0.3	96
3	Genome-Wide Analyses of Recombination Prone Regions Predict Role of DNA Structural Motif in Recombination. <i>PLoS ONE</i> , 2009, 4, e4399.	2.5	70
4	Randomized Controlled Trial of a MUFA or Fiber-Rich Diet on Hepatic Fat in Prediabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 1765-1774.	3.6	61
5	Linkage and Association Mapping of a Chromosome 1q21-q24 Type 2 Diabetes Susceptibility Locus in Northern European Caucasians. <i>Diabetes</i> , 2004, 53, 492-499.	0.6	49
6	MLC1 Gene Is Associated with Schizophrenia and Bipolar Disorder in Southern India. <i>Biological Psychiatry</i> , 2005, 58, 16-22.	1.3	44
7	The search for type 2 diabetes susceptibility loci: The chromosome 1q story. <i>Current Diabetes Reports</i> , 2007, 7, 154-164.	4.2	44
8	Activating Transcription Factor 6 (ATF6) Sequence Polymorphisms in Type 2 Diabetes and Pre-Diabetic Traits. <i>Diabetes</i> , 2007, 56, 856-862.	0.6	31
9	Calsquestrin 1 (CASQ1) Gene Polymorphisms Under Chromosome 1q21 Linkage Peak Are Associated With Type 2 Diabetes in Northern European Caucasians. <i>Diabetes</i> , 2004, 53, 3300-3306.	0.6	28
10	Polymorphisms in the Glucokinase-Associated, Dual-Specificity Phosphatase 12 (DUSP12) Gene Under Chromosome 1q21 Linkage Peak Are Associated With Type 2 Diabetes. <i>Diabetes</i> , 2006, 55, 2631-2639.	0.6	27
11	SYNGR1 is associated with schizophrenia and bipolar disorder in southern India. <i>Journal of Human Genetics</i> , 2005, 50, 635-640.	2.3	25
12	Expression quantitative trait analyses to identify causal genetic variants for type 2 diabetes susceptibility. <i>World Journal of Diabetes</i> , 2014, 5, 97.	3.5	18
13	Interaction of different hemoglobinopathies in Eastern India with a view to establish genotype-phenotype correlation. <i>American Journal of Human Biology</i> , 2000, 12, 454-459.	1.6	17
14	Integrative network analysis reveals different pathophysiological mechanisms of insulin resistance among Caucasians and African Americans. <i>BMC Medical Genomics</i> , 2015, 8, 4.	1.5	16
15	Genetic Epidemiology of Adult Onset Type 2 Diabetes in Asian Indian Population: Past, Present and Future. <i>International Journal of Human Genetics</i> , 2006, 6, 1-13.	0.1	15
16	Beta Globin Gene and Related Diseases: A Review. <i>International Journal of Human Genetics</i> , 2002, 2, 139-152.	0.1	10
17	Transcriptome-wide analyses of adipose tissue in outbred rats reveal genetic regulatory mechanisms relevant for human obesity. <i>Physiological Genomics</i> , 2022, 54, 206-219.	2.3	9
18	Integrating Transcriptome and Epigenome: Putting Together the Pieces of the Type 2 Diabetes Pathogenesis Puzzle. <i>Diabetes</i> , 2014, 63, 2901-2903.	0.6	6

#	ARTICLE	IF	CITATIONS
19	High Incidence of Haemoglobin-E in Tribal Populations of Tripura, North East India. Anthropologist, 2002, 4, 105-108.	0.1	2