

# Oliver Bossdorf

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1199201/oliver-bossdorf-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

89  
papers

6,912  
citations

39  
h-index

83  
g-index

112  
ext. papers

8,617  
ext. citations

5.9  
avg, IF

5.91  
L-index

#	Paper	IF	Citations
89	Climate warming changes synchrony of plants and pollinators.. <i>Proceedings of the Royal Society B: Biological Sciences</i> , <b>2022</b> , 289, 20212142	4.4	1
88	Transgenerational effects of temperature fluctuations in .. <i>AoB PLANTS</i> , <b>2021</b> , 13, plab064	2.9	0
87	Understanding plant microbiomes requires a genotype × environment framework. <i>American Journal of Botany</i> , <b>2021</b> , 108, 1820-1823	2.7	1
86	Epigenetics and the success of invasive plants. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , <b>2021</b> , 376, 20200117	5.8	13
85	Spring understory herbs flower later in intensively managed forests. <i>Ecological Applications</i> , <b>2021</b> , 31, e02332	4.9	2
84	Variation in regrowth ability in relation to land-use intensity in three common grassland herbs. <i>Journal of Plant Ecology</i> , <b>2021</b> , 14, 438-450	1.7	1
83	Less is more! Rapid increase in plant species richness after reduced mowing in urban grasslands. <i>Basic and Applied Ecology</i> , <b>2020</b> , 42, 47-53	3.2	14
82	Rapid genomic and phenotypic change in response to climate warming in a widespread plant invader. <i>Global Change Biology</i> , <b>2020</b> , 26, 6511-6522	11.4	10
81	Natural selection on the <i>Arabidopsis thaliana</i> genome in present and future climates. <i>Nature</i> , <b>2019</b> , 573, 126-129	50.4	63
80	Plant populations of three threatened species experience rapid evolution under ex situ cultivation. <i>Biodiversity and Conservation</i> , <b>2019</b> , 28, 3951-3969	3.4	10
79	Effects of climate change and horticultural use on the spread of naturalized alien garden plants in Europe. <i>Ecography</i> , <b>2019</b> , 42, 1548-1557	6.5	0
78	Rapid evolution in native plants cultivated for ecological restoration: not a general pattern. <i>Plant Biology</i> , <b>2019</b> , 21, 551-558	3.7	23
77	Invasive knotweed has greater nitrogen-use efficiency than native plants: evidence from a N pulse-chasing experiment. <i>Oecologia</i> , <b>2019</b> , 191, 389-396	2.9	7
76	Plant-Soil Feedbacks of <i>Plantago lanceolata</i> in the Field Depend on Plant Origin and Herbivory. <i>Frontiers in Ecology and Evolution</i> , <b>2019</b> , 7,	3.7	1
75	Structure, stability and ecological significance of natural epigenetic variation: a large-scale survey in <i>Plantago lanceolata</i> . <i>New Phytologist</i> , <b>2019</b> , 221, 1585-1596	9.8	20
74	Using herbaria to study global environmental change. <i>New Phytologist</i> , <b>2019</b> , 221, 110-122	9.8	71
73	Mix and match: regional admixture provenancing strikes a balance among different seed-sourcing strategies for ecological restoration. <i>Conservation Genetics</i> , <b>2019</b> , 20, 7-17	2.6	85

72	Functional trait differences and trait plasticity mediate biotic resistance to potential plant invaders. <i>Journal of Ecology</i> , <b>2018</b> , 106, 1607-1620	6	36
71	Genotypic diversity and environmental variability affect the invasibility of experimental plant populations. <i>Oikos</i> , <b>2018</b> , 127, 570-578	4	4
70	Simulating plant invasion dynamics in mountain ecosystems under global change scenarios. <i>Global Change Biology</i> , <b>2018</b> , 24, e289-e302	11.4	33
69	Phenotypic plasticity in response to temperature fluctuations is genetically variable, and relates to climatic variability of origin, in. <i>AoB PLANTS</i> , <b>2018</b> , 10, ply043	2.9	25
68	Understanding the evolutionary potential of epigenetic variation: a comparison of heritable phenotypic variation in epiRILs, RILs, and natural ecotypes of <i>Arabidopsis thaliana</i> . <i>Heredity</i> , <b>2018</b> , 121, 257-265	3.6	43
67	The Ecology and Evolution of Alien Plants. <i>Annual Review of Ecology, Evolution, and Systematics</i> , <b>2018</b> , 49, 25-47	13.5	86
66	European ornamental garden flora as an invasion debt under climate change. <i>Journal of Applied Ecology</i> , <b>2018</b> , 55, 2386-2395	5.8	23
65	Transient Stability of Epigenetic Population Differentiation in a Clonal Invader. <i>Frontiers in Plant Science</i> , <b>2018</b> , 9, 1851	6.2	29
64	Genetic differentiation within multiple common grassland plants supports seed transfer zones for ecological restoration. <i>Journal of Applied Ecology</i> , <b>2017</b> , 54, 116-126	5.8	62
63	Genetic differentiation and regional adaptation among seed origins used for grassland restoration: lessons from a multispecies transplant experiment. <i>Journal of Applied Ecology</i> , <b>2017</b> , 54, 127-136	5.8	74
62	Evolutionary responses to land use in eight common grassland plants. <i>Journal of Ecology</i> , <b>2017</b> , 105, 1296-1297	16	
61	Will climate change increase hybridization risk between potential plant invaders and their congeners in Europe?. <i>Diversity and Distributions</i> , <b>2017</b> , 23, 934-943	5	12
60	Ecological plant epigenetics: Evidence from model and non-model species, and the way forward. <i>Ecology Letters</i> , <b>2017</b> , 20, 1576-1590	10	165
59	Are local plants the best for ecosystem restoration? It depends on how you analyze the data. <i>Ecology and Evolution</i> , <b>2017</b> , 7, 10683-10689	2.8	23
58	Climate change will increase the naturalization risk from garden plants in Europe. <i>Global Ecology and Biogeography</i> , <b>2017</b> , 26, 43-53	6.1	63
57	EPIGENETICS OF COLONIZING SPECIES? A STUDY OF JAPANESE KNOTWEED IN CENTRAL EUROPE <b>2016</b> , 328-340		11
56	Evolutionary potential in the Alpine: trait heritabilities and performance variation of the dwarf willow <i>Salix herbacea</i> from different elevations and microhabitats. <i>Ecology and Evolution</i> , <b>2016</b> , 6, 3940-52	2.8	36
55	Transgenerational effects of land use on offspring performance and growth in <i>Trifolium repens</i> . <i>Oecologia</i> , <b>2016</b> , 180, 409-20	2.9	3

54	Testing for allelopathy in invasive plants: it all depends on the substrate!. <i>Biological Invasions</i> , <b>2016</b> , 18, 2975-2982	2.7	19
53	The snow and the willows: earlier spring snowmelt reduces performance in the low-lying alpine shrub <i>Salix herbacea</i> . <i>Journal of Ecology</i> , <b>2016</b> , 104, 1041-1050	6	53
52	Plants adapted to warmer climate do not outperform regional plants during a natural heat wave. <i>Ecology and Evolution</i> , <b>2016</b> , 6, 4160-5	2.8	13
51	Plant ecotype affects interacting organisms across multiple trophic levels. <i>Basic and Applied Ecology</i> , <b>2016</b> , 17, 688-695	3.2	18
50	Grassland management intensification weakens the associations among the diversities of multiple plant and animal taxa. <i>Ecology</i> , <b>2015</b> , 96, 1492-1501	4.6	52
49	The Response of the Alpine Dwarf Shrub <i>Salix herbacea</i> to Altered Snowmelt Timing: Lessons from a Multi-Site Transplant Experiment. <i>PLoS ONE</i> , <b>2015</b> , 10, e0122395	3.7	55
48	The more the merrier: Multi-species experiments in ecology. <i>Basic and Applied Ecology</i> , <b>2014</b> , 15, 1-9	3.2	56
47	Adaptive transgenerational plasticity in the perennial <i>Plantago lanceolata</i> . <i>Oikos</i> , <b>2014</b> , 123, 41-46	4	53
46	Small-scale patterns in snowmelt timing affect gene flow and the distribution of genetic diversity in the alpine dwarf shrub <i>Salix herbacea</i> . <i>Heredity</i> , <b>2014</b> , 113, 233-9	3.6	42
45	What role do plant-soil interactions play in the habitat suitability and potential range expansion of the alpine dwarf shrub <i>Salix herbacea</i> ?. <i>Basic and Applied Ecology</i> , <b>2014</b> , 15, 305-315	3.2	37
44	Interannual variation in land-use intensity enhances grassland multidiversity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2014</b> , 111, 308-13	11.5	166
43	Hybridization increases invasive knotweed success. <i>Evolutionary Applications</i> , <b>2014</b> , 7, 413-20	4.8	47
42	Epigenetic diversity increases the productivity and stability of plant populations. <i>Nature Communications</i> , <b>2013</b> , 4, 2875	17.4	104
41	Environmental variability promotes plant invasion. <i>Nature Communications</i> , <b>2013</b> , 4, 1604	17.4	90
40	Epigenetic variation creates potential for evolution of plant phenotypic plasticity. <i>New Phytologist</i> , <b>2013</b> , 197, 314-322	9.8	228
39	Land use causes genetic differentiation of life-history traits in <i>Bromus hordeaceus</i> . <i>Global Change Biology</i> , <b>2013</b> , 19, 892-9	11.4	13
38	Enemy release and evolution of increased competitive ability: at last, a smoking gun!. <i>New Phytologist</i> , <b>2013</b> , 198, 638-640	9.8	11
37	Do invasive species perform better in their new ranges?. <i>Ecology</i> , <b>2013</b> , 94, 985-94	4.6	173

36	Help from under ground: soil biota facilitate knotweed invasion. <i>Ecosphere</i> , <b>2013</b> , 4, art31	3.1	24
35	Epigenetic variation in plant responses to defence hormones. <i>Annals of Botany</i> , <b>2012</b> , 110, 1423-8	4.1	61
34	Geographical and land-use effects on seed-mass variation in common grassland plants. <i>Basic and Applied Ecology</i> , <b>2012</b> , 13, 395-404	3.2	17
33	Longitudinal trends in climate drive flowering time clines in North American <i>Arabidopsis thaliana</i> . <i>Ecology and Evolution</i> , <b>2012</b> , 2, 1162-80	2.8	55
32	Evolutionary Significance of Epigenetic Variation <b>2012</b> , 257-274		16
31	Sources and modes of action of invasive knotweed allelopathy: the effects of leaf litter and trained soil on the germination and growth of native plants. <i>NeoBiota</i> , <b>2012</b> , 13, 15-30	4.2	16
30	Invasive knotweed affects native plants through allelopathy. <i>American Journal of Botany</i> , <b>2011</b> , 98, 38-43	3.7	106
29	A truly ecological epigenetics study. <i>Molecular Ecology</i> , <b>2011</b> , 20, 1572-4	5.7	21
28	Citizen science reveals unexpected continental-scale evolutionary change in a model organism. <i>PLoS ONE</i> , <b>2011</b> , 6, e18927	3.7	91
27	Understanding natural epigenetic variation. <i>New Phytologist</i> , <b>2010</b> , 187, 562-4	9.8	90
26	The scale of population structure in <i>Arabidopsis thaliana</i> . <i>PLoS Genetics</i> , <b>2010</b> , 6, e1000843	6	251
25	What Role Does Heritable Epigenetic Variation Play in Phenotypic Evolution?. <i>BioScience</i> , <b>2010</b> , 60, 232-237	3.7	149
24	Climate-neutral ecology conferences: just do it!. <i>Trends in Ecology and Evolution</i> , <b>2010</b> , 25, 61	10.9	19
23	Experimental alteration of DNA methylation affects the phenotypic plasticity of ecologically relevant traits in <i>Arabidopsis thaliana</i> . <i>Evolutionary Ecology</i> , <b>2010</b> , 24, 541-553	1.8	145
22	Implementing large-scale and long-term functional biodiversity research: The Biodiversity Exploratories. <i>Basic and Applied Ecology</i> , <b>2010</b> , 11, 473-485	3.2	510
21	Evolution Megalab: Die geheimnisvolle Vielfalt der Bänderschnecken. <i>Biologie in Unserer Zeit</i> , <b>2009</b> , 39, 14-15	0.1	
20	Plasticity to wind is modular and genetically variable in <i>Arabidopsis thaliana</i> . <i>Evolutionary Ecology</i> , <b>2009</b> , 23, 669-685	1.8	19
19	Genotype and maternal environment affect belowground interactions between <i>Arabidopsis thaliana</i> and its competitors. <i>Oikos</i> , <b>2009</b> , 118, 1541-1551	4	29

18	Selection of preadapted populations allowed <i>Senecio inaequidens</i> to invade Central Europe. <i>Diversity and Distributions</i> , <b>2008</b> , 14, 676-685	5	86
17	Epigenetics for ecologists. <i>Ecology Letters</i> , <b>2008</b> , 11, 106-15	10	599
16	Jack of all trades, master of some? On the role of phenotypic plasticity in plant invasions. <i>Ecology Letters</i> , <b>2006</b> , 9, 981-93	10	856
15	Molecular evidence for multiple introductions of garlic mustard ( <i>Alliaria petiolata</i> , Brassicaceae) to North America. <i>Molecular Ecology</i> , <b>2005</b> , 14, 1697-706	5.7	153
14	Phenotypic and genetic differentiation between native and introduced plant populations. <i>Oecologia</i> , <b>2005</b> , 144, 1-11	2.9	766
13	Palatability and tolerance to simulated herbivory in native and introduced populations of <i>Alliaria petiolata</i> (Brassicaceae). <i>American Journal of Botany</i> , <b>2004</b> , 91, 856-62	2.7	70
12	Reduced competitive ability in an invasive plant. <i>Ecology Letters</i> , <b>2004</b> , 7, 346-353	10	131
11	Isolation and characterization of microsatellite loci in the invasive <i>Alliaria petiolata</i> (Brassicaceae). <i>Molecular Ecology Notes</i> , <b>2004</b> , 4, 173-175		8
10	Spatial pattern formation in semi-arid shrubland: a priori predicted versus observed pattern characteristics. <i>Plant Ecology</i> , <b>2004</b> , 173, 271-282	1.7	78
9	Allelopathic inhibition of germination by <i>Alliaria petiolata</i> (Brassicaceae). <i>American Journal of Botany</i> , <b>2004</b> , 91, 285-8	2.7	202
8	Spatial patterns of plant association in grazed and ungrazed shrublands in the semi-arid Karoo, South Africa. <i>Journal of Vegetation Science</i> , <b>2000</b> , 11, 253-258	3.1	11
7	The Global Garlic Mustard Field Survey (GGMFS): challenges and opportunities of a unique, large-scale collaboration for invasion biology. <i>NeoBiota</i> , 21, 29-47	4.2	15
6	A complete digitization of German herbaria is possible, sensible and should be started now. <i>Research Ideas and Outcomes</i> , 6,	2.5	6
5	Ecological plant epigenetics: Evidence from model and non-model species, and the way forward		7
4	A map of climate change-driven natural selection in <i>Arabidopsis thaliana</i>		3
3	Effects of forest management on the phenology of early-flowering understory herbs		1
2	Climate warming changes synchrony of plants and pollinators		1
1	Environmental stress determines the colonization and impact of an endophytic fungus on invasive knotweed. <i>Biological Invasions</i> , 1	2.7	0

