## Andreas MÃ¥rtensson

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1199294/publications.pdf

Version: 2024-02-01

933447 1125743 13 462 10 13 citations g-index h-index papers 15 15 15 900 docs citations times ranked citing authors all docs

#	Article	lF	CITATIONS
1	Myxovirus resistance protein A for discriminating between viral and bacterial lower respiratory tract infections in children – The TREND study. Clinical Microbiology and Infection, 2022, 28, 1251-1257.	6.0	5
2	Etiology of Clinical Community-Acquired Pneumonia in Swedish Children Aged 1–59 Months with High Pneumococcal Vaccine Coverage—The TREND Study. Vaccines, 2021, 9, 384.	4.4	9
3	Point-of-Care Approaches for Meningitis Diagnosis in a Low-Resource Setting (Southwestern Uganda): Observational Cohort Study Protocol of the "Pl-POC―Trial. JMIR Research Protocols, 2020, 9, e21430.	1.0	2
4	Introducing a New Algorithm for Classification of Etiology in Studies on Pediatric Pneumonia: Protocol for the Trial of Respiratory Infections in Children for Enhanced Diagnostics Study. JMIR Research Protocols, 2019, 8, e12705.	1.0	11
5	A vertical flow paper-microarray assay with isothermal DNA amplification for detection of Neisseria meningitidis. Talanta, 2018, 183, 192-200.	5.5	30
6	Health care workers' perceptions of point-of-care testing in a low-income country—A qualitative study in Southwestern Uganda. PLoS ONE, 2017, 12, e0182005.	2.5	29
7	A deep sequencing tool for partitioning clearance rates following antimalarial treatment in polyclonal infections. Evolution, Medicine and Public Health, 2016, 2016, 21-36.	2.5	38
8	Acute Uncomplicated Febrile Illness in Children Aged 2-59 months in Zanzibar – Aetiologies, Antibiotic Treatment and Outcome. PLoS ONE, 2016, 11, e0146054.	2.5	68
9	Field deployment of loop-mediated isothermal amplification for centralized mass-screening of asymptomatic malaria in Zanzibar: a pre-elimination setting. Malaria Journal, 2015, 14, 205.	2.3	38
10	SYBR Green Real-Time PCR-RFLP Assay Targeting the Plasmodium Cytochrome B Gene – A Highly Sensitive Molecular Tool for Malaria Parasite Detection and Species Determination. PLoS ONE, 2015, 10, e0120210.	2.5	41
11	Characterising temporal trends in asymptomatic Plasmodium infections and transporter polymorphisms during transition from high to low transmission in Zanzibar, 2005–2013. Infection, Genetics and Evolution, 2015, 33, 110-117.	2.3	22
12	Mass Screening and Treatment on the Basis of Results of a Plasmodium falciparum-Specific Rapid Diagnostic Test Did Not Reduce Malaria Incidence in Zanzibar. Journal of Infectious Diseases, 2015, 211, 1476-1483.	4.0	98
13	Loop Mediated Isothermal Amplification (LAMP) Accurately Detects Malaria DNA from Filter Paper Blood Samples of Low Density Parasitaemias. PLoS ONE, 2014, 9, e103905.	2.5	71