
## Francisco Jose Vazquez

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11993920/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Effect of allogeneic platelet lysate on equine bone marrow derived mesenchymal stem cell characteristics, including immunogenic and immunomodulatory gene expression profile. Veterinary Immunology and Immunopathology, 2019, 217, 109944.	0.5	11
2	Differentiation of equine bone marrow derived mesenchymal stem cells increases the expression of immunogenic genes. Veterinary Immunology and Immunopathology, 2018, 200, 1-6.	0.5	7
3	Assessment of effectiveness and safety of repeat administration of proinflammatory primed allogeneic mesenchymal stem cells in an equine model of chemically induced osteoarthritis. BMC Veterinary Research, 2018, 14, 241.	0.7	45
4	Priming Equine Bone Marrow-Derived Mesenchymal Stem Cells with Proinflammatory Cytokines: Implications in Immunomodulation–Immunogenicity Balance, Cell Viability, and Differentiation Potential. Stem Cells and Development, 2017, 26, 15-24.	1.1	69
5	Inflammation affects the viability and plasticity of equine mesenchymal stem cells: possible implications in intra-articular treatments. Journal of Veterinary Science, 2017, 18, 39.	0.5	17
6	Acute phase protein haptoglobin as inflammatory marker in serum and synovial fluid in an equine model of arthritis. Veterinary Immunology and Immunopathology, 2016, 182, 74-78.	0.5	13
7	Expression of genes involved in immune response and in vitro immunosuppressive effect of equine MSCs. Veterinary Immunology and Immunopathology, 2015, 165, 107-118.	0.5	24
8	Expansion under hypoxic conditions enhances the chondrogenic potential of equine bone marrow-derived mesenchymal stem cells. Veterinary Journal, 2013, 195, 248-251.	0.6	30
9	Effect of hypoxia on equine mesenchymal stem cells derived from bone marrow and adipose tissue. BMC Veterinary Research, 2012, 8, 142.	0.7	36
10	Immunophenotype and gene expression profiles of cell surface markers of mesenchymal stem cells derived from equine bone marrow and adipose tissue. Veterinary Immunology and Immunopathology, 2011, 144, 147-154.	0.5	131