

Melissa M Conti

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/12000480/publications.pdf>

Version: 2024-02-01

13
papers

353
citations

840776

11
h-index

1125743

13
g-index

13
all docs

13
docs citations

13
times ranked

477
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of prolonged selective serotonin reuptake inhibition on the development and expression of L-DOPA-induced dyskinesia in hemi-parkinsonian rats. <i>Neuropharmacology</i> , 2014, 77, 1-8.	4.1	57
2	Effects of Muscarinic Acetylcholine m1 and m4 Receptor Blockade on Dyskinesia in the Hemi-Parkinsonian Rat. <i>Neuroscience</i> , 2019, 409, 180-194.	2.3	38
3	Characterizing the differential roles of striatal 5-HT 1A auto- and hetero-receptors in the reduction of L-DOPA-induced dyskinesia. <i>Experimental Neurology</i> , 2017, 292, 168-178.	4.1	37
4	Reduction of PINK1 or DJ-1 impair mitochondrial motility in neurites and alter ER-mitochondria contacts. <i>Journal of Cellular and Molecular Medicine</i> , 2018, 22, 5439-5449.	3.6	34
5	A new outlook on cholinergic interneurons in Parkinson's disease and L-DOPA-induced dyskinesia. <i>Neuroscience and Biobehavioral Reviews</i> , 2018, 92, 67-82.	6.1	31
6	The Role of Primary Motor Cortex (M1) Glutamate and GABA Signaling in L-DOPA-Induced Dyskinesia in Parkinsonian Rats. <i>Journal of Neuroscience</i> , 2016, 36, 9873-9887.	3.6	30
7	Monoamine transporter contributions to L-DOPA effects in hemi-parkinsonian rats. <i>Neuropharmacology</i> , 2016, 110, 125-134.	4.1	24
8	D-512, a novel dopamine D _{2/3} receptor agonist, demonstrates greater anti-Parkinsonian efficacy than ropinirole in Parkinsonian rats. <i>British Journal of Pharmacology</i> , 2017, 174, 3058-3071.	5.4	22
9	Effect of tricyclic antidepressants on L-DOPA-induced dyskinesia and motor improvement in hemi-parkinsonian rats. <i>Pharmacology Biochemistry and Behavior</i> , 2016, 142, 64-71.	2.9	20
10	A working model for the assessment of disruptions in social behavior among aged rats: The role of sex differences, social recognition, and sensorimotor processes. <i>Experimental Gerontology</i> , 2016, 76, 46-57.	2.8	20
11	Diverse serotonin actions of vilazodone reduce 3,4-dihydroxyphenylalanine-induced dyskinesia in hemi-parkinsonian rats. <i>Movement Disorders</i> , 2018, 33, 1740-1749.	3.9	19
12	Genetic basis of susceptibility to low-dose paraquat and variation between the sexes in <i>Drosophila melanogaster</i> . <i>Molecular Ecology</i> , 2021, 30, 2040-2053.	3.9	11
13	Striatal Nurr1, but not FosB expression links a levodopa-induced dyskinesia phenotype to genotype in Fisher 344 vs. Lewis hemiparkinsonian rats. <i>Experimental Neurology</i> , 2020, 330, 113327.	4.1	10