

Mariangela Amenduni

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/12002024/publications.pdf>

Version: 2024-02-01

15
papers

1,579
citations

759233

12
h-index

1058476

14
g-index

15
all docs

15
docs citations

15
times ranked

3669
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | FOXP1-Dependent Dysregulation of GABA/Glutamate Neuron Differentiation in Autism Spectrum Disorders. <i>Cell</i> , 2015, 162, 375-390. | 28.9 | 894 |
| 2 | Stimulation of nuclear receptor peroxisome proliferator-activated receptor- β limits NF- κ B-dependent inflammation in mouse cystic fibrosis biliary epithelium. <i>Hepatology</i> , 2015, 62, 1551-1562. | 7.3 | 106 |
| 3 | iPS cells to model CDKL5-related disorders. <i>European Journal of Human Genetics</i> , 2011, 19, 1246-1255. | 2.8 | 80 |
| 4 | Macrophage recruitment by fibrocystin-defective biliary epithelial cells promotes portal fibrosis in congenital hepatic fibrosis. <i>Hepatology</i> , 2016, 63, 965-982. | 7.3 | 80 |
| 5 | Glud1 is a common altered player in neuronal differentiation from both MECP2-mutated and CDKL5-mutated iPS cells. <i>European Journal of Human Genetics</i> , 2015, 23, 195-201. | 2.8 | 65 |
| 6 | One thousand somatic SNVs per skin fibroblast cell set baseline of mosaic mutational load with patterns that suggest proliferative origin. <i>Genome Research</i> , 2017, 27, 512-523. | 5.5 | 64 |
| 7 | The cystic fibrosis transmembrane conductance regulator controls biliary epithelial inflammation and permeability by regulating Src tyrosine kinase activity. <i>Hepatology</i> , 2016, 64, 2118-2134. | 7.3 | 55 |
| 8 | Liver diseases in the dish: iPSC and organoids as a new approach to modeling liver diseases. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2019, 1865, 920-928. | 3.8 | 53 |
| 9 | Epigenetic and Copy Number Variation Analysis in Retinoblastoma by MS-MLPA. <i>Pathology and Oncology Research</i> , 2012, 18, 703-712. | 1.9 | 43 |
| 10 | Src kinase inhibition reduces inflammatory and cytoskeletal changes in F508 human cholangiocytes and improves cystic fibrosis transmembrane conductance regulator correctors efficacy. <i>Hepatology</i> , 2018, 67, 972-988. | 7.3 | 42 |
| 11 | Array comparative genomic hybridization in retinoma and retinoblastoma tissues. <i>Cancer Science</i> , 2009, 100, 465-471. | 3.9 | 38 |
| 12 | β -Catenin and interleukin-1-dependent chemokine (CXCL10) ligand 10 production drives progression of disease in a mouse model of congenital hepatic fibrosis. <i>Hepatology</i> , 2018, 67, 1903-1919. | 7.3 | 38 |
| 13 | p53 Arg72Pro and MDM2 309 SNPs in hereditary retinoblastoma. <i>Journal of Human Genetics</i> , 2011, 56, 685-686. | 2.3 | 12 |
| 14 | Animal models for cystic fibrosis liver disease (CFLD). <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2019, 1865, 965-969. | 3.8 | 9 |
| 15 | Retinoma and Retinoblastoma: Genomic Hybridisation. , 2012, , 93-102. | | 0 |