

Justin Kline

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/12002585/publications.pdf>

Version: 2024-02-01

81
papers

5,802
citations

185998

28
h-index

95083

68
g-index

81
all docs

81
docs citations

81
times ranked

9900
citing authors

#	ARTICLE	IF	CITATIONS
1	Host type I IFN signals are required for antitumor CD8+ T cell responses through CD81±± dendritic cells. <i>Journal of Experimental Medicine</i> , 2011, 208, 2005-2016.	4.2	959
2	CD47 Blockade by Hu5F9-G4 and Rituximab in Non-Hodgkinâ€™s Lymphoma. <i>New England Journal of Medicine</i> , 2018, 379, 1711-1721.	13.9	796
3	CD47 blockade triggers T cellâ€™mediated destruction of immunogenic tumors. <i>Nature Medicine</i> , 2015, 21, 1209-1215.	15.2	605
4	Immune resistance orchestrated by the tumor microenvironment. <i>Immunological Reviews</i> , 2006, 213, 131-145.	2.8	409
5	PD-1/PD-L1 interactions inhibit antitumor immune responses in a murine acute myeloid leukemia model. <i>Blood</i> , 2009, 114, 1545-1552.	0.6	354
6	Costimulatory and coinhibitory receptors in antiâ€™tumor immunity. <i>Immunological Reviews</i> , 2009, 229, 126-144.	2.8	246
7	Geriatric assessment to predict survival in older allogeneic hematopoietic cell transplantation recipients. <i>Haematologica</i> , 2014, 99, 1373-1379.	1.7	213
8	Reduced-intensity conditioning with combined haploidentical and cord blood transplantation results in rapid engraftment, low GVHD, and durable remissions. <i>Blood</i> , 2011, 118, 6438-6445.	0.6	158
9	Molecular profiling to identify relevant immune resistance mechanisms in the tumor microenvironment. <i>Current Opinion in Immunology</i> , 2011, 23, 286-292.	2.4	134
10	STING Pathway Activation Stimulates Potent Immunity against Acute Myeloid Leukemia. <i>Cell Reports</i> , 2016, 15, 2357-2366.	2.9	134
11	The immune landscape and response to immune checkpoint blockade therapy in lymphoma. <i>Blood</i> , 2020, 135, 523-533.	0.6	134
12	Dendritic Cells Coordinate the Development and Homeostasis of Organ-Specific Regulatory T Cells. <i>Immunity</i> , 2016, 44, 847-859.	6.6	93
13	PDâ€™1 regulates extrathymic regulatory Tâ€™cell differentiation. <i>European Journal of Immunology</i> , 2014, 44, 2603-2616.	1.6	87
14	PD-L1 gene alterations identify a subset of diffuse large B-cell lymphoma harboring a T-cellâ€™inflamed phenotype. <i>Blood</i> , 2019, 133, 2279-2290.	0.6	87
15	Mechanisms of Immune Tolerance in Leukemia and Lymphoma. <i>Trends in Immunology</i> , 2017, 38, 513-525.	2.9	86
16	Immune evasion in acute myeloid leukemia: current concepts and future directions. , 2013, 1, .		85
17	Leukemia cellâ€™targeted STAT3 silencing and TLR9 triggering generate systemic antitumor immunity. <i>Blood</i> , 2014, 123, 15-25.	0.6	85
18	Homeostatic Proliferation Plus Regulatory T-Cell Depletion Promotes Potent Rejection of B16 Melanoma. <i>Clinical Cancer Research</i> , 2008, 14, 3156-3167.	3.2	79

#	ARTICLE	IF	CITATIONS
19	Homeostatic Proliferation as an Isolated Variable Reverses CD8+ T Cell Anergy and Promotes Tumor Rejection. <i>Journal of Immunology</i> , 2006, 177, 4521-4529.	0.4	75
20	Axicabtagene Ciloleucelel in the Real World: Outcomes and Predictors of Response, Resistance and Toxicity. <i>Blood</i> , 2018, 132, 92-92.	0.6	74
21	Results from a multidisciplinary clinic guided by geriatric assessment before stem cell transplantation in older adults. <i>Blood Advances</i> , 2019, 3, 3488-3498.	2.5	62
22	CD40 ligation reverses T cell tolerance in acute myeloid leukemia. <i>Journal of Clinical Investigation</i> , 2013, 123, 1999-2010.	3.9	60
23	Immune profiles in primary squamous cell carcinoma of the head and neck. <i>Oral Oncology</i> , 2019, 96, 77-88.	0.8	57
24	Clinical development of mAbs to block the PD1 pathway as an immunotherapy for cancer. <i>Current Opinion in Investigational Drugs</i> , 2010, 11, 1354-9.	2.3	48
25	Cellular and Molecular Requirements for Rejection of B16 Melanoma in the Setting of Regulatory T Cell Depletion and Homeostatic Proliferation. <i>Journal of Immunology</i> , 2012, 188, 2630-2642.	0.4	45
26	Allogeneic transplantation after PD-1 blockade for classic Hodgkin lymphoma. <i>Leukemia</i> , 2021, 35, 2672-2683.	3.3	45
27	Dendritic cells can prime anti-tumor CD8+ T cell responses through major histocompatibility complex cross-dressing. <i>Immunity</i> , 2022, 55, 982-997.e8.	6.6	44
28	Phase I-II Study of Clofarabine-Melphalan-Alemtuzumab Conditioning for Allogeneic Hematopoietic Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2012, 18, 913-921.	2.0	40
29	Targeting the Innate Immune System as Immunotherapy for Acute Myeloid Leukemia. <i>Frontiers in Oncology</i> , 2015, 5, 83.	1.3	33
30	Acute myeloid leukemia cell membrane-coated nanoparticles for cancer vaccination immunotherapy. <i>Leukemia</i> , 2022, 36, 994-1005.	3.3	33
31	Emerging role of checkpoint blockade therapy in lymphoma. <i>Therapeutic Advances in Hematology</i> , 2017, 8, 81-90.	1.1	32
32	Calreticulin promotes immunity and type I interferon-dependent survival in mice with acute myeloid leukemia. <i>Oncolmmunology</i> , 2017, 6, e1278332.	2.1	29
33	PD-1 blockade induces remissions in relapsed classical Hodgkin lymphoma following allogeneic hematopoietic stem cell transplantation. , 2017, 5, 11.		29
34	Highly clonal regulatory T-cell population in follicular lymphoma â€“ inverse correlation with the diversity of CD8⁺</sup>T cells. <i>Oncolmmunology</i> , 2015, 4, e1002728.	2.1	26
35	Immune reconstitution after combined haploidentical and umbilical cord blood transplant. <i>Leukemia and Lymphoma</i> , 2013, 54, 1242-1249.	0.6	23
36	CD8Î±± Dendritic Cells Dictate Leukemia-Specific CD8+ T Cell Fates. <i>Journal of Immunology</i> , 2018, 201, 3759-3769.	0.4	23

#	ARTICLE	IF	CITATIONS
37	T-LAK cell-originated protein kinase presents a novel therapeutic target in FLT3-ITD mutated acute myeloid leukemia. <i>Oncotarget</i> , 2015, 6, 33410-33425.	0.8	22
38	Outcomes following second allogeneic stem cell transplant for disease relapse after T cell depleted transplant correlate with remission status and remission duration after the first transplant. <i>Experimental Hematology and Oncology</i> , 2019, 8, 1.	2.0	21
39	Frequency and Risk Factors Associated with Cord Graft Failure after Transplant with Single-Unit Umbilical Cord Cells Supplemented by Haploidentical Cells with Reduced-Intensity Conditioning. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 1065-1072.	2.0	20
40	Combined Haploidentical and Umbilical Cord Blood Allogeneic Stem Cell Transplantation for High-Risk Lymphoma and Chronic Lymphoblastic Leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 359-365.	2.0	20
41	Unexpected Toxicities When Nivolumab Was Given as Maintenance Therapy following Allogeneic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2020, 26, 1025-1027.	2.0	20
42	Reduced-Intensity Allogeneic Transplant for Acute Myeloid Leukemia and Myelodysplastic Syndrome Using Combined CD34-Selected Haploidentical Graft and a Single Umbilical Cord Unit Compared with Matched Unrelated Donor Stem Cells in Older Adults. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 997-1004.	2.0	18
43	Oxidized Lipoproteins Promote Resistance to Cancer Immunotherapy Independent of Patient Obesity. <i>Cancer Immunology Research</i> , 2021, 9, 214-226.	1.6	18
44	No Exit: Identifying Avoidable Terminal Oncology Intensive Care Unit Hospitalizations. <i>Journal of Oncology Practice</i> , 2016, 12, e901-e911.	2.5	13
45	Update on checkpoint blockade therapy for lymphoma. , 2015, 3, 33.		11
46	Regulatory T-cell depletion in the setting of autologous stem cell transplantation for multiple myeloma: pilot study. , 2020, 8, e000286.		11
47	Dose escalation prophylactic donor lymphocyte infusion after T-cell depleted matched related donor allogeneic hematopoietic cell transplantation is feasible and results in higher donor chimerism, faster immune re-constitution, and prolonged progression-free survival. <i>Bone Marrow Transplantation</i> , 2020, 55, 1161-1168.	1.3	11
48	Pembrolizumab for the Treatment of Disease Relapse Following Allogeneic Hematopoietic Cell Transplantation. <i>Blood</i> , 2018, 132, 3415-3415.	0.6	11
49	Incidence and predictors of respiratory viral infections by multiplex PCR in allogeneic hematopoietic cell transplant recipients 50 years and older including geriatric assessment. <i>Leukemia and Lymphoma</i> , 2016, 57, 1807-1813.	0.6	9
50	Integrative Immunogenomic Characterization of Diffuse Large B-Cell Lymphoma (DLBCL) Identifies Four Molecular Subtypes with Distinct Immune Landscapes. <i>Blood</i> , 2019, 134, 924-924.	0.6	8
51	MYC a thorn in the side of cancer immunity. <i>Cell Research</i> , 2016, 26, 639-640.	5.7	7
52	Negligible Role for Deletion Mediated by cDC1 in CD8+ T Cell Tolerance. <i>Journal of Immunology</i> , 2019, 202, 2628-2635.	0.4	6
53	Romidepsin and total skin electron beam therapy in advanced stage mycosis fungoides and SÅ©zary syndrome. <i>British Journal of Haematology</i> , 2019, 186, 377-379.	1.2	6
54	Procalcitonin As a Potential Biomarker for Differentiating Bacterial Infectious Fevers from Cytokine Release Syndrome. <i>Blood</i> , 2018, 132, 4216-4216.	0.6	5

#	ARTICLE	IF	CITATIONS
55	Nelarabine in the treatment of refractory T-cell malignant diseases. Expert Opinion on Pharmacotherapy, 2006, 7, 1791-1799.	0.9	4
56	Peripheral T-cell tolerance in hosts with acute myeloid leukemia. Oncoimmunology, 2013, 2, e25445.	2.1	4
57	Characterization of cancer comorbidity prior to allogeneic hematopoietic cell transplantation. Leukemia and Lymphoma, 2019, 60, 629-638.	0.6	4
58	Primary resistance to CD19-directed chimeric antigen receptor T-cell therapy in T-cell/histiocyte-rich large B-cell lymphoma. Blood, 2021, 137, 3454-3459.	0.6	4
59	PD-L1 Gene Alterations Identify a Unique Subset of Diffuse Large B Cell Lymphoma That Harbors a T Cell Inflamed Phenotype. Blood, 2018, 132, 673-673.	0.6	4
60	Geriatric Assessment (GA) to Predict Survival in Older Allogeneic Hematopoietic Cell Transplantation (HCT) Recipients. Biology of Blood and Marrow Transplantation, 2014, 20, S39-S40.	2.0	3
61	The DIAL Study (Dual Immunomodulation in Aggressive Lymphoma): A Randomized Phase 2 Study of CDX-1127 (Varlilumab) in Combination with Nivolumab in Patients with Relapsed or Refractory Aggressive B-Cell Lymphomas (NCI 10089 / NCT03038672). Blood, 2019, 134, 1591-1591.	0.6	3
62	Divergent fates of antigen-specific CD8+ T cell clones in mice with acute leukemia. Cell Reports, 2021, 37, 109991.	2.9	3
63	Will changing the face of WT1 make it more attractive to T cells?. Leukemia and Lymphoma, 2009, 50, 156-157.	0.6	2
64	Unexpected Toxicities When Nivolumab Was Given after Allogeneic Stem Cell Transplantation. Blood, 2019, 134, 1956-1956.	0.6	2
65	Beyond PD-1: Investigating the Therapeutic Potential of TIGIT Blockade in DLBCL. Blood, 2019, 134, 391-391.	0.6	2
66	Phase II Study of Tamsirosimus and Lenalidomide in Patients with Relapsed and Refractory Lymphomas: Final Analysis of NCI 8309. Blood, 2016, 128, 4147-4147.	0.6	2
67	Preliminary Results of Combined Haploidentical-Cord Blood Transplantation for Patients Lacking HLA Identical Donors. Blood, 2008, 112, 3015-3015.	0.6	1
68	A Phase I/II Trial of Combination Gemcitabine and Bortezomib (VELCADE®) for Relapsed/Refractory T-Cell Non-Hodgkin Lymphoma (NHL) and Aggressive B-Cell NHL. Blood, 2011, 118, 1646-1646.	0.6	1
69	Reduced Intensity Conditioning with Combined Haploidentical and Cord Blood Transplantation Results in Rapid Engraftment and Durable Remissions in Hematological Malignancies. Blood, 2011, 118, 830-830.	0.6	1
70	Comorbidity from Solid Tumor or Hematologic Malignancy Prior to Allogeneic Hematopoietic Cell Transplantation (HCT) May Both Increase Non-Relapse Mortality. Blood, 2016, 128, 5844-5844.	0.6	1
71	Phase I/II Clinical Trial of Tamsirosimus and Lenalidomide in Patients with Relapsed and Refractory Lymphomas. Blood, 2020, 136, 43-44.	0.6	1
72	Macrophage Activation By Dual PI3K-Î³ Inhibition Enhances Anti-CD47-Mediated Phagocytosis and Prolongs Survival in DLBCL. Blood, 2020, 136, 40-40.	0.6	1

#	ARTICLE	IF	CITATIONS
73	Conditioning with Fludarabine (Flu)-Alkylator Is More Effective Cyto-reduction Than Cyclophosphamide-Total Body Irradiation (Cy/TBI) for Refractory, Progressive Chronic Lymphatic Leukemia (CLL).. Blood, 2004, 104, 5045-5045.	0.6	0
74	Clofarabine-Melphalan-Alemtuzumab Conditioning for Allogeneic Hematopoietic Cell Transplantation: Final Report of a Phase I-II Study. Blood, 2011, 118, 1948-1948.	0.6	0
75	Selection and Monitoring of Patients for Immunotherapy (Peptide Vaccines). , 2015, , 63-84.		0
76	Excellent Clinical Outcome for Relapsed and Refractory Lymphoma Patients with Haplo-Cord Allogeneic Stem Cell Transplantation. Blood, 2016, 128, 3496-3496.	0.6	0
77	Development of Acute Myeloid Leukemia Cell Membrane Coated Nanoparticles (AMCNPs) for Cancer Vaccination Immunotherapy. Blood, 2018, 132, 4062-4062.	0.6	0
78	Feasibility and Outcomes of T-Cell Depleted Hematopoietic Stem Cell Transplantation in Patients with Relapsed or Refractory AML and High Risk MDS. Blood, 2019, 134, 3324-3324.	0.6	0
79	A Multicenter, Single-Arm, Phase I/II Dose Finding and Efficacy Study of Venetoclax, CC-486, and Obinutuzumab in Minimally-Pretreated Follicular Lymphoma. Blood, 2021, 138, 2420-2420.	0.6	0
80	Single-Cell Analysis of the Classical Hodgkin Lymphoma Immune Environment Reveals a Clonally-Expanded CD8+ T Cell Population with a Cytotoxic Phenotype. Blood, 2020, 136, 40-41.	0.6	0
81	Phase I Trial of a Novel Conditioning Regimen Utilizing Total Marrow Irradiation (TMI) with Fludarabine-Melphalan for Patients with Relapsed Hematologic Malignancies Undergoing Second Allogeneic Stem Cell Transplantation (Allo-SCT). Blood, 2020, 136, 39-40.	0.6	0