

Anders Lund

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/12002772/anders-lund-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

48
papers

1,797
citations

23
h-index

42
g-index

49
ext. papers

1,953
ext. citations

4
avg, IF

4.16
L-index

#	Paper	IF	Citations
48	Blue-blocking glasses as additive treatment for mania: Effects on actigraphy-derived sleep parameters. <i>Journal of Sleep Research</i> , 2020 , 29, e12984	5.8	10
47	Effect of D-Cycloserine on the Effect of Concentrated Exposure and Response Prevention in Difficult-to-Treat Obsessive-Compulsive Disorder: A Randomized Clinical Trial. <i>JAMA Network Open</i> , 2020 , 3, e2013249	10.4	5
46	Diabetes is associated with decreased migraine risk: A nationwide cohort study. <i>Cephalalgia</i> , 2018 , 38, 1759-1764	6.1	9
45	Neuroleptic malignant syndrome: an easily overlooked neurologic emergency. <i>Neuropsychiatric Disease and Treatment</i> , 2017 , 13, 161-175	3.1	49
44	Blue-blocking glasses as additive treatment for mania: a randomized placebo-controlled trial. <i>Bipolar Disorders</i> , 2016 , 18, 221-32	3.8	82
43	Cognitive functioning and cortisol profiles in first episode major depression. <i>Scandinavian Journal of Psychology</i> , 2015 , 56, 379-83	2.2	11
42	Depression in persons with diabetes by age and antidiabetic treatment: a cross-sectional analysis with data from the Hordaland Health Study. <i>PLoS ONE</i> , 2015 , 10, e0127161	3.7	17
41	Lithium: a review of pharmacology, clinical uses, and toxicity. <i>European Journal of Pharmacology</i> , 2014 , 740, 464-73	5.3	112
40	Blocking blue light during mania - markedly increased regularity of sleep and rapid improvement of symptoms: a case report. <i>Bipolar Disorders</i> , 2014 , 16, 894-8	3.8	28
39	Does diabetes have a protective effect on migraine?. <i>Epidemiology</i> , 2013 , 24, 129-34	3.1	21
38	The relationship between residual symptoms of depression and emotional information processing. <i>Nordic Journal of Psychiatry</i> , 2013 , 67, 233-9	2.3	3
37	Cognitive functioning and cortisol suppression in recurrent major depression. <i>PsyCh Journal</i> , 2013 , 2, 167-74	1.4	7
36	Co-prescription of medication for bipolar disorder and diabetes mellitus: a nationwide population-based study with focus on gender differences. <i>BMC Medicine</i> , 2012 , 10, 148	11.4	14
35	A pharmaco-epidemiological study of migraine and antidepressant medications: complete one year data from the Norwegian population. <i>Journal of Affective Disorders</i> , 2011 , 129, 198-204	6.6	9
34	Testing the cognitive effort hypothesis of cognitive impairment in major depression. <i>Nordic Journal of Psychiatry</i> , 2011 , 65, 74-80	2.3	27
33	Comorbidity of asthma with ADHD. <i>Journal of Attention Disorders</i> , 2011 , 15, 564-71	3.7	27
32	Are migraine and bipolar disorders comorbid phenomena?: findings from a pharmacoepidemiological study using the Norwegian Prescription Database. <i>Journal of Clinical Psychopharmacology</i> , 2011 , 31, 734-9	1.7	10

31	Prolonged impairment in inhibition and semantic fluency in a follow-up study of recurrent major depression. <i>Archives of Clinical Neuropsychology</i> , 2011 , 26, 677-86	2.7	23
30	Enduring cognitive dysfunction in unipolar major depression: a test-retest study using the Stroop paradigm. <i>Scandinavian Journal of Psychology</i> , 2010 , 51, 304-8	2.2	43
29	An intercalation mechanism as a mode of action exerted by psychotropic drugs: results of altered phospholipid substrate availabilities in membranes?. <i>Journal of Chemical Biology</i> , 2010 , 3, 67-88		16
28	A Review of Modern Antidepressants Effects on Neurocognitive Function. <i>Current Psychiatry Reviews</i> , 2009 , 5, 164-174	0.9	44
27	Left hemisphere lateralisation of auditory hallucinations in schizophrenia: a dichotic listening study. <i>Cognitive Neuropsychiatry</i> , 2008 , 13, 166-79	2	46
26	Increased Parietal and Frontal Activation after Remission from Recurrent Major Depression: A Repeated fMRI Study. <i>Cognitive Therapy and Research</i> , 2007 , 31, 147-160	2.7	11
25	A longitudinal analysis of neurocognitive function in unipolar depression. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2007 , 29, 879-91	2.1	65
24	Mr morphometry analysis of grey matter volume reduction in schizophrenia: association with hallucinations. <i>International Journal of Neuroscience</i> , 2006 , 116, 9-23	2	110
23	Frequency and characteristics of recurrent major depressed patients with unimpaired executive functions. <i>World Journal of Biological Psychiatry</i> , 2005 , 6, 36-44	3.8	18
22	Validation of distinct amnesic and executive type memory deficit in a psychiatric sample based on retrieval performance. <i>Scandinavian Journal of Psychology</i> , 2005 , 46, 201-8	2.2	7
21	Executive function improvement upon remission of recurrent unipolar depression. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2005 , 255, 373-80	5.1	99
20	Brain activation measured with fMRI during a mental arithmetic task in schizophrenia and major depression. <i>American Journal of Psychiatry</i> , 2004 , 161, 286-93	11.9	128
19	Impairment across executive functions in recurrent major depression. <i>Nordic Journal of Psychiatry</i> , 2004 , 58, 41-7	2.3	127
18	Selective impairment in effortful information processing in major depression. <i>Journal of the International Neuropsychological Society</i> , 2003 , 9, 954-9	3.1	60
17	Attentional and executive dysfunctions in schizophrenia and depression: evidence from dichotic listening performance. <i>Biological Psychiatry</i> , 2003 , 53, 609-16	7.9	83
16	Long-lasting cognitive impairment in unipolar major depression: a 6-month follow-up study. <i>Psychiatry Research</i> , 2003 , 118, 189-96	9.9	73
15	Sensitivity and specificity of memory dysfunction in schizophrenia: a comparison with major depression. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2003 , 25, 79-93	2.1	81
14	Honigsd model of working memory and brain activation: an fMRI study. <i>NeuroReport</i> , 2001 , 12, 4047-54	1.7	22

13	Venlafaxine treatment stimulates blood platelet activity. <i>Journal of Clinical Psychopharmacology</i> , 2000 , 20, 589-90	1.7	4
12	Bergen Psychiatric Emergency Room: The patients sociomedical characteristics, patterns of use, and management. <i>Nordic Journal of Psychiatry</i> , 1997 , 51, 423-429	2.3	
11	Psychological and behavioural aspects of pain 1994 , 183-201		1
10	Neurochemical similarities in depression and pain, with special emphasis on serotonin. <i>Nordic Journal of Psychiatry</i> , 1994 , 48, 419-428	2.3	2
9	Chronic, combined treatment with desipramine and mianserin: enhanced 5-HT _{1A} receptor function and altered 5-HT _{1A} /5-HT ₂ receptor interaction in rats. <i>Pharmacology Biochemistry and Behavior</i> , 1993 , 45, 777-83	3.9	8
8	Intrathecal co-administration of substance P and NMDA augments nociceptive responses in the formalin test. <i>Pain</i> , 1992 , 51, 195-198	8	44
7	The behavioural response to intrathecal serotonin is changed by acute but not by repeated treatment with zimelidine or metergoline. <i>Basic and Clinical Pharmacology and Toxicology</i> , 1991 , 69, 361-4		3
6	Potentiation of a behavioural response in mice by spinal coadministration of substance P and excitatory amino acid agonists. <i>Neuroscience Letters</i> , 1991 , 133, 121-4	3.3	57
5	The role of descending noradrenergic systems in regulation of nociception: the effects of intrathecally administered alpha-adrenoceptor antagonists and clonidine. <i>Pain</i> , 1990 , 43, 113-120	8	31
4	The tail-flick test needs to be improved. <i>Pain</i> , 1990 , 43, 391-392	8	17
3	The apparent hyperalgesic effect of a serotonin antagonist in the tail flick test is mainly due to increased tail skin temperature. <i>Pharmacology Biochemistry and Behavior</i> , 1989 , 32, 601-5	3.9	21
2	An improved method for tail-flick testing with adjustment for tail-skin temperature. <i>Journal of Neuroscience Methods</i> , 1989 , 26, 259-65	3	87
1	The apparent antinociceptive effect of desipramine and zimelidine in the tail flick test in rats is mainly caused by changes in tail skin temperature. <i>Pain</i> , 1989 , 38, 65-69	8	25