

Weimin Liu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1200572/weimin-liu-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

106
papers

7,826
citations

39
h-index

88
g-index

111
ext. papers

8,814
ext. citations

8.3
avg, IF

5.95
L-index

#	Paper	IF	Citations
106	One-pot synthesis and applications of two asymmetrical benzoxanthene dyes. <i>Dyes and Pigments</i> , 2022 , 200, 110152	4.6	
105	Iron phthalocyanine-derived nanozyme as dual reactive oxygen species generation accelerator for photothermally enhanced tumor catalytic therapy.. <i>Biomaterials</i> , 2022 , 284, 121495	15.6	2
104	A rhodamine derivative-based fluorescent probe for visual monitoring of pH changes in the Golgi apparatus. <i>Sensors and Actuators B: Chemical</i> , 2022 , 366, 131963	8.5	1
103	A ratiometric fluorescent probe for detection of Eglutamyl transpeptidase in blood serum and living cells.. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2022 , 278, 121325	4.4	
102	Water-Soluble Organic Nanoparticles with Programable Intermolecular Charge Transfer for NIR-II Photothermal Anti-Bacterial Therapy. <i>Angewandte Chemie</i> , 2021 , 133, 11864-11868	3.6	2
101	Ultrasound-Enhanced Self-Exciting Photodynamic Therapy Based on Hypocrellin B. <i>Chemistry - an Asian Journal</i> , 2021 , 16, 1221-1224	4.5	1
100	Self-assembly of Amphiphilic Porphyrins To Construct Nanoparticles for Highly Efficient Photodynamic Therapy. <i>Chemistry - A European Journal</i> , 2021 , 27, 11195-11204	4.8	2
99	Achieving high singlet-oxygen generation by applying the heavy-atom effect to thermally activated delayed fluorescent materials. <i>Chemical Communications</i> , 2021 , 57, 4902-4905	5.8	8
98	Amphiphilic Diketopyrrolopyrrole Derivatives for Efficient Near-Infrared Fluorescence Imaging and Photothermal Therapy. <i>ACS Omega</i> , 2021 , 6, 26575-26582	3.9	1
97	Hypocrellin-Based Multifunctional Phototheranostic Agent for NIR-Triggered Targeted Chemo/Photodynamic/Photothermal Synergistic Therapy against Glioblastoma.. <i>ACS Applied Bio Materials</i> , 2020 , 3, 3817-3826	4.1	6
96	Hypocrellin Derivative-Loaded Calcium Phosphate Nanorods as NIR Light-Triggered Phototheranostic Agents with Enhanced Tumor Accumulation for Cancer Therapy. <i>ChemMedChem</i> , 2020 , 15, 177-181	3.7	7
95	Recent advances in theranostic agents based on natural products for photodynamic and sonodynamic therapy. <i>View</i> , 2020 , 1, 20200090	7.8	11
94	A two-photon fluorescent probe for sensitive detection and imaging of Eglutamyl transpeptidase. <i>Chemical Communications</i> , 2020 , 56, 10902-10905	5.8	8
93	Near-Infrared Hypocrellin Derivatives for Synergistic Photodynamic and Photothermal Therapy. <i>Chemistry - an Asian Journal</i> , 2020 , 15, 3462-3468	4.5	3
92	Photosensitizers for Photodynamic Therapy. <i>Advanced Healthcare Materials</i> , 2019 , 8, e1900132	10.1	324
91	Biodegradable Natural Product-Based Nanoparticles for Near-Infrared Fluorescence Imaging-Guided Sonodynamic Therapy. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 18178-18185	9.5	38
90	Pheophytin Derived Near-Infrared-Light Responsive Carbon Dot Assembly as a New Phototheranostic Agent for Bioimaging and Photodynamic Therapy. <i>Chemistry - an Asian Journal</i> , 2019 , 14, 2162-2168	4.5	36

89	Natural-Origin Hypocrellin-HSA Assembly for Highly Efficient NIR Light-Responsive Phototheranostics against Hypoxic Tumors. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 44989-44998	9.5	18
88	Red emissive fluorescent probe for the rapid detection of selenocysteine. <i>Sensors and Actuators B: Chemical</i> , 2018 , 264, 234-239	8.5	12
87	Cancer Therapy: A Magnetofluorescent Carbon Dot Assembly as an Acidic H ₂ O ₂ -Driven Oxygenator to Regulate Tumor Hypoxia for Simultaneous Bimodal Imaging and Enhanced Photodynamic Therapy (Adv. Mater. 13/2018). <i>Advanced Materials</i> , 2018 , 30, 1870093	24	2
86	A Magnetofluorescent Carbon Dot Assembly as an Acidic H ₂ O ₂ -Driven Oxygenator to Regulate Tumor Hypoxia for Simultaneous Bimodal Imaging and Enhanced Photodynamic Therapy. <i>Advanced Materials</i> , 2018 , 30, e1706090	24	283
85	High sensitivity gram-negative bacteria biosensor based on a small-molecule modified surface plasmon resonance chip studied using a laser scanning confocal imaging-surface plasmon resonance system. <i>Sensors and Actuators B: Chemical</i> , 2018 , 259, 492-497	8.5	11
84	PEGylated carbon dot/MnO ₂ nanohybrid: a new pH/H ₂ O ₂ -driven, turn-on cancer nanotheranostics. <i>Science China Materials</i> , 2018 , 61, 1325-1338	7.1	29
83	Synthesis of carbon dots from <i>Hypocrella bambusae</i> for bimodal fluorescence/photoacoustic imaging-guided synergistic photodynamic/photothermal therapy of cancer. <i>Journal of Colloid and Interface Science</i> , 2018 , 526, 302-311	9.3	62
82	Biodegradable hypocrellin derivative nanovesicle as a near-infrared light-driven theranostic for dually photoactive cancer imaging and therapy. <i>Biomaterials</i> , 2018 , 185, 133-141	15.6	39
81	A colorimetric and ratiometric fluorescent probe for highly selective detection of glutathione in the mitochondria of living cells. <i>Sensors and Actuators B: Chemical</i> , 2018 , 270, 459-465	8.5	33
80	New detection method for nucleoside triphosphates based on carbon dots: The distance-dependent singlet oxygen trapping. <i>Analytica Chimica Acta</i> , 2018 , 1031, 145-151	6.6	6
79	Coumarin/fluorescein-fused fluorescent dyes for rapidly monitoring mitochondrial pH changes in living cells. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2018 , 204, 590-597	4.4	15
78	Coumarin-Based Boron Complexes with Aggregation-Induced Emission. <i>Journal of Organic Chemistry</i> , 2017 , 82, 3456-3462	4.2	44
77	Water-Soluble Polythiophene for Two-Photon Excitation Fluorescence Imaging and Photodynamic Therapy of Cancer. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 14590-14595	9.5	36
76	Biocompatible Iron Phthalocyanine-Albumin Assemblies as Photoacoustic and Thermal Theranostics in Living Mice. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 21124-21132	9.5	50
75	Dual-Emission Channels for Simultaneous Sensing of Cysteine and Homocysteine in Living Cells. <i>Chemistry - an Asian Journal</i> , 2017 , 12, 2098-2103	4.5	18
74	Single Near-Infrared Emissive Polymer Nanoparticles as Versatile Phototheranostics. <i>Advanced Science</i> , 2017 , 4, 1700085	13.6	50
73	Self-Assembled Carbon Dot Nanosphere: A Robust, Near-Infrared Light-Responsive, and Vein Injectable Photosensitizer. <i>Advanced Healthcare Materials</i> , 2017 , 6, 1601419	10.1	34
72	Polymer nanoparticles with high photothermal conversion efficiency as robust photoacoustic and thermal theranostics. <i>Journal of Materials Chemistry B</i> , 2017 , 5, 2832-2839	7.3	24

71	Versatile Polymer Nanoparticles as Two-Photon-Triggered Photosensitizers for Simultaneous Cellular, Deep-Tissue Imaging, and Photodynamic Therapy. <i>Advanced Healthcare Materials</i> , 2017 , 6, 1601431	10.1	29
70	Near-Infrared Probe Based on Rhodamine Derivative for Highly Sensitive and Selective Lysosomal pH Tracking. <i>Analytical Chemistry</i> , 2017 , 89, 1922-1929	7.8	105
69	Ethylene glycol-mediated synthetic route for production of luminescent silicon nanorod as photodynamic therapy agent. <i>Science China Materials</i> , 2017 , 60, 881-891	7.1	9
68	A fluorescent probe for the efficient discrimination of Cys, Hcy and GSH based on different cascade reactions. <i>Biosensors and Bioelectronics</i> , 2017 , 90, 117-124	11.8	87
67	Surface-enhanced Raman scattering substrate based on cysteamine-modified gold nanoparticle aggregation for highly sensitive pentachlorophenol detection. <i>RSC Advances</i> , 2016 , 6, 85285-85292	3.7	10
66	Gold nanorod@silica-carbon dots as multifunctional phototheranostics for fluorescence and photoacoustic imaging-guided synergistic photodynamic/photothermal therapy. <i>Nanoscale</i> , 2016 , 8, 13067-77	7.7	101
65	Graphene quantum dots as efficient, metal-free, visible -light-active photocatalysts. <i>Science China Materials</i> , 2016 , 59, 12-19	7.1	38
64	A ratiometric fluorescent probe for quantification of alkaline phosphatase in living cells. <i>RSC Advances</i> , 2016 , 6, 32046-32051	3.7	29
63	Tunable multicolor carbon dots prepared from well-defined polythiophene derivatives and their emission mechanism. <i>Nanoscale</i> , 2016 , 8, 729-34	7.7	150
62	Investigation of biological cell-small molecule interactions with a gold surface plasmon resonance sensor using a laser scanning confocal imaging-surface plasmon resonance system. <i>RSC Advances</i> , 2016 , 6, 65930-65935	3.7	3
61	Carbon Dots with Intrinsic Theranostic Properties for Bioimaging, Red-Light-Triggered Photodynamic/Photothermal Simultaneous Therapy In Vitro and In Vivo. <i>Advanced Healthcare Materials</i> , 2016 , 5, 665-75	10.1	202
60	Keto-benzo[h]-Coumarin-Based Near-Infrared Dyes with Large Stokes Shifts for Bioimaging Applications. <i>Chemistry - an Asian Journal</i> , 2016 , 11, 498-504	4.5	26
59	Deep-red to near-infrared fluorescent dyes: Synthesis, photophysical properties, and application in cell imaging. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2016 , 164, 8-14	4.4	14
58	Deep-Red and Near-Infrared Xanthene Dyes for Rapid Live Cell Imaging. <i>Journal of Organic Chemistry</i> , 2016 , 81, 7393-9	4.2	32
57	Theranostics: Carbon Dots with Intrinsic Theranostic Properties for Bioimaging, Red-Light-Triggered Photodynamic/Photothermal Simultaneous Therapy In Vitro and In Vivo (Adv. Healthcare Mater. 6/2016). <i>Advanced Healthcare Materials</i> , 2016 , 5, 744-744	10.1	1
56	Nonvolatile memory devices based on carbon nano-dot doped poly(vinyl alcohol) composites with low operation voltage and high ON/OFF ratio. <i>RSC Advances</i> , 2015 , 5, 26886-26890	3.7	13
55	A facile high-speed vibration milling method to mass production of water-dispersible silicon quantum dots for long-term cell imaging. <i>RSC Advances</i> , 2015 , 5, 35291-35296	3.7	11
54	Chromogenic/Fluorogenic Ensemble Chemosensing Systems. <i>Chemical Reviews</i> , 2015 , 115, 7893-943	68.1	277

53	Aminobenzofuran-fused rhodamine dyes with deep-red to near-infrared emission for biological applications. <i>Journal of Organic Chemistry</i> , 2015 , 80, 3170-5	4.2	34
52	Deep-red emissive crescent-shaped fluorescent dyes: substituent effect on live cell imaging. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 7421-7	9.5	38
51	A carbon dot-based fluorescence turn-on sensor for hydrogen peroxide with a photo-induced electron transfer mechanism. <i>Chemical Communications</i> , 2015 , 51, 15574-7	5.8	78
50	A recyclable carbon nanoparticle-based fluorescent probe for highly selective and sensitive detection of mercapto biomolecules. <i>Journal of Materials Chemistry B</i> , 2015 , 3, 127-134	7.3	69
49	A selective fluorescent and colorimetric dual-responses chemosensor for streptomycin based on polythiophene derivative. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2015 , 136 Pt B, 871-4	4.4	16
48	Red-Emissive Carbon Dots for Fluorescent, Photoacoustic, and Thermal Theranostics in Living Mice. <i>Advanced Materials</i> , 2015 , 27, 4169-77	24	619
47	Efficient inverted polymer solar cells integrated with a compound electron extraction layer. <i>Optics Communications</i> , 2015 , 356, 541-545	2	5
46	Imaging of nucleolar RNA in living cells using a highly photostable deep-red fluorescent probe. <i>Biosensors and Bioelectronics</i> , 2015 , 68, 189-196	11.8	49
45	A new coumarin-derived fluorescent sensor with red-emission for Zn ²⁺ in aqueous solution. <i>Sensors and Actuators B: Chemical</i> , 2014 , 197, 364-369	8.5	24
44	Multi-enzyme co-embedded organic-inorganic hybrid nanoflowers: synthesis and application as a colorimetric sensor. <i>Nanoscale</i> , 2014 , 6, 255-62	7.7	256
43	A graphene quantum dot photodynamic therapy agent with high singlet oxygen generation. <i>Nature Communications</i> , 2014 , 5, 4596	17.4	946
42	Investigation of biological cell-protein interactions using SPR sensor through laser scanning confocal imaging-surface plasmon resonance system. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2014 , 121, 381-6	4.4	11
41	Template-free preparation of volvox-like Cd(x)Zn(1-x)S nanospheres with cubic phase for efficient photocatalytic hydrogen production. <i>Chemistry - an Asian Journal</i> , 2014 , 9, 811-8	4.5	40
40	Colorimetric detection of carbenicillin using cationic polythiophene derivatives. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2013 , 31, 1484-1490	3.5	5
39	Turn-on fluorescence sensor based on the aggregation of pyrazolo[3,4-b]pyridine-based coumarin chromophores induced by Hg ²⁺ . <i>Tetrahedron Letters</i> , 2013 , 54, 6447-6449	2	19
38	Ultrasensitive and selective gold film-based detection of mercury (II) in tap water using a laser scanning confocal imaging-surface plasmon resonance system in real time. <i>Biosensors and Bioelectronics</i> , 2013 , 47, 391-5	11.8	24
37	Thiol-selective sensor based on intramolecular energy transfer between a bichromophoric system. <i>Tetrahedron</i> , 2013 , 69, 4536-4540	2.4	1
36	Coumarin- and rhodamine-fused deep red fluorescent dyes: synthesis, photophysical properties, and bioimaging in vitro. <i>Journal of Organic Chemistry</i> , 2013 , 78, 6121-30	4.2	99

35	Copolythiophene-derived colorimetric and fluorometric sensor for lysophosphatidic acid based on multipoint interactions. <i>ACS Applied Materials & Interfaces</i> , 2013 , 5, 2283-8	9.5	38
34	1,4-Diazobicyclo(2,2,2)octane-modified multi-ammonium derivatives as ratiometric fluorescent sensors for lipopolysaccharide. <i>Supramolecular Chemistry</i> , 2013 , 25, 69-78	1.8	3
33	Reversible "off-on" fluorescent chemosensor for Hg ²⁺ based on rhodamine derivative. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2012 , 85, 38-42	4.4	36
32	Ruthenium(II) complex-based fluorescent sensor for peroxyxynitrite. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2012 , 94, 340-5	4.4	13
31	Synthesis and characterization of cyano-substituted pyridine derivatives for applications as exciton blockers in photovoltaic devices. <i>Journal of Materials Chemistry</i> , 2012 , 22, 5107		10
30	Bipolar cyano-substituted pyridine derivatives for applications in organic light-emitting devices. <i>Journal of Materials Chemistry</i> , 2012 , 22, 8922		21
29	Copolythiophene-derived colorimetric and fluorometric sensor for visually supersensitive determination of lipopolysaccharide. <i>Journal of the American Chemical Society</i> , 2012 , 134, 6685-94	16.4	96
28	Fluorescent sensors based on controllable conformational change for discrimination of Zn ²⁺ over Cd ²⁺ . <i>Tetrahedron</i> , 2012 , 68, 5458-5463	2.4	44
27	A polythiophene-derived ratiometric fluorescent sensor for highly sensitive determination of carbenicillin in aqueous solution. <i>Chemical Communications</i> , 2012 , 48, 6818-20	5.8	15
26	Synthesis and properties of fluorescence dyes: tetracyclic pyrazolo[3,4-b]pyridine-based coumarin chromophores with intramolecular charge transfer character. <i>Journal of Organic Chemistry</i> , 2012 , 77, 3475-82	4.2	113
25	A chromo- and fluorogenic sensor for probing the cancer biomarker lysophosphatidic acid. <i>Analyst, The</i> , 2012 , 137, 1853-9	5	8
24	A facile assay for direct colorimetric visualization of lipopolysaccharides at low nanomolar level. <i>Nano Research</i> , 2012 , 5, 486-493	10	45
23	Ratiometric fluorescence sensor based on a pyrene derivative and quantification detection of heparin in aqueous solution and serum. <i>Analytical Chemistry</i> , 2011 , 83, 6559-64	7.8	116
22	Reversible fluorescent probe for highly selective and sensitive detection of mercapto biomolecules. <i>Inorganic Chemistry</i> , 2011 , 50, 6543-51	5.1	62
21	Highly sensitive and selective colorimetric visualization of streptomycin in raw milk using Au nanoparticles supramolecular assembly. <i>Chemical Communications</i> , 2011 , 47, 9888-90	5.8	28
20	New sensing mechanisms for design of fluorescent chemosensors emerging in recent years. <i>Chemical Society Reviews</i> , 2011 , 40, 3483-95	58.5	1390
19	A colorimetric chemosensor for fast detection of thiols based on intramolecular charge transfer. <i>Tetrahedron Letters</i> , 2011 , 52, 5136-5139	2	23
18	A novel fluoride ion colorimetric chemosensor based on coumarin. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2011 , 79, 1352-5	4.4	36

17	Preparation of highly stable and water-dispersible silicon quantum dots by using an organic peroxide. <i>Chemistry - A European Journal</i> , 2011 , 17, 12872-6	4.8	17
16	A novel fluorogenic hybrid material for selective sensing of thiophenols. <i>Journal of Materials Chemistry</i> , 2011 , 21, 13561		49
15	Synthesis and properties of n-type triphenylpyridine derivatives and applications in deep-blue organic light-emitting devices as electron-transporting layer. <i>Journal of Materials Chemistry</i> , 2011 , 21, 12977		24
14	Aggregation-induced emission enhancement materials with large red shifts and their self-assembled crystal microstructures. <i>CrystEngComm</i> , 2011 , 13, 4617	3.3	30
13	Highly sensitive fluorescent probe for thiols based on combination of PET and ESIPT mechanisms. <i>Sensors and Actuators B: Chemical</i> , 2011 , 156, 332-337	8.5	75
12	Construct hierarchical superhydrophobic silicon surfaces by chemical etching. <i>Journal of Nanoscience and Nanotechnology</i> , 2011 , 11, 2292-7	1.3	9
11	Sensing of bacterial endotoxin in aqueous solution by supramolecular assembly of pyrene derivative. <i>Organic Letters</i> , 2010 , 12, 4014-7	6.2	52
10	Synthesis, crystal structures, and photophysical properties of triphenylamine-based multicyno derivatives. <i>Journal of Organic Chemistry</i> , 2010 , 75, 7273-8	4.2	79
9	Highly selective recognition of carbenicillin via concerted interactions in 100% aqueous solution. <i>Chemical Communications</i> , 2010 , 46, 2435-7	5.8	17
8	Enzyme sensing based on a controllable oxidation reaction. <i>Biosensors and Bioelectronics</i> , 2010 , 26, 949-52.8		11
7	Synthesis of multiaryl-substituted pyridine derivatives and applications in non-doped deep-blue OLEDs as electron-transporting layer with high hole-blocking ability. <i>Advanced Materials</i> , 2010 , 22, 527-30 ¹	3.4	54
6	A highly selective fluorescent sensor for fluoride in aqueous solution based on the inhibition of excited-state intramolecular proton transfer. <i>Sensors and Actuators B: Chemical</i> , 2010 , 146, 260-265	8.5	52
5	Highly selective and sensitive heparin probing from supramolecular assembly of pyrene derivatives. <i>Organic Letters</i> , 2009 , 11, 4294-7	6.2	56
4	Dithiolane linked thiorhodamine dimer for Hg ²⁺ recognition in living cells. <i>Organic and Biomolecular Chemistry</i> , 2009 , 7, 660-4	3.9	91
3	A new colorimetric chemosensor for Hg ²⁺ based on coumarin azine derivative. <i>Sensors and Actuators B: Chemical</i> , 2008 , 128, 507-511	8.5	67
2	Colorimetric test kit for Cu ²⁺ detection. <i>Organic Letters</i> , 2008 , 10, 5015-8	6.2	201
1	A water-soluble "switching on" fluorescent chemosensor of selectivity to Cd ²⁺ . <i>Organic Letters</i> , 2007 , 9, 3829-32	6.2	159