Ali Shayanfar

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1200722/ali-shayanfar-publications-by-year.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

98 36 1,535 22 g-index h-index citations papers 108 5.26 1,757 3.1 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
98	Predicting the Drug Clearance Pathway with Structural Descriptors European Journal of Drug Metabolism and Pharmacokinetics, 2022 , 1	2.7	1
97	Crystal engineering of valproic acid and carbamazepine to improve hygroscopicity and dissolution profile <i>Drug Development and Industrial Pharmacy</i> , 2022 , 1-9	3.6	1
96	In silico models to predict tubular secretion or reabsorption clearance pathway using physicochemical properties and structural characteristics <i>Xenobiotica</i> , 2022 , 1-16	2	
95	Comments on Bolubility measurement and thermodynamic modeling of sertraline hydrochloride and clopidogrel bisulfate in deep eutectic solvent of choline chloride and malonic acid\(\textit{IJournal of Molecular Liquids, 2022, 359, 119268}\)	6	
94	Comments on "Dissolution Enhancement of Atorvastatin Calcium by Cocrystallization". <i>Advanced Pharmaceutical Bulletin</i> , 2021 , 11, 578-579	4.5	2
93	Spectrofluorimetric determination of indoxyl sulfate in human plasma after salting-out assisted liquid extraction. <i>Chemical Papers</i> , 2021 , 75, 3505-3511	1.9	
92	Development of derivatization/air-assisted liquid-liquid microextraction procedure for analyzing short-chain fatty acids; assessment of the analytes in fruit juice samples. <i>Separation Science Plus</i> , 2021 , 4, 240	1.1	O
91	New aspects of deep eutectic solvents: extraction, pharmaceutical applications, as catalyst and gas capture. <i>Chemical Papers</i> , 2021 , 75, 439-453	1.9	11
90	Comments on Bolubility measurement and correlation for HNIWITNT co-crystal in nine pure solvents from tI≢[(283.15 to 318.15) K□Journal of Molecular Liquids, 2021 , 340, 117220	6	
89	Acknowledgement of Top Manuscript Reviewers (2020) 2021 , 27, 147-148		
88	The effect of different factors on partitioning of propofol between aqueous and organic phases of microemulsions. <i>Journal of Molecular Liquids</i> , 2020 , 308, 113003	6	
87	Coenzyme Q10 in association with metabolism-related AMPK/PFKFB3 and angiogenic VEGF/VEGFR2 genes in breast cancer patients. <i>Molecular Biology Reports</i> , 2020 , 47, 2459-2473	2.8	4
86	Deep eutectic solvents for pharmaceutical formulation and drug delivery applications. <i>Pharmaceutical Development and Technology</i> , 2020 , 25, 779-796	3.4	53
85	Developing an Analytical Method Based on Graphene Quantum Dots for Quantification of Deferiprone in Plasma. <i>Journal of Fluorescence</i> , 2020 , 30, 591-600	2.4	1
84	Poly(ethylene glycol)-poly(£aprolactone)-based micelles for solubilization and tumor-targeted delivery of silibinin. <i>BioImpacts</i> , 2020 , 10, 87-95	3.5	8
83	Acknowledgement of Top Manuscript Reviewers (2019) 2020 , 26, 97-98		
82	Design and characterization of ascorbic acid based therapeutic deep eutectic solvent as a new ion-gel for delivery of sunitinib malate. <i>Journal of Drug Delivery Science and Technology</i> , 2020 , 56, 1015	31 2 1·5	11

(2019-2020)

81	Salting-out liquid Ilquid microextraction to the determination of mycophenolic acid in plasma samples. <i>Chemical Papers</i> , 2020 , 74, 1663-1668	1.9	4
80	Beware of Bar Charts for Plotting Calibration Curves for Analytical Method Development. <i>Journal of AOAC INTERNATIONAL</i> , 2020 , 103, 1424-1425	1.7	
79	Prediction of the Oral Bioavailability Correlation Between Humans and Preclinical Animals. <i>European Journal of Drug Metabolism and Pharmacokinetics</i> , 2020 , 45, 771-783	2.7	3
78	Comments on Measurement and correlation of the solubility of estradiol and estradiol-urea co-crystal in fourteen pure solvents at temperatures from 273.15 to 318.15 Kil Journal of Molecular Liquids, 2020, 309, 113161	6	3
77	Effects of N-methylpyrrolidone and temperature on phenytoin solubility. <i>Journal of Molecular Liquids</i> , 2019 , 285, 58-61	6	5
76	The effect of surfactant and polymer on solution stability and solubility of tadalafil-methylparaben cocrystal. <i>Journal of Molecular Liquids</i> , 2019 , 281, 86-92	6	4
75	A Fast and Simple Method for Determination of Vitamin E in Infant Formula by Dispersive Liquid-Liquid Microextraction Combined with HPLC-UV. <i>Food Analytical Methods</i> , 2019 , 12, 23-31	3.4	7
74	Comparison of the Models for Correlation of Drug Solubility in Ethanol + Water Binary Mixtures. Journal of Solution Chemistry, 2019 , 48, 1079-1104	1.8	4
73	Prediction of Biopharmaceutical Drug Disposition Classification System (BDDCS) by Structural Parameters. <i>Journal of Pharmacy and Pharmaceutical Sciences</i> , 2019 , 22, 247-269	3.4	5
7 ²	Determination of Verapamil in Exhaled Breath Condensate by Using Microextraction and Liquid Chromatography. <i>Current Pharmaceutical Analysis</i> , 2019 , 15, 535-541	0.6	3
71	Image-based QSAR Model for the Prediction of P-gp Inhibitory Activity of Epigallocatechin and Gallocatechin Derivatives. <i>Current Computer-Aided Drug Design</i> , 2019 , 15, 212-224	1.4	
70	Development of an HPLC-UV Method for Quantification of Stattic. <i>Current Pharmaceutical Analysis</i> , 2019 , 15, 568-573	0.6	0
69	Developing New Criteria for Validity Evaluation of Analytical Methods. <i>Journal of AOAC INTERNATIONAL</i> , 2019 , 102, 1908-1916	1.7	3
68	Developing a high-performance liquid chromatography fast and accurate method for quantification of silibinin. <i>BMC Research Notes</i> , 2019 , 12, 743	2.3	0
67	Developing New Criteria for Validity Evaluation of Analytical Methods. <i>Journal of AOAC INTERNATIONAL</i> , 2019 , 102, 1908-1916	1.7	2
66	The effects of Berberis vulgaris consumption on plasma levels of IGF-1, IGFBPs, PPAR-land the expression of angiogenic genes in women with benign breast disease: a randomized controlled clinical trial. <i>BMC Complementary and Alternative Medicine</i> , 2019 , 19, 324	4.7	3
65	Ionic Liquid Forms of Carvedilol: Preparation, Characterization, and Solubility Studies. <i>Journal of Pharmaceutical Innovation</i> , 2019 , 14, 382-390	1.8	4
64	Solubility of bosentan in {propylene glycol + water} mixtures at various temperatures: experimental data and mathematical modelling. <i>Physics and Chemistry of Liquids</i> , 2019 , 57, 338-348	1.5	11

63	Measurement and correlation of clotrimazole solubility in ethanol + water mixtures at T = (293.2 to 313.2) K. <i>Journal of Molecular Liquids</i> , 2018 , 256, 527-532	6	18
62	Generally trained models to predict drug solubility in N-methyl-2-pyrrolidone + water mixtures at various temperatures. <i>Journal of Molecular Liquids</i> , 2018 , 254, 34-38	6	22
61	Preferential solvation of some antiepileptic drugs in {cosolvent (1) + water (2)} mixtures at 298.15 K. <i>Physics and Chemistry of Liquids</i> , 2018 , 56, 646-659	1.5	12
60	Solubilization of drugs using sodium lauryl sulfate: Experimental data and modeling. <i>Journal of Molecular Liquids</i> , 2018 , 268, 410-414	6	22
59	Effects of amount of excess solid, the type of stirring and sedimentation time on solubility of sodium phenytoin and lamotrigine. <i>ADMET and DMPK</i> , 2018 , 6, 269-278	1.3	6
58	Acknowledgement of Top Manuscript Reviewers 2018 2018 , 24, 346-346		
57	Effect of choline chloride/ethylene glycol or glycerol as deep eutectic solvents on the solubility and thermodynamic properties of acetaminophen. <i>Journal of Molecular Liquids</i> , 2018 , 249, 1222-1235	6	76
56	Solubility of sildenafil citrate in propylene glycol + water mixtures at various temperatures. <i>Physics and Chemistry of Liquids</i> , 2018 , 56, 508-517	1.5	4
55	Are LOD and LOQ Reliable Parameters for Sensitivity Evaluation of Spectroscopic Methods?. Journal of AOAC INTERNATIONAL, 2018 , 101, 1212-1213	1.7	8
54	Solubility of celecoxib in N -methyl-2-pyrrolidone + 2-propanol mixtures at various temperatures. Journal of Molecular Liquids, 2017 , 241, 1032-1037	6	11
53	Determination of Enrofloxacin in Milk Samples Using Silver Nanoparticle Enhanced Terbium-Sensitized Fluorescence Method. <i>Food Analytical Methods</i> , 2017 , 10, 3607-3614	3.4	16
52	Solubility of sildenafil citrate in polyethylene glycol 400 + water mixtures at various temperatures. Journal of Molecular Liquids, 2017 , 240, 268-272	6	9
51	Solubility of celecoxib in N-methyl-2-pyrrolidone+water mixtures at various temperatures: Experimental data and thermodynamic analysis. <i>Korean Journal of Chemical Engineering</i> , 2017 , 34, 1435	- 1 443	25
50	Silibinin sensitizes chemo-resistant breast cancer cells to chemotherapy. <i>Pharmaceutical Biology</i> , 2017 , 55, 729-739	3.8	48
49	Development of a Terbium-Sensitized Fluorescence Method for Analysis of Silibinin. <i>Journal of AOAC INTERNATIONAL</i> , 2017 , 100, 686-691	1.7	9
48	Analysis of deferiprone in exhaled breath condensate using silver nanoparticle-enhanced terbium fluorescence. <i>Analytical Methods</i> , 2017 , 9, 5640-5645	3.2	15
47	Thermodynamic solubility and density of sildenafil citrate in ethanol and water mixtures: Measurement and correlation at various temperatures. <i>Journal of Molecular Liquids</i> , 2017 , 225, 631-635	6	8
46	Quantitative Structure Activity Relationship (QSAR) of Methylated Polyphenol Derivatives as Permeability Glycoprotein (P-gp) Inhibitors: A Comparison of Different Training and Test Set Selection Methods. <i>Letters in Drug Design and Discovery</i> , 2017 , 14,	0.8	3

(2014-2017)

45	Prediction of Electrophoretic Mobility of Analytes Using Abraham Solvation Parameters by Different Chemometric Methods. <i>Current Analytical Chemistry</i> , 2017 , 13,	1.7	8
44	Image-Based Analysis to Predict the Activity of Tariquidar Analogs as P-Glycoprotein Inhibitors: The Importance of External Validation. <i>Archiv Der Pharmazie</i> , 2016 , 349, 124-31	4.3	3
43	Ketoconazole ionic liquids with citric and tartaric acid: Synthesis, characterization and solubility study. <i>Fluid Phase Equilibria</i> , 2016 , 425, 108-113	2.5	13
42	Generally trained models to predict solubility of drugs in carbitol + water mixtures at various temperatures. <i>Journal of Molecular Liquids</i> , 2016 , 219, 435-438	6	36
41	Combination of the Double Logllog Model with Abraham Solvation Parameters to Predict Solubility of Drugs in Ethanol + Water Mixtures. <i>Journal of Solution Chemistry</i> , 2016 , 45, 1425-1433	1.8	2
40	Determination of Mycophenolic Acid in Plasma Samples Using the Terbium-Sensitized Luminescence Method. <i>Journal of Applied Spectroscopy</i> , 2015 , 82, 614-619	0.7	5
39	Are Crystallinity Parameters Critical for Drug Solubility Prediction?. <i>Journal of Solution Chemistry</i> , 2015 , 44, 2297-2315	1.8	11
38	An automated system for determining drug solubility based on laser monitoring technique. <i>Journal of the Association for Laboratory Automation</i> , 2015 , 20, 3-9		15
37	Extraction and Analysis of Methadone in Exhaled Breath Condensate Using a Validated LC-UV Method. <i>Journal of Pharmacy and Pharmaceutical Sciences</i> , 2015 , 18, 207-19	3.4	17
36	Prediction of analytes' electrophoretic mobility in mixed solvent buffers using Abraham solvation parameters. <i>Analytical Methods</i> , 2015 , 7, 8123-8128	3.2	
35	Thermodynamic Solubility Profile of Carbamazepine-Cinnamic Acid Cocrystal at Different pH. <i>Journal of Pharmaceutical Sciences</i> , 2015 , 104, 2559-65	3.9	29
34	2D-QSAR study of some 2,5-diaminobenzophenone farnesyltransferase inhibitors by different chemometric methods. <i>EXCLI Journal</i> , 2015 , 14, 484-95	2.4	3
33	Physicochemical characterization of a new cocrystal of ketoconazole. <i>Powder Technology</i> , 2014 , 262, 242-248	5.2	25
32	Solubility of carbamazepine, nicotinamide and carbamazepinellicotinamide cocrystal in ethanollater mixtures. Fluid Phase Equilibria, 2014, 363, 97-105	2.5	40
31	Quantitative structure activity relationship and docking studies of imidazole-based derivatives as P-glycoprotein inhibitors. <i>Medicinal Chemistry Research</i> , 2014 , 23, 4700-4712	2.2	8
30	Solubility prediction of pharmaceuticals in dioxane+water mixtures at various temperatures: Effects of different descriptors and feature selection methods. <i>Journal of Molecular Liquids</i> , 2014 , 195, 125-131	6	17
29	Is regression through origin useful in external validation of QSAR models?. <i>European Journal of Pharmaceutical Sciences</i> , 2014 , 59, 31-5	5.1	37
28	Atorvastatin reduces the myocardial content of coenzyme Q10 in isoproterenol-induced heart failure in rats. <i>Drug Research</i> , 2014 , 64, 246-50	1.8	4

27	Solubility and dissolution rate of a carbamazepinedinnamic acid cocrystal. <i>Journal of Molecular Liquids</i> , 2013 , 187, 171-176	6	42
26	Solubility of Carvedilol in Ethanol + Propylene Glycol Mixtures at Various Temperatures. <i>Industrial</i> & <i>amp; Engineering Chemistry Research</i> , 2013 , 52, 16630-16636	3.9	180
25	Drug D rug Coamorphous Systems: Characterization and Physicochemical Properties of Coamorphous Atorvastatin with Carvedilol and Glibenclamide. <i>Journal of Pharmaceutical Innovation</i> , 2013 , 8, 218-228	1.8	42
24	QSBR study of bitter taste of peptides: application of GA-PLS in combination with MLR, SVM, and ANN approaches. <i>BioMed Research International</i> , 2013 , 2013, 501310	3	20
23	Coamorphous atorvastatin calcium to improve its physicochemical and pharmacokinetic properties. <i>Journal of Pharmacy and Pharmaceutical Sciences</i> , 2013 , 16, 577-87	3.4	39
22	Quantitative structure-activity relationships of imidazole-containing farnesyltransferase inhibitors using different chemometric methods. <i>Medicinal Chemistry</i> , 2013 , 9, 434-48	1.8	9
21	QSPR Modeling using Catalan Solvent and Solute Parameters. <i>Journal of the Brazilian Chemical Society</i> , 2011 , 22, 684-692	1.5	6
20	Prediction of blood-brain distribution: effect of ionization. <i>Biological and Pharmaceutical Bulletin</i> , 2011 , 34, 266-71	2.3	8
19	Thermodynamic studies of fluphenazine decanoate solubility in propylene glycol+water mixtures and correlation with the Jouyban Acree model. <i>Fluid Phase Equilibria</i> , 2011 , 308, 72-77	2.5	27
18	Modeling the effects of type and concentration of organic modifiers, column type and chemical structure of analytes on the retention in reversed phase liquid chromatography using a single model. <i>Journal of Chromatography A</i> , 2011 , 1218, 6454-63	4.5	7
17	Solubility prediction of drugs in mixed solvents using partial solubility parameters. <i>Journal of Pharmaceutical Sciences</i> , 2011 , 100, 4368-82	3.9	46
16	Solubility of Anthracene and Phenanthrene in Ethanol + 2,2,4-Trimethylpentane Mixtures at Different Temperatures. <i>Journal of Chemical & Different Temperatures</i> . <i>Journal of Chemical & Different Temperatures</i> .	2.8	25
15	Review of pharmaceutical applications of N-methyl-2-pyrrolidone. <i>Journal of Pharmacy and Pharmaceutical Sciences</i> , 2010 , 13, 524-35	3.4	103
14	A simple QSPR model to predict aqueous solubility of drugs. <i>Journal of Drug Delivery Science and Technology</i> , 2010 , 20, 467-476	4.5	14
13	Solubility of Anthracene in Binary and Ternary Mixtures of Cyclohexanone, Ethyl Acetate, and Methanol at 298.2 K. <i>Journal of Chemical & Engineering Data</i> , 2010 , 55, 2607-2609	2.8	3
12	Solubility of Anthracene in C1tt Alcohols from (298.2 to 333.2) K and Their Mixtures with 2-Propanone at 298.2 K. <i>Journal of Chemical & Engineering Data</i> , 2010 , 55, 5319-5322	2.8	5
11	Solubility prediction of polycyclic aromatic hydrocarbons in non-aqueous solvent mixtures. <i>Fluid Phase Equilibria</i> , 2010 , 293, 47-58	2.5	50
10	Solubility Prediction Methods for Drug/Drug Like Molecules. <i>Recent Patents on Chemical Engineering</i> , 2010 , 1, 220-231		6

LIST OF PUBLICATIONS

9	Solubility of Phenanthrene in Binary Mixtures of C1\(\textit{I}\)4 Alcohols + 2-Propanol and Ethanol + Methanol at 298.2 K. <i>Journal of Chemical & Data</i> , 2009, 54, 1405-1408	2.8	5	
8	Solubility of Lamotrigine, Diazepam, and Clonazepam in Ethanol + Water Mixtures at 298.15 K. <i>Journal of Chemical & Data</i> , 2009, 54, 1107-1109	2.8	36	
7	Solubility of Lamotrigine, Diazepam, Clonazepam, and Phenobarbital in Propylene Glycol + Water Mixtures at 298.15 K. <i>Journal of Chemical & Engineering Data</i> , 2009 , 54, 1153-1157	2.8	35	
6	Solubility of Clonazepam, Diazepam, Lamotrigine, and Phenobarbital in N-Methyl-2-pyrrolidone + Water Mixtures at 298.2 K. <i>Journal of Chemical & Engineering Data</i> , 2009 , 54, 2964-2966	2.8	26	
5	Cimetidine is critical in CNS disorders. <i>Bioscience Hypotheses</i> , 2009 , 2, 180-181		1	
4	Naphthalene Solubility in Binary Solvent Mixtures of 2,2,4-Trimethylpentane + Alcohols at 298.15 K. <i>Journal of Chemical & Data</i> , 2008, 53, 574-577	2.8	9	
3	Solubility of Anthracene in Quaternary Solvent Mixtures of 2,2,4-Trimethylpentane + 2-Propanone + Methanol + Alcohols at 298.15 K. <i>Journal of Chemical & Engineering Data</i> , 2008 , 53, 2250-2253	2.8	5	
2	Solubility of Anthracene in Ternary Solvent Mixtures of 2,2,4-Trimethylpentane + 2-Propanone + Alcohols at 298.15 K. <i>Journal of Chemical & Engineering Data</i> , 2008 , 53, 890-893	2.8	11	
1	Preparation and in vitro Evaluation of Linear and Star-branched PLGA Nanoparticles for Insulin Delivery. <i>Journal of Bioactive and Compatible Polymers</i> , 2008 , 23, 115-131	2	29	