

# Michel Goldman

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/12008440/michel-goldman-publications-by-year.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

99  
papers

8,300  
citations

48  
h-index

91  
g-index

101  
ext. papers

8,863  
ext. citations

7.2  
avg, IF

4.97  
L-index

#	Paper	IF	Citations
99	Boosting translational research on Alzheimer's disease in Europe: The Innovative Medicine Initiative AD research platform. <i>Alzheimers and Dementia</i> , <b>2015</b> , 11, 1121-2	1.2	14
98	Expansion of memory-type CD8+ T cells correlates with the failure of early immunosuppression withdrawal after cadaver liver transplantation using high-dose ATG induction and rapamycin. <i>Transplantation</i> , <b>2013</b> , 96, 306-15	1.8	34
97	A conventional protein kinase C inhibitor targeting IRF-3-dependent genes differentially regulates IL-12 family members. <i>Molecular Immunology</i> , <b>2011</b> , 48, 1484-93	4.3	9
96	Mepolizumab as a corticosteroid-sparing agent in lymphocytic variant hypereosinophilic syndrome. <i>Journal of Allergy and Clinical Immunology</i> , <b>2010</b> , 126, 828-835.e3	11.5	82
95	Analysis of the peripheral T-cell repertoire in kidney transplant patients. <i>European Journal of Immunology</i> , <b>2010</b> , 40, 3280-90	6.1	26
94	Development of a cross-platform biomarker signature to detect renal transplant tolerance in humans. <i>Journal of Clinical Investigation</i> , <b>2010</b> , 120, 1848-61	15.9	416
93	Transplantation research: will we ever reach the holy grail?. <i>Transplantation</i> , <b>2009</b> , 87, S99-100	1.8	5
92	IL-12 and type I IFN response of neonatal myeloid DC to human CMV infection. <i>European Journal of Immunology</i> , <b>2009</b> , 39, 2789-99	6.1	48
91	Molecular profiling of CD3-CD4+ T cells from patients with the lymphocytic variant of hypereosinophilic syndrome reveals targeting of growth control pathways. <i>Blood</i> , <b>2009</b> , 114, 2969-83	2.2	30
90	Toll-like Receptor Responses in Neonatal Dendritic Cells <b>2008</b> , 106-134		
89	Lymphocytic variant hypereosinophilic syndromes. <i>Immunology and Allergy Clinics of North America</i> , <b>2007</b> , 27, 389-413	3.3	116
88	European research on cell and organ transplantation: towards novel opportunities?. <i>Transplant International</i> , <b>2007</b> , 20, 1016-9	3	6
87	Protein kinase Calpha is involved in interferon regulatory factor 3 activation and type I interferon-beta synthesis. <i>Journal of Biological Chemistry</i> , <b>2007</b> , 282, 15022-32	5.4	25
86	Interferon regulatory factor 3-dependent responses to lipopolysaccharide are selectively blunted in cord blood cells. <i>Blood</i> , <b>2007</b> , 109, 2887-93	2.2	78
85	Protein Kinase C $\beta$ s Critically Involved in MyD88-Dependent Toll-Like Receptor 2-Mediated Activation of Dendritic Cells.. <i>Blood</i> , <b>2007</b> , 110, 2418-2418	2.2	
84	Preferential production of the IL-12(p40)/IL-23(p19) heterodimer by dendritic cells from human newborns. <i>European Journal of Immunology</i> , <b>2006</b> , 36, 21-6	6.1	83
83	Hypereosinophilic syndrome: lymphoproliferative and myeloproliferative variants. <i>Seminars in Respiratory and Critical Care Medicine</i> , <b>2006</b> , 27, 158-70	3.9	30

82	Interferon regulatory factor 3 is involved in Toll-like receptor 4 (TLR4)- and TLR3-induced IL-12p35 gene activation. <i>Blood</i> , <b>2006</b> , 107, 1078-84	2.2	95
81	Insulin needs after CD3-antibody therapy in new-onset type 1 diabetes. <i>New England Journal of Medicine</i> , <b>2005</b> , 352, 2598-608	59.2	874
80	Defective CD3gamma gene transcription is associated with NFATc2 overexpression in the lymphocytic variant of hypereosinophilic syndrome. <i>Experimental Hematology</i> , <b>2005</b> , 33, 1147-59	3.1	14
79	IL-23 up-regulates IL-10 and induces IL-17 synthesis by polyclonally activated naive T cells in human. <i>European Journal of Immunology</i> , <b>2005</b> , 35, 469-75	6.1	121
78	Inhibition of phosphoinositide 3-kinase enhances TRIF-dependent NF-kappa B activation and IFN-beta synthesis downstream of Toll-like receptor 3 and 4. <i>European Journal of Immunology</i> , <b>2005</b> , 35, 2200-9	6.1	87
77	A defect in nucleosome remodeling prevents IL-12(p35) gene transcription in neonatal dendritic cells. <i>Journal of Experimental Medicine</i> , <b>2004</b> , 199, 1011-6	16.6	149
76	IL-10 is an important mediator of the enhanced susceptibility to pneumococcal pneumonia after influenza infection. <i>Journal of Immunology</i> , <b>2004</b> , 172, 7603-9	5.3	275
75	Induction of FOXP3-expressing regulatory CD4pos T cells by human mature autologous dendritic cells. <i>European Journal of Immunology</i> , <b>2004</b> , 34, 762-772	6.1	100
74	Blood plasmacytoid dendritic cell responses to CpG oligodeoxynucleotides are impaired in human newborns. <i>Blood</i> , <b>2004</b> , 103, 1030-2	2.2	147
73	Human IL-12(p35) gene activation involves selective remodeling of a single nucleosome within a region of the promoter containing critical Sp1-binding sites. <i>Blood</i> , <b>2003</b> , 101, 4894-902	2.2	42
72	Alteration of migration and maturation of dendritic cells and T-cell depletion in the course of experimental <i>Trypanosoma cruzi</i> infection. <i>Laboratory Investigation</i> , <b>2003</b> , 83, 1373-82	5.9	28
71	The hypereosinophilic syndrome revisited. <i>Annual Review of Medicine</i> , <b>2003</b> , 54, 169-84	17.4	114
70	Impaired responses to toll-like receptor 4 and toll-like receptor 3 ligands in human cord blood. <i>Journal of Autoimmunity</i> , <b>2003</b> , 21, 277-81	15.5	133
69	The impact of maternal infection or immunization on early-onset autoimmune diabetes. <i>Vaccine</i> , <b>2003</b> , 21, 3422-5	4.1	4
68	Immunomodulators: interleukins, interferons, and the OKT3 monoclonal antibody <b>2003</b> , 459-482		
67	Cytokine mRNA quantification by real-time PCR. <i>Journal of Immunological Methods</i> , <b>2002</b> , 259, 55-64	2.5	175
66	Extracellular adenine nucleotides modulate cytokine production by human monocyte-derived dendritic cells: dual effect on IL-12 and stimulation of IL-10. <i>European Journal of Immunology</i> , <b>2002</b> , 32, 2409-17	6.1	82
65	Critical role of protein kinase C epsilon for lipopolysaccharide-induced IL-12 synthesis in monocyte-derived dendritic cells. <i>European Journal of Immunology</i> , <b>2002</b> , 32, 3040-9	6.1	44

64	Bordetella pertussis toxin induces the release of inflammatory cytokines and dendritic cell activation in whole blood: impaired responses in human newborns. <i>European Journal of Immunology</i> , <b>2002</b> , 32, 3118-25	6.1	59
63	Human gamma delta T cells induce dendritic cell maturation. <i>Clinical Immunology</i> , <b>2002</b> , 103, 296-302	9	134
62	High serum thymus and activation-regulated chemokine levels in the lymphocytic variant of the hypereosinophilic syndrome. <i>Journal of Allergy and Clinical Immunology</i> , <b>2002</b> , 110, 476-9	11.5	62
61	Clonal Th2 cells associated with chronic hypereosinophilia: TARC-induced CCR4 down-regulation in vivo. <i>European Journal of Immunology</i> , <b>2001</b> , 31, 1037-46	6.1	30
60	Deficient IL-12(p35) gene expression by dendritic cells derived from neonatal monocytes. <i>Journal of Immunology</i> , <b>2001</b> , 166, 2141-6	5.3	291
59	Les réponses immunes à médiation cellulaire chez le nouveau-né vers de nouvelles stratégies vaccinales ciblant les cellules dendritiques?. <i>Medecine/Sciences</i> , <b>2001</b> , 17, 1337-1341		0
58	IL-5 and eosinophils mediate the rejection of fully histoincompatible vascularized cardiac allografts: regulatory role of alloreactive CD8(+) T lymphocytes and IFN-gamma. <i>European Journal of Immunology</i> , <b>2000</b> , 30, 1290-6	6.1	52
57	Repeated concanavalin A challenge in mice induces an interleukin 10-producing phenotype and liver fibrosis. <i>Hepatology</i> , <b>2000</b> , 31, 381-90	11.2	41
56	Cold liver ischemia-reperfusion injury critically depends on liver T cells and is improved by donor pretreatment with interleukin 10 in mice. <i>Hepatology</i> , <b>2000</b> , 31, 1266-74	11.2	95
55	Interferon $\beta$ prevents spontaneous apoptosis of clonal Th2 cells associated with chronic hypereosinophilia. <i>Blood</i> , <b>2000</b> , 96, 4285-4292	2.2	49
54	Interferon $\beta$ prevents spontaneous apoptosis of clonal Th2 cells associated with chronic hypereosinophilia. <i>Blood</i> , <b>2000</b> , 96, 4285-4292	2.2	1
53	IL-5 and eosinophils mediate the rejection of fully histoincompatible vascularized cardiac allografts: regulatory role of alloreactive CD8+ T lymphocytes and IFN- $\gamma$ . <i>Journal of Immunology</i> , <b>2000</b> , 30, 1290		2
52	T-Cell Receptor-Independent Activation of Clonal Th2 Cells Associated With Chronic Hypereosinophilia. <i>Blood</i> , <b>1999</b> , 94, 994-1002	2.2	82
51	IFN-beta interferes with the differentiation of dendritic cells from peripheral blood mononuclear cells: selective inhibition of CD40-dependent interleukin-12 secretion. <i>Journal of Interferon and Cytokine Research</i> , <b>1999</b> , 19, 471-8	3.5	38
50	Antiinflammatory properties of mycophenolate mofetil in murine endotoxemia: inhibition of TNF-alpha and upregulation of IL-10 release. <i>International Journal of Immunopharmacology</i> , <b>1999</b> , 21, 581-7		37
49	Azodicarbonamide inhibits T-cell responses in vitro and in vivo. <i>Nature Medicine</i> , <b>1999</b> , 5, 947-50	50.5	28
48	Downregulation of Antigen-Presenting Cell Functions After Administration of Mitogenic Anti-CD3 Monoclonal Antibodies in Mice. <i>Blood</i> , <b>1999</b> , 94, 4347-4357	2.2	10
47	Inhibition of human dendritic cell functions by methylprednisolone. <i>Transplantation</i> , <b>1999</b> , 67, 1342-7	1.8	67

46	CD3 antibody-induced IL-10 in renal allograft recipients: an in vivo and in vitro analysis. <i>Transplantation</i> , <b>1999</b> , 68, 616-22	1.8	10
45	Downregulation of Antigen-Presenting Cell Functions After Administration of Mitogenic Anti-CD3 Monoclonal Antibodies in Mice. <i>Blood</i> , <b>1999</b> , 94, 4347-4357	2.2	
44	Interleukin-10 controls neutrophilic infiltration, hepatocyte proliferation, and liver fibrosis induced by carbon tetrachloride in mice. <i>Hepatology</i> , <b>1998</b> , 28, 1607-15	11.2	194
43	Oxidative stress up-regulates IL-8 and TNF-alpha synthesis by human dendritic cells. <i>European Journal of Immunology</i> , <b>1998</b> , 28, 3886-90	6.1	105
42	Interleukin-10 as a regulatory cytokine induced by cellular stress: molecular aspects. <i>International Reviews of Immunology</i> , <b>1998</b> , 16, 501-22	4.6	77
41	OKT3 Nephrotoxicity: From acute tubular necrosis to hemolytic uremic syndrome <b>1998</b> , 301-309		
40	Oxidative stress up-regulates IL-8 and TNF- $\beta$ synthesis by human dendritic cells <b>1998</b> , 28, 3886		5
39	Interleukin-10: actions and therapeutic potential. <i>BioDrugs</i> , <b>1997</b> , 7, 6-14	7.9	13
38	Interferon- $\gamma$ upregulates Both Interleukin-10 and Interferon- $\beta$ Production by Human CD4+ T Cells. <i>Blood</i> , <b>1997</b> , 89, 1110-1110	2.2	24
37	Blood interleukin 10 levels parallel the severity of septic shock. <i>Journal of Critical Care</i> , <b>1997</b> , 12, 183-7	4	91
36	Role of interleukin-4 and interleukin-10 in murine collagen-induced arthritis. Protective effect of interleukin-4 and interleukin-10 treatment on cartilage destruction. <i>Arthritis and Rheumatism</i> , <b>1997</b> , 40, 249-60		350
35	Interleukin-10 prevents the generation of dendritic cells from human peripheral blood mononuclear cells cultured with interleukin-4 and granulocyte/macrophage-colony-stimulating factor. <i>European Journal of Immunology</i> , <b>1997</b> , 27, 756-62	6.1	210
34	Human dendritic cell responses to lipopolysaccharide and CD40 ligation are differentially regulated by interleukin-10. <i>European Journal of Immunology</i> , <b>1997</b> , 27, 1848-52	6.1	169
33	A pilot trial of recombinant human interleukin-10 in kidney transplant recipients receiving OKT3 induction therapy. <i>Transplantation</i> , <b>1997</b> , 64, 999-1006	1.8	40
32	A role for TH2 cells in chronic allograft rejection? <b>1997</b> , 69-73		
31	Endogenous interleukin-10 in inflammatory disorders: regulatory roles and pharmacological modulation. <i>Annals of the New York Academy of Sciences</i> , <b>1996</b> , 796, 282-93	6.5	26
30	Role of CD18-dependent and CD18-independent mechanisms in the increased leukocyte adhesiveness and in the variations of circulating white blood cell populations induced by anti-CD3 monoclonal antibodies. <i>Transplant International</i> , <b>1996</b> , 9, 386-391	3	2
29	CD40 engagement induces monocyte procoagulant activity through an interleukin-10 resistant pathway. <i>European Journal of Immunology</i> , <b>1996</b> , 26, 3048-54	6.1	33

28	OKT3 prophylaxis in renal grafts with prolonged cold ischemia times: association with improvement in long-term survival. <i>Kidney International</i> , <b>1996</b> , 49, 768-72	9.9	40
27	Loss of tumorigenicity and increased immunogenicity induced by interleukin-10 gene transfer in B16 melanoma cells. <i>Human Gene Therapy</i> , <b>1996</b> , 7, 23-31	4.8	70
26	Role of CD18-dependent and CD18-independent mechanisms in the increased leukocyte adhesiveness and in the variations of circulating white blood cell populations induced by anti-CD3 monoclonal antibodies. <i>Transplant International</i> , <b>1996</b> , 9, 386-91	3	
25	The IgE humoral response in OKT3-treated patients. Incidence and fine specificity. <i>Transplantation</i> , <b>1996</b> , 61, 577-81	1.8	19
24	Interleukin 10 prevents necrosis in murine experimental acute pancreatitis. <i>Gastroenterology</i> , <b>1995</b> , 108, 1917-22	13.3	191
23	Inability of OKT3 to prevent donor-derived ABO hemolytic anemia in a kidney-pancreas transplant recipient. <i>Transplant International</i> , <b>1995</b> , 8, 159-160	3	
22	T cells made deficient in interleukin-2 production by exposure to staphylococcal enterotoxin B in vivo are primed for interferon-gamma and interleukin-10 secretion. <i>European Journal of Immunology</i> , <b>1995</b> , 25, 1148-53	6.1	48
21	Interleukin-10 differentially regulates B7-1 (CD80) and B7-2 (CD86) expression on human peripheral blood dendritic cells. <i>European Journal of Immunology</i> , <b>1995</b> , 25, 2668-72	6.1	229
20	Role of defective monocyte interleukin-10 release in tumor necrosis factor-alpha overproduction in alcoholic cirrhosis. <i>Hepatology</i> , <b>1995</b> , 22, 1436-1439	11.2	104
19	Inability of OKT3 to prevent donor-derived ABO hemolytic anemia in a kidney-pancreas transplant recipient. <i>Transplant International</i> , <b>1995</b> , 8, 159-60	3	
18	The Use of OKT3 in Clinical Transplantation. <i>Medical Intelligence Unit</i> , <b>1995</b> , 99-135		0
17	IL-10 inhibits the primary allogeneic T cell response to human peripheral blood dendritic cells. <i>Advances in Experimental Medicine and Biology</i> , <b>1995</b> , 378, 363-5	3.6	10
16	T cell subsets in glomerular diseases. <i>Seminars in Immunopathology</i> , <b>1994</b> , 16, 71-80		4
15	Systemic release of interleukin-10 during orthotopic liver transplantation. <i>Hepatology</i> , <b>1994</b> , 20, 889-92	11.2	68
14	Interleukin-10 inhibits B7 and intercellular adhesion molecule-1 expression on human monocytes. <i>European Journal of Immunology</i> , <b>1994</b> , 24, 1007-9	6.1	338
13	Interleukin-10 controls interferon-gamma and tumor necrosis factor production during experimental endotoxemia. <i>European Journal of Immunology</i> , <b>1994</b> , 24, 1167-71	6.1	261
12	High-dose glucocorticosteroids increase the procoagulant effects of OKT3. <i>Kidney International</i> , <b>1994</b> , 46, 1596-602	9.9	19
11	Brief report: clonal proliferation of type 2 helper T cells in a man with the hypereosinophilic syndrome. <i>New England Journal of Medicine</i> , <b>1994</b> , 330, 535-8	59.2	268

10	MODULATION OF THE RELEASE OF CYTOKINES AND REDUCTION OF THE SHOCK SYNDROME INDUCED BY ANTI-CD3 MONOCLONAL ANTIBODY IN MICE BY INTERLEUKIN-10. <i>Transplantation</i> , <b>1994</b> , 57, 1436-1439	1.8	27
9	T helper type 2-like cells and therapeutic effects of interferon-gamma in combined immunodeficiency with hypereosinophilia (Omenn's syndrome). <i>European Journal of Immunology</i> , <b>1993</b> , 23, 56-60	6.1	87
8	Interleukin-10 inhibits the induction of monocyte procoagulant activity by bacterial lipopolysaccharide. <i>European Journal of Immunology</i> , <b>1993</b> , 23, 2700-3	6.1	86
7	Procoagulant effect of the OKT3 monoclonal antibody: involvement of tumor necrosis factor. <i>Kidney International</i> , <b>1992</b> , 42, 1124-9	9.9	26
6	Lipopolysaccharide induces up-regulation of CD14 molecule on monocytes in human whole blood. <i>European Journal of Immunology</i> , <b>1992</b> , 22, 1663-5	6.1	79
5	Hypothermia and hypoglycemia induced by anti-CD3 monoclonal antibody in mice: role of tumor necrosis factor. <i>European Journal of Immunology</i> , <b>1990</b> , 20, 707-10	6.1	80
4	Cytokines in the pathophysiology of systemic lupus erythematosus. <i>Autoimmunity</i> , <b>1990</b> , 8, 173-9	3	13
3	OKT3-induced cytokine release attenuation by high-dose methylprednisolone. <i>Lancet, The</i> , <b>1989</b> , 2, 802-3	3.0	29
2	Release of tumor necrosis factor, interleukin-2, and gamma-interferon in serum after injection of OKT3 monoclonal antibody in kidney transplant recipients. <i>Transplantation</i> , <b>1989</b> , 47, 606-8	1.8	291
1	Hypereosinophilia: Primary and Secondary	221-228	