

Ghose Bishwajit

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/12010254/publications.pdf>

Version: 2024-02-01

66
papers

2,112
citations

218592

26
h-index

265120

42
g-index

66
all docs

66
docs citations

66
times ranked

2203
citing authors

#	ARTICLE	IF	CITATIONS
1	Women empowerment as an enabling factor of contraceptive use in sub-Saharan Africa: a multilevel analysis of cross-sectional surveys of 32 countries. <i>Reproductive Health</i> , 2018, 15, 214.	1.2	128
2	Wealth, education and urban-rural inequality and maternal healthcare service usage in Malawi. <i>BMJ Global Health</i> , 2016, 1, e000085.	2.0	110
3	Timing and adequate attendance of antenatal care visits among women in Ethiopia. <i>PLoS ONE</i> , 2017, 12, e0184934.	1.1	104
4	Factors associated with the utilization of institutional delivery services in Bangladesh. <i>PLoS ONE</i> , 2017, 12, e0171573.	1.1	87
5	Decomposing the rural-urban gap in the factors of under-five mortality in sub-Saharan Africa? Evidence from 35 countries. <i>BMC Public Health</i> , 2019, 19, 616.	1.2	81
6	Under five mortality patterns and associated maternal risk factors in sub-Saharan Africa: A multi-country analysis. <i>PLoS ONE</i> , 2018, 13, e0205977.	1.1	73
7	Nutrition transition in South Asia: the emergence of non-communicable chronic diseases. <i>PLoS ONE</i> , 2015, 4, 8.	0.8	69
8	Inequalities in maternal health care utilization in Benin: a population based cross-sectional study. <i>BMC Pregnancy and Childbirth</i> , 2018, 18, 194.	0.9	69
9	Unmet need for contraception and its association with unintended pregnancy in Bangladesh. <i>BMC Pregnancy and Childbirth</i> , 2017, 17, 186.	0.9	66
10	Trends and determinants of HIV/AIDS knowledge among women in Bangladesh. <i>BMC Public Health</i> , 2016, 16, 812.	1.2	57
11	Prevalence and determinants of childhood mortality in Nigeria. <i>BMC Public Health</i> , 2017, 17, 485.	1.2	57
12	Social participation and perceived depression among elderly population in South Africa. <i>Clinical Interventions in Aging</i> , 2017, Volume 12, 971-976.	1.3	56
13	Disparities in caesarean section prevalence and determinants across sub-Saharan Africa countries. <i>Global Health Research and Policy</i> , 2018, 3, 19.	1.4	56
14	Prevalence of low birth weight and its association with maternal body weight status in selected countries in Africa: a cross-sectional study. <i>BMJ Open</i> , 2018, 8, e020410.	0.8	54
15	Physical inactivity and self-reported depression among middle- and older-aged population in South Asia: World health survey. <i>BMC Geriatrics</i> , 2017, 17, 100.	1.1	52
16	Association between depression and fruit and vegetable consumption among adults in South Asia. <i>BMC Psychiatry</i> , 2017, 17, 15.	1.1	49
17	Why some women fail to give birth at health facilities: A comparative study between Ethiopia and Nigeria. <i>PLoS ONE</i> , 2018, 13, e0196896.	1.1	48
18	Factors associated with male involvement in reproductive care in Bangladesh. <i>BMC Public Health</i> , 2017, 17, 3.	1.2	47

#	ARTICLE	IF	CITATIONS
19	Improving Water, Sanitation and Hygiene Practices, and Housing Quality to Prevent Diarrhea among Under-Five Children in Nigeria. <i>Tropical Medicine and Infectious Disease</i> , 2018, 3, 41.	0.9	47
20	Awareness and utilization of community clinic services among women in rural areas in Bangladesh: A cross-sectional study. <i>PLoS ONE</i> , 2017, 12, e0187303.	1.1	41
21	Use of Intermittent Preventive Treatment among Pregnant Women in Sub-Saharan Africa: Evidence from Malaria Indicator Surveys. <i>Tropical Medicine and Infectious Disease</i> , 2018, 3, 18.	0.9	41
22	Burden of asthma, dyspnea, and chronic cough in South Asia. <i>International Journal of COPD</i> , 2017, Volume 12, 1093-1099.	0.9	40
23	Urban-rural difference in satisfaction with primary healthcare services in Ghana. <i>BMC Health Services Research</i> , 2017, 17, 776.	0.9	40
24	Nutrition transition in South Asia: the emergence of non-communicable chronic diseases. <i>F1000Research</i> , 2015, 4, 8.	0.8	40
25	Differentials in prevalence and correlates of metabolic risk factors of non-communicable diseases among women in sub-Saharan Africa: evidence from 33 countries. <i>BMC Public Health</i> , 2018, 18, 1168.	1.2	38
26	Intensity, frequency, duration, and volume of physical activity and its association with risk of depression in middle- and older-aged Chinese: Evidence from the China Health and Retirement Longitudinal Study, 2015. <i>PLoS ONE</i> , 2019, 14, e0221430.	1.1	36
27	Social Determinants of Infectious Diseases in South Asia. <i>International Scholarly Research Notices</i> , 2014, 2014, 1-10.	0.9	31
28	Prevalence and determinants of terminated and unintended pregnancies among married women: analysis of pooled cross-sectional surveys in Nigeria. <i>BMJ Global Health</i> , 2018, 3, e000707.	2.0	30
29	Effects of birth spacing on adverse childhood health outcomes: evidence from 34 countries in sub-Saharan Africa. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020, 33, 3501-3508.	0.7	30
30	Mass media exposure and its impact on malaria prevention behaviour among adult women in sub-Saharan Africa: results from malaria indicator surveys. <i>Global Health Research and Policy</i> , 2018, 3, 20.	1.4	27
31	What Contributes to the Activeness of Ethnic Minority Patients with Chronic Illnesses Seeking Allied Health Services? A Cross-Sectional Study in Rural Western China. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 11579-11593.	1.2	22
32	Socioeconomic Inequalities in the Risk Factors of Noncommunicable Diseases Among Women of Reproductive Age in Sub-saharan Africa: A Multi-Country Analysis of Survey Data. <i>Frontiers in Public Health</i> , 2018, 6, 307.	1.3	22
33	Maternal health care service utilization in post-war Liberia: analysis of nationally representative cross-sectional household surveys. <i>BMC Public Health</i> , 2019, 19, 28.	1.2	22
34	Improving the Blood Pressure Control With the ProActive Attitude of Hypertensive Patients Seeking Follow-up Services. <i>Medicine (United States)</i> , 2016, 95, e3233.	0.4	21
35	Extent of Knowledge about HIV and Its Determinants among Men in Bangladesh. <i>Frontiers in Public Health</i> , 2016, 4, 246.	1.3	20
36	Inadequate Utilization of Prenatal Care Services, Socioeconomic Status, and Educational Attainment Are Associated with Low Birth Weight in Zimbabwe. <i>Frontiers in Public Health</i> , 2017, 5, 35.	1.3	20

#	ARTICLE	IF	CITATIONS
37	Prevalence of Alcohol and Tobacco Use among Men and Women in Namibia. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 59.	1.2	19
38	Trade Liberalization, Urbanization and Nutrition Transition in Asian Countries. <i>Journal of Nutritional Health & Food Science</i> , 2014, 2, .	0.3	18
39	Lifestyle Behaviors, Subjective Health, and Quality of Life Among Chinese Men Living With Type 2 Diabetes. <i>American Journal of Men's Health</i> , 2017, 11, 357-364.	0.7	17
40	Factors associated with maternal utilization of health facilities for delivery in Ethiopia. <i>International Health</i> , 2018, 10, 310-317.	0.8	16
41	Determinants of prenatal care use and HIV testing during pregnancy: a population-based, cross-sectional study of 7080 women of reproductive age in Mozambique. <i>BMC Pregnancy and Childbirth</i> , 2019, 19, 354.	0.9	16
42	Determinants of public malaria awareness during the national malaria elimination programme: a cross-sectional study in rural China. <i>Malaria Journal</i> , 2016, 15, 372.	0.8	15
43	Domestic violence: a hidden barrier to contraceptive use among women in Nigeria. <i>Open Access Journal of Contraception</i> , 2018, Volume 9, 21-28.	0.6	15
44	Disparities in the use of mobile phone for seeking childbirth services among women in the urban areas: Bangladesh Urban Health Survey. <i>BMC Medical Informatics and Decision Making</i> , 2017, 17, 182.	1.5	12
45	Predictors of institutional delivery service utilization among women of reproductive age in Gambia: a cross-sectional analysis. <i>BMC Pregnancy and Childbirth</i> , 2020, 20, 187.	0.9	12
46	Participation in physical activity and back pain among an elderly population in South Asia. <i>Journal of Pain Research</i> , 2017, Volume 10, 905-913.	0.8	11
47	Prevalence of Smoking among Men in Ethiopia and Kenya: A Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1232.	1.2	11
48	Trends in the prevalence and care-seeking behaviour for acute respiratory infections among Ugandan infants. <i>Global Health Research and Policy</i> , 2019, 4, 9.	1.4	11
49	Urban-rural differentials in the uptake of mammography and cervical cancer screening in Kenya. <i>Journal of Cancer Policy</i> , 2017, 12, 43-48.	0.6	10
50	Socioeconomic Disparities in Smoking Behavior and Early Smoking Initiation Among Men in Malawi. <i>Tobacco Use Insights</i> , 2017, 10, 1179173X1772629.	0.7	10
51	Diabetes mellitus and high blood pressure in relation to BMI among adult non-pregnant women in Bangladesh. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2017, 11, S217-S221.	1.8	9
52	Self-reported activities of daily living, health and quality of life among older adults in South Africa and Uganda: a cross sectional study. <i>BMC Geriatrics</i> , 2020, 20, 402.	1.1	9
53	Prevalence of institutional delivery and its correlates amongst women of reproductive age in Mozambique: a cross-sectional analysis. <i>Reproductive Health</i> , 2020, 17, 49.	1.2	9
54	Prenatal care and uptake of HIV testing among pregnant women in Gambia: a cross-sectional study. <i>BMC Public Health</i> , 2020, 20, 485.	1.2	8

#	ARTICLE	IF	CITATIONS
55	Exposure to tobacco use in pregnancy and its determinants among sub-Saharan Africa women: analysis of pooled cross-sectional surveys. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020, 33, 1517-1525.	0.7	7
56	Observed trends in the magnitude of socioeconomic and area-based inequalities in use of caesarean section in Ethiopia: a cross-sectional study. <i>BMC Public Health</i> , 2020, 20, 1222.	1.2	7
57	Sociodemographic correlates of cervix, breast and oral cancer screening among Indian women. <i>PLoS ONE</i> , 2022, 17, e0265881.	1.1	7
58	Alcohol and Tobacco Use among Men in Zambia and Zimbabwe. <i>Journal of Lifestyle Medicine</i> , 2019, 9, 67-73.	0.3	6
59	Fruit and vegetable consumption among adults in Namibia: analysis of a nationally representative population. <i>Health Promotion Perspectives</i> , 2018, 8, 283-289.	0.8	5
60	Self-Reported Food Insecurity and Depression among the Older Population in South Africa. <i>Psych</i> , 2020, 2, 34-43.	0.7	4
61	Household food insecurity is independently associated with poor utilization of maternal healthcare services in Bangladesh. <i>Facets</i> , 2017, 2, 969-983.	1.1	4
62	Family planning communication through mass media and health workers for promoting maternal health care utilization in Nigeria. <i>Journal of Biosocial Science</i> , 2022, 54, 94-105.	0.5	4
63	Choosing Not to Give Birth at a Health Facility in Nigeria: Where and Why?. <i>Women's Reproductive Health</i> , 2018, 5, 132-143.	0.3	3
64	Patterns of Physical Activity and Self-rated Health Among Adult Populations in South Asia. <i>Central Asian Journal of Global Health</i> , 2020, 9, e347.	0.6	3
65	Socioeconomic Determinants of Maternal HealthCare Utilisation in Zambia: 1997-2014. <i>Inquiry (United Tj ETQq1 1,0,784314 rgBT /Ove</i>	0.5	2
66	Exposure to second-hand smoking as a predictor of fetal loss: Egypt Demographic and Health Survey 2014. <i>International Health</i> , 2019, 11, 561-567.	0.8	1