
Ghose Bishwajit

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/12010254/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Family planning communication through mass media and health workers for promoting maternal health care utilization in Nigeria. Journal of Biosocial Science, 2022, 54, 94-105.	0.5	4
2	Sociodemographic correlates of cervix, breast and oral cancer screening among Indian women. PLoS ONE, 2022, 17, e0265881.	1.1	7
3	Socioeconomic Determinants of Maternal HealthCare Utilisation in Zambia: 1997-2014. Inquiry (United) Tj ETQq1	10.7843 0.5	14 rgBT /O
4	Exposure to tobacco use in pregnancy and its determinants among sub-Saharan Africa women: analysis of pooled cross-sectional surveys. Journal of Maternal-Fetal and Neonatal Medicine, 2020, 33, 1517-1525.	0.7	7
5	Effects of birth spacing on adverse childhood health outcomes: evidence from 34 countries in sub-Saharan Africa. Journal of Maternal-Fetal and Neonatal Medicine, 2020, 33, 3501-3508.	0.7	30
6	Observed trends in the magnitude of socioeconomic and area-based inequalities in use of caesarean section in Ethiopia: a cross-sectional study. BMC Public Health, 2020, 20, 1222.	1.2	7
7	Self-reported activities of daily living, health and quality of life among older adults in South Africa and Uganda: a cross sectional study. BMC Geriatrics, 2020, 20, 402.	1.1	9
8	Predictors of institutional delivery service utilization among women of reproductive age in Gambia: a cross-sectional analysis. BMC Pregnancy and Childbirth, 2020, 20, 187.	0.9	12
9	Self-Reported Food Insecurity and Depression among the Older Population in South Africa. Psych, 2020, 2, 34-43.	0.7	4
10	Prenatal care and uptake of HIV testing among pregnant women in Gambia: a cross-sectional study. BMC Public Health, 2020, 20, 485.	1.2	8
11	Prevalence of institutional delivery and its correlates amongst women of reproductive age in Mozambique: a cross-sectional analysis. Reproductive Health, 2020, 17, 49.	1.2	9
12	Patterns of Physical Activity and Self-rated Health Among Adult Populations in South Asia. Central Asian Journal of Global Health, 2020, 9, e347.	0.6	3
13	Intensity, frequency, duration, and volume of physical activity and its association with risk of depression in middle- and older-aged Chinese: Evidence from the China Health and Retirement Longitudinal Study, 2015. PLoS ONE, 2019, 14, e0221430.	1.1	36
14	Determinants of prenatal care use and HIV testing during pregnancy: a population-based, cross-sectional study of 7080 women of reproductive age in Mozambique. BMC Pregnancy and Childbirth, 2019, 19, 354.	0.9	16
15	Exposure to second-hand smoking as a predictor of fetal loss: Egypt Demographic and Health Survey 2014. International Health, 2019, 11, 561-567.	0.8	1
16	Decomposing the rural-urban gap in the factors of under-five mortality in sub-Saharan Africa? Evidence from 35 countries. BMC Public Health, 2019, 19, 616.	1.2	81
17	Trends in the prevalence and care-seeking behaviour for acute respiratory infections among Ugandan infants. Global Health Research and Policy, 2019, 4, 9.	1.4	11
18	Maternal health care service utilization in post-war Liberia: analysis of nationally representative cross-sectional household surveys. BMC Public Health, 2019, 19, 28.	1.2	22

GHOSE BISHWAJIT

#	Article	IF	CITATIONS
19	Prevalence of Alcohol and Tobacco Use among Men and Women in Namibia. International Journal of Environmental Research and Public Health, 2019, 16, 59.	1.2	19
20	Alcohol and Tobacco Use among Men in Zambia and Zimbabwe. Journal of Lifestyle Medicine, 2019, 9, 67-73.	0.3	6
21	Socioeconomic Inequalities in the Risk Factors of Noncommunicable Diseases Among Women of Reproductive Age in Sub-saharan Africa: A Multi-Country Analysis of Survey Data. Frontiers in Public Health, 2018, 6, 307.	1.3	22
22	Under five mortality patterns and associated maternal risk factors in sub-Saharan Africa: A multi-country analysis. PLoS ONE, 2018, 13, e0205977.	1.1	73
23	Women empowerment as an enabling factor of contraceptive use in sub-Saharan Africa: a multilevel analysis of cross-sectional surveys of 32 countries. Reproductive Health, 2018, 15, 214.	1.2	128
24	Differentials in prevalence and correlates of metabolic risk factors of non-communicable diseases among women in sub-Saharan Africa: evidence from 33 countries. BMC Public Health, 2018, 18, 1168.	1.2	38
25	Use of Intermittent Preventive Treatment among Pregnant Women in Sub-Saharan Africa: Evidence from Malaria Indicator Surveys. Tropical Medicine and Infectious Disease, 2018, 3, 18.	0.9	41
26	Prevalence of low birth weight and its association with maternal body weight status in selected countries in Africa: a cross-sectional study. BMJ Open, 2018, 8, e020410.	0.8	54
27	Choosing Not to Give Birth at a Health Facility in Nigeria: Where and Why?. Women's Reproductive Health, 2018, 5, 132-143.	0.3	3
28	Prevalence and determinants of terminated and unintended pregnancies among married women: analysis of pooled cross-sectional surveys in Nigeria. BMJ Global Health, 2018, 3, e000707.	2.0	30
29	Disparities in caesarean section prevalence and determinants across sub-Saharan Africa countries. Global Health Research and Policy, 2018, 3, 19.	1.4	56
30	Why some women fail to give birth at health facilities: A comparative study between Ethiopia and Nigeria. PLoS ONE, 2018, 13, e0196896.	1.1	48
31	Mass media exposure and its impact on malaria prevention behaviour among adult women in sub-Saharan Africa: results from malaria indicator surveys. Global Health Research and Policy, 2018, 3, 20.	1.4	27
32	Prevalence of Smoking among Men in Ethiopia and Kenya: A Cross-Sectional Study. International Journal of Environmental Research and Public Health, 2018, 15, 1232.	1.2	11
33	Improving Water, Sanitation and Hygiene Practices, and Housing Quality to Prevent Diarrhea among Under-Five Children in Nigeria. Tropical Medicine and Infectious Disease, 2018, 3, 41.	0.9	47
34	Inequalities in maternal health care utilization in Benin: a population based cross-sectional study. BMC Pregnancy and Childbirth, 2018, 18, 194.	0.9	69
35	Domestic violence: a hidden barrier to contraceptive use among women in Nigeria. Open Access Journal of Contraception, 2018, Volume 9, 21-28.	0.6	15
36	Factors associated with maternal utilization of health facilities for delivery in Ethiopia. International Health, 2018, 10, 310-317.	0.8	16

GHOSE BISHWAJIT

#	Article	IF	CITATIONS
37	Fruit and vegetable consumption among adults in Namibia: analysis of a nationally representative population. Health Promotion Perspectives, 2018, 8, 283-289.	0.8	5
38	Factors associated with male involvement in reproductive care in Bangladesh. BMC Public Health, 2017, 17, 3.	1.2	47
39	Physical inactivity and self-reported depression among middle- and older-aged population in South Asia: World health survey. BMC Geriatrics, 2017, 17, 100.	1.1	52
40	Urban-rural differentials in the uptake of mammography and cervical cancer screening in Kenya. Journal of Cancer Policy, 2017, 12, 43-48.	0.6	10
41	Association between depression and fruit and vegetable consumption among adults in South Asia. BMC Psychiatry, 2017, 17, 15.	1.1	49
42	Lifestyle Behaviors, Subjective Health, and Quality of Life Among Chinese Men Living With Type 2 Diabetes. American Journal of Men's Health, 2017, 11, 357-364.	0.7	17
43	Diabetes mellitus and high blood pressure in relation to BMI among adult non-pregnant women in Bangladesh. Diabetes and Metabolic Syndrome: Clinical Research and Reviews, 2017, 11, S217-S221.	1.8	9
44	Unmet need for contraception and its association with unintended pregnancy in Bangladesh. BMC Pregnancy and Childbirth, 2017, 17, 186.	0.9	66
45	Prevalence and determinants of childhood mortality in Nigeria. BMC Public Health, 2017, 17, 485.	1.2	57
46	Inadequate Utilization of Prenatal Care Services, Socioeconomic Status, and Educational Attainment Are Associated with Low Birth Weight in Zimbabwe. Frontiers in Public Health, 2017, 5, 35.	1.3	20
47	Social participation and perceived depression among elderly population in South Africa. Clinical Interventions in Aging, 2017, Volume 12, 971-976.	1.3	56
48	Burden of asthma, dyspnea, and chronic cough in South Asia. International Journal of COPD, 2017, Volume 12, 1093-1099.	0.9	40
49	Factors associated with the utilization of institutional delivery services in Bangladesh. PLoS ONE, 2017, 12, e0171573.	1.1	87
50	Timing and adequate attendance of antenatal care visits among women in Ethiopia. PLoS ONE, 2017, 12, e0184934.	1.1	104
51	Awareness and utilization of community clinic services among women in rural areas in Bangladesh: A cross-sectional study. PLoS ONE, 2017, 12, e0187303.	1.1	41
52	Disparities in the use of mobile phone for seeking childbirth services among women in the urban areas: Bangladesh Urban Health Survey. BMC Medical Informatics and Decision Making, 2017, 17, 182.	1.5	12
53	Urban-rural difference in satisfaction with primary healthcare services in Ghana. BMC Health Services Research, 2017, 17, 776.	0.9	40
54	Socioeconomic Disparities in Smoking Behavior and Early Smoking Initiation Among Men in Malawi. Tobacco Use Insights, 2017, 10, 1179173X1772629.	0.7	10

GHOSE BISHWAJIT

#	Article	IF	CITATIONS
55	Participation in physical activity and back pain among an elderly population in South Asia. Journal of Pain Research, 2017, Volume 10, 905-913.	0.8	11
56	Household food insecurity is independently associated with poor utilization of maternal healthcare services in Bangladesh. Facets, 2017, 2, 969-983.	1.1	4
57	Determinants of public malaria awareness during the national malaria elimination programme: a cross-sectional study in rural China. Malaria Journal, 2016, 15, 372.	0.8	15
58	Extent of Knowledge about HIV and Its Determinants among Men in Bangladesh. Frontiers in Public Health, 2016, 4, 246.	1.3	20
59	Improving the Blood Pressure Control With the ProActive Attitude of Hypertensive Patients Seeking Follow-up Services. Medicine (United States), 2016, 95, e3233.	0.4	21
60	Wealth, education and urban–rural inequality and maternal healthcare service usage in Malawi. BMJ Global Health, 2016, 1, e000085.	2.0	110
61	Trends and determinants of HIV/AIDS knowledge among women in Bangladesh. BMC Public Health, 2016, 16, 812.	1.2	57
62	What Contributes to the Activeness of Ethnic Minority Patients with Chronic Illnesses Seeking Allied Health Services? A Cross-Sectional Study in Rural Western China. International Journal of Environmental Research and Public Health, 2015, 12, 11579-11593.	1.2	22
63	Nutrition transition in South Asia: the emergence of non-communicable chronic diseases. F1000Research, 2015, 4, 8.	0.8	69
64	Nutrition transition in South Asia: the emergence of non-communicable chronic diseases. F1000Research, 2015, 4, 8.	0.8	40
65	Social Determinants of Infectious Diseases in South Asia. International Scholarly Research Notices, 2014, 2014, 1-10.	0.9	31
66	Trade Liberalization, Urbanization and Nutrition Transition in Asian Countries. Journal of Nutritional Health & Food Science, 2014, 2, .	0.3	18