

Per Broberg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/12015155/publications.pdf>

Version: 2024-02-01

20
papers

2,672
citations

623734

14
h-index

794594

19
g-index

20
all docs

20
docs citations

20
times ranked

5494
citing authors

#	ARTICLE	IF	CITATIONS
1	Association analysis identifies 65 new breast cancer risk loci. <i>Nature</i> , 2017, 551, 92-94.	27.8	1,099
2	Identification of 12 new susceptibility loci for different histotypes of epithelial ovarian cancer. <i>Nature Genetics</i> , 2017, 49, 680-691.	21.4	356
3	Identification of ten variants associated with risk of estrogen-receptor-negative breast cancer. <i>Nature Genetics</i> , 2017, 49, 1767-1778.	21.4	289
4	Expression of Genes Involved in Oxidative Stress Responses in Airway Epithelial Cells of Smokers with Chronic Obstructive Pulmonary Disease. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2007, 175, 577-586.	5.6	191
5	A transcriptome-wide association study of 229,000 women identifies new candidate susceptibility genes for breast cancer. <i>Nature Genetics</i> , 2018, 50, 968-978.	21.4	184
6	Genome-Wide Meta-Analyses of Breast, Ovarian, and Prostate Cancer Association Studies Identify Multiple New Susceptibility Loci Shared by at Least Two Cancer Types. <i>Cancer Discovery</i> , 2016, 6, 1052-1067.	9.4	157
7	Statistical methods for ranking differentially expressed genes. <i>Genome Biology</i> , 2003, 4, R41.	9.6	84
8	Associations of obesity and circulating insulin and glucose with breast cancer risk: a Mendelian randomization analysis. <i>International Journal of Epidemiology</i> , 2019, 48, 795-806.	1.9	81
9	Genome-wide association study of germline variants and breast cancer-specific mortality. <i>British Journal of Cancer</i> , 2019, 120, 647-657.	6.4	52
10	Statin use and breast cancer survival – a Swedish nationwide study. <i>BMC Cancer</i> , 2019, 19, 54.	2.6	51
11	Magnetic resonance imaging reveals altered distribution of hepatic fat in children with type 1 diabetes compared to controls. <i>Metabolism: Clinical and Experimental</i> , 2015, 64, 872-878.	3.4	30
12	Occupational sedentariness and breast cancer risk. <i>Acta Oncologica</i> , 2017, 56, 75-80.	1.8	21
13	Risk factors for subarachnoid haemorrhage: a nationwide cohort of 950 000 adults. <i>International Journal of Epidemiology</i> , 2019, 48, 2018-2025.	1.9	21
14	Desloratadine and loratadine stand out among common H ₁ -antihistamines for association with improved breast cancer survival. <i>Acta Oncologica</i> , 2020, 59, 1103-1109.	1.8	20
15	Physical activity and survival following breast cancer. <i>European Journal of Cancer Care</i> , 2019, 28, e13037.	1.5	15
16	Sample size re-assessment leading to a raised sample size does not inflate type I error rate under mild conditions. <i>BMC Medical Research Methodology</i> , 2013, 13, 94.	3.1	8
17	Conditional Estimation in Two-Stage Adaptive Designs. <i>Biometrics</i> , 2017, 73, 895-904.	1.4	6
18	Second generation antihistamines after breast cancer diagnosis to improve prognosis both in patients with ER+ and ER- breast cancer.. <i>Journal of Clinical Oncology</i> , 2015, 33, 3062-3062.	1.6	5

#	ARTICLE	IF	CITATIONS
19	Effects of antihistamine use on survival in breast cancer.. Journal of Clinical Oncology, 2018, 36, e12527-e12527.	1.6	2
20	Risk of male breast cancer in users of testosterone 5 α reductase inhibitors.. Journal of Clinical Oncology, 2016, 34, 1552-1552.	1.6	0