

Tandi E Matsha

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/120156/tandi-e-matsha-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

115 papers	8,689 citations	22 h-index	93 g-index
120 ext. papers	11,181 ext. citations	4.6 avg, IF	7.22 L-index

#	Paper	IF	Citations
115	Associations of leucocyte telomere length with cardio-metabolic risk profile in a South African HIV-infected population.. <i>Medicine (United States)</i> , 2022 , 101, e28642	1.8	
114	The Role of Glycated Albumin as a Biomarker of Glycemic Control in Diabetes and Chronic Kidney Disease. <i>Biomarkers in Disease</i> , 2022 , 1-25		
113	Cardiometabolic profile and leukocyte telomere length in a Black South African population.. <i>Scientific Reports</i> , 2022 , 12, 3323	4.9	
112	MicroRNAs associated with chronic kidney disease in the general population and high-risk subgroups: protocol for a systematic review and meta-analysis.. <i>BMJ Open</i> , 2022 , 12, e057500	3	1
111	Expression of whole blood miR-126-3p, -30a-5p, -1299, -182-5p and -30e-3p in chronic kidney disease in a South African community-based sample.. <i>Scientific Reports</i> , 2022 , 12, 4107	4.9	0
110	Combining HbA1c and glycated albumin improves detection of dysglycaemia in mixed-ancestry South Africans. <i>EClinicalMedicine</i> , 2022 , 101443	11.3	
109	Diagnosis and Treatment of MODY: An Updated Mini Review. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 9436	2.6	0
108	Two novel microRNAs and their association with absolute blood pressure parameters in an urban South African community. <i>Molecular Biology Reports</i> , 2021 , 48, 2553-2560	2.8	1
107	MicroRNA Profiles in Normotensive and Hypertensive South African Individuals. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 645541	5.4	2
106	MicroRNAs-1299, -126-3p and -30e-3p as Potential Diagnostic Biomarkers for Prediabetes. <i>Diagnostics</i> , 2021 , 11,	3.8	3
105	Novel Whole Blood MicroRNAs Predicting Chronic Kidney Disease in South Africans with Hypertension and Diabetes Mellitus. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 7674	2.6	1
104	Circulating Levels of MicroRNAs Associated With Hypertension: A Cross-Sectional Study in Male and Female South African Participants. <i>Frontiers in Genetics</i> , 2021 , 12, 710438	4.5	1
103	Expression Profiles of Circulating microRNAs in South African Type 2 Diabetic Individuals on Treatment. <i>Frontiers in Genetics</i> , 2021 , 12, 702410	4.5	1
102	Methylenetetrahydrofolate (MTHFR), the One-Carbon Cycle, and Cardiovascular Risks.. <i>Nutrients</i> , 2021 , 13,	6.7	5
101	Chronic Kidney Disease Modifies The Relationship Between Body Fat Distribution and Blood Pressure: A Cross-Sectional Analysis. <i>International Journal of Nephrology and Renovascular Disease</i> , 2020 , 13, 107-118	2.5	1
100	Comparison of single-slice CT and DXA-derived measures of central adiposity in South African women. <i>European Journal of Clinical Nutrition</i> , 2020 , 74, 1282-1289	5.2	2
99	Prevalence of Oral Mucosal Lesions and Relation to Serum Cotinine Levels-Findings from a Cross-Sectional Study in South Africa. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	2

98	The agreement between fasting glucose and markers of chronic glycaemic exposure in individuals with and without chronic kidney disease: a cross-sectional study. <i>BMC Nephrology</i> , 2020 , 21, 32	2.7	3
97	Metabolic effects of exposure to pesticides during gestation in female Wistar rats and their offspring: a risk factor for diabetes?. <i>Toxicological Research</i> , 2020 , 36, 249-256	3.7	8
96	Do Blood Group Antigens and the Red Cell Membrane Influence Human Immunodeficiency Virus Infection?. <i>Cells</i> , 2020 , 9,	7.9	8
95	Circulating miR-30a-5p and miR-182-5p in Prediabetes and Screen-Detected Diabetes Mellitus. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2020 , 13, 5037-5047	3.4	7
94	Incidence of and MODY Variants in a South African Population. <i>The Application of Clinical Genetics</i> , 2020 , 13, 209-219	3.1	2
93	Dental caries in a South African adult population: findings from the Cape Town Vascular and Metabolic Health Study. <i>International Dental Journal</i> , 2020 , 70, 176-182	2.2	2
92	Periodontal Disease Status among Adults from South Africa-Prevalence and Effect of Smoking. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	10
91	Visceral and subcutaneous adipose tissue association with metabolic syndrome and its components in a South African population. <i>Clinical Nutrition ESPEN</i> , 2019 , 32, 76-81	1.3	12
90	Leucocyte Telomere Length and Glucose Tolerance Status in Mixed-Ancestry South Africans. <i>Cells</i> , 2019 , 8,	7.9	3
89	Propensity of L., a Medicinal Plant Commonly Used in Diabetes Management, to Accumulate Perfluoroalkyl Substances. <i>Toxics</i> , 2019 , 7,	4.7	6
88	Reference interval determination for glycated albumin in defined subgroups of a South African population. <i>Annals of Clinical Biochemistry</i> , 2019 , 56, 480-487	2.2	8
87	Effect of model updating strategies on the performance of prevalent diabetes risk prediction models in a mixed-ancestry population of South Africa. <i>PLoS ONE</i> , 2019 , 14, e0211528	3.7	1
86	Full blood count and white cell differential count reference ranges obtained from a healthy urban South African population residing in the Western Cape of South Africa. <i>International Journal of Laboratory Hematology</i> , 2019 , 41, 635-641	2.5	8
85	Gestational Exposure to Pesticides Induces Oxidative Stress and Lipid Peroxidation in Offspring that Persist at Adult Age in an Animal Model. <i>Toxicological Research</i> , 2019 , 35, 241-248	3.7	15
84	The discriminatory power of visceral adipose tissue area vs anthropometric measures as a diagnostic marker for metabolic syndrome in South African women. <i>Diabetology and Metabolic Syndrome</i> , 2019 , 11, 93	5.6	2
83	Associations between body fat distribution and cardiometabolic risk factors in mixed-ancestry South African women and men. <i>Cardiovascular Journal of Africa</i> , 2019 , 30, 1-10	0.7	1
82	Glycated haemoglobin threshold for dysglycaemia screening, and application to metabolic syndrome diagnosis in HIV-infected Africans. <i>PLoS ONE</i> , 2019 , 14, e0211483	3.7	7
81	Chronic kidney disease in sub-Saharan Africa. <i>The Lancet Global Health</i> , 2019 , 7, e1587-e1588	13.6	3

80	Performance of glycated albumin for type 2 diabetes and prediabetes diagnosis in a South African population. <i>Clinica Chimica Acta</i> , 2019 , 488, 122-128	6.2	16
79	Measured Versus Calculated Small Dense LDL-Cholesterol and Cardiometabolic Traits in a South African Population. <i>Indian Journal of Clinical Biochemistry</i> , 2019 , 34, 304-311	2.2	1
78	The role of pollutants in type 2 diabetes mellitus (T2DM) and their prospective impact on phytomedicinal treatment strategies. <i>Environmental Monitoring and Assessment</i> , 2018 , 190, 262	3.1	5
77	The relationship between immunogenic red blood cell antigens and Human Immunodeficiency Virus infection. <i>Transfusion and Apheresis Science</i> , 2018 , 57, 58-62	2.4	3
76	Contributions of mean and shape of blood pressure distribution to worldwide trends and variations in raised blood pressure: a pooled analysis of 1018 population-based measurement studies with 88.6 million participants. <i>International Journal of Epidemiology</i> , 2018 , 47, 872-883i	7.8	40
75	Genetic factors contributing to hypertension in African-based populations: A systematic review and meta-analysis. <i>Journal of Clinical Hypertension</i> , 2018 , 20, 485-495	2.3	12
74	MicroRNA profiling and their pathways in South African individuals with prediabetes and newly diagnosed type 2 diabetes mellitus. <i>Oncotarget</i> , 2018 , 9, 30485-30498	3.3	19
73	Prevalence, detection, treatment, and control of hypertension in human immunodeficiency virus (HIV)-infected patients attending HIV clinics in the Western Cape Province, South Africa. <i>Medicine (United States)</i> , 2018 , 97, e12121	1.8	14
72	Haematological profile of chronic kidney disease in a mixed-ancestry South African population: a cross-sectional study. <i>BMJ Open</i> , 2018 , 8, e025694	3	8
71	An African perspective on the genetic risk of chronic kidney disease: a systematic review. <i>BMC Medical Genetics</i> , 2018 , 19, 187	2.1	8
70	Correlation of E-selectin concentrations with carotid intima-media thickness and cardio-metabolic profile of mixed ancestry South Africans: a cross-sectional study. <i>Annals of Clinical Biochemistry</i> , 2017 , 54, 92-100	2.2	3
69	Alternative indices of glucose homeostasis as biochemical diagnostic tests for abnormal glucose tolerance in an African setting. <i>Primary Care Diabetes</i> , 2017 , 11, 119-131	2.4	28
68	Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 12819 million children, adolescents, and adults. <i>Lancet, The</i> , 2017 , 390, 2627-2642	40	2980
67	Metabolic Syndrome in People Living with Human Immunodeficiency Virus: An Assessment of the Prevalence and the Agreement between Diagnostic Criteria. <i>International Journal of Endocrinology</i> , 2017 , 2017, 1613657	2.7	11
66	Differential prevalence and associations of overweight and obesity by gender and population group among school learners in South Africa: a cross-sectional study. <i>BMC Obesity</i> , 2017 , 4, 29	3.6	18
65	Recent developments in polyfluoroalkyl compounds research: a focus on human/environmental health impact, suggested substitutes and removal strategies. <i>Environmental Monitoring and Assessment</i> , 2017 , 189, 402	3.1	17
64	Platelet, monocyte and neutrophil activation and glucose tolerance in South African Mixed Ancestry individuals. <i>Scientific Reports</i> , 2017 , 7, 40329	4.9	7
63	Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with 191 million participants. <i>Lancet, The</i> , 2017 , 389, 37-55	40	1100

62	A global multicenter study on reference values: 2. Exploration of sources of variation across the countries. <i>Clinica Chimica Acta</i> , 2017 , 467, 83-97	6.2	29
61	Are Aquaporins (AQPs) the Gateway that Conduits Nutrients, Persistent Organic Pollutants and Perfluoroalkyl Substances (PFASs) into Plants?. <i>Springer Science Reviews</i> , 2017 , 5, 31-48		3
60	Trends in obesity and diabetes across Africa from 1980 to 2014: an analysis of pooled population-based studies. <i>International Journal of Epidemiology</i> , 2017 , 46, 1421-1432	7.8	127
59	Optimal waist circumference threshold for diagnosing metabolic syndrome in African people living with HIV infection. <i>PLoS ONE</i> , 2017 , 12, e0183029	3.7	3
58	High Molecular Weight Adiponectin Levels are Neither Influenced by Adiponectin Polymorphisms Nor Associated with Insulin Resistance in Mixed-ancestry Hyperglycemic Subjects from South Africa. <i>Journal of Medical Biochemistry</i> , 2016 , 35, 416-427	1.9	2
57	The iron status of a healthy South African adult population. <i>Clinica Chimica Acta</i> , 2016 , 460, 240-5	6.2	23
56	Genetic risk of type 2 diabetes in populations of the African continent: A systematic review and meta-analyses. <i>Diabetes Research and Clinical Practice</i> , 2016 , 114, 136-50	7.4	19
55	Differential DNA methylation of microRNAs within promoters, intergenic and intragenic regions of type 2 diabetic, pre-diabetic and non-diabetic individuals. <i>Clinical Biochemistry</i> , 2016 , 49, 433-438	3.5	19
54	Glucose Tolerance, C677T and G894T Polymorphisms, and Global DNA Methylation in Mixed Ancestry African Individuals. <i>Journal of Diabetes Research</i> , 2016 , 2016, 8738072	3.9	10
53	Genome-Wide DNA Methylation in Mixed Ancestry Individuals with Diabetes and Prediabetes from South Africa. <i>International Journal of Endocrinology</i> , 2016 , 2016, 3172093	2.7	9
52	The Distribution of Obesity Phenotypes in HIV-Infected African Population. <i>Nutrients</i> , 2016 , 8,	6.7	9
51	Trends in adult body-mass index in 200 countries from 1975 to 2014: a pooled analysis of 1698 population-based measurement studies with 1912 million participants. <i>Lancet, The</i> , 2016 , 387, 1377-1396 ⁴⁰		2787
50	Derivation and validation of an HbA1c optimal cutoff for diagnosing prediabetes in a South African mixed ancestry population. <i>Clinica Chimica Acta</i> , 2015 , 448, 215-9	6.2	8
49	Effects of diabetes definition on global surveillance of diabetes prevalence and diagnosis: a pooled analysis of 96 population-based studies with 331,288 participants. <i>Lancet Diabetes and Endocrinology, the</i> , 2015 , 3, 624-37	18.1	109
48	Reporting and handling of missing data in predictive research for prevalent undiagnosed type 2 diabetes mellitus: a systematic review. <i>EPMA Journal</i> , 2015 , 6, 7	8.8	23
47	Validation of two prediction models of undiagnosed chronic kidney disease in mixed-ancestry South Africans. <i>BMC Nephrology</i> , 2015 , 16, 94	2.7	10
46	APOL1 genetic variants, chronic kidney diseases and hypertension in mixed ancestry South Africans. <i>BMC Genetics</i> , 2015 , 16, 69	2.6	9
45	Genetic association studies of obesity in Africa: a systematic review. <i>Obesity Reviews</i> , 2015 , 16, 259-72	10.6	16

44	Independent external validation and comparison of prevalent diabetes risk prediction models in a mixed-ancestry population of South Africa. <i>Diabetology and Metabolic Syndrome</i> , 2015 , 7, 42	5.6	10
43	Predictive modeling for incident and prevalent diabetes risk evaluation. <i>Expert Review of Endocrinology and Metabolism</i> , 2015 , 10, 277-284	4.1	3
42	Effects of Different Missing Data Imputation Techniques on the Performance of Undiagnosed Diabetes Risk Prediction Models in a Mixed-Ancestry Population of South Africa. <i>PLoS ONE</i> , 2015 , 10, e0139210	3.7	9
41	Recalibration in Validation Studies of Diabetes Risk Prediction Models: A Systematic Review. <i>International Journal of Statistics in Medical Research</i> , 2015 , 4, 347-369	3	4
40	Contribution of ENPP1, TCF7L2, and FTO polymorphisms to type 2 diabetes in mixed ancestry ethnic population of South Africa. <i>African Health Sciences</i> , 2015 , 15, 1149-60	1.1	14
39	The fat mass and obesity-associated FTO rs9939609 polymorphism is associated with elevated homocysteine levels in patients with multiple sclerosis screened for vascular risk factors. <i>Metabolic Brain Disease</i> , 2014 , 29, 409-19	3.9	26
38	Proliferator-activated receptor gamma Pro12Ala interacts with the insulin receptor substrate 1 Gly972Arg and increase the risk of insulin resistance and diabetes in the mixed ancestry population from South Africa. <i>BMC Genetics</i> , 2014 , 15, 10	2.6	13
37	Deterioration, improvement of kidney function over time and determinants in the Cape Town Bellville South cohort. <i>Nephrology</i> , 2014 , 19, 638-47	2.2	1
36	Effects of diabetes mellitus on amyotrophic lateral sclerosis: a systematic review. <i>BMC Research Notes</i> , 2014 , 7, 171	2.3	25
35	Low prevalence of human herpesvirus-6 and varicella zoster virus in blood of multiple sclerosis patients, irrespective of inflammatory status or disease progression. <i>Journal of Clinical Neuroscience</i> , 2014 , 21, 1437-40	2.2	11
34	No evidence for association of insulin receptor substrate-1 Gly972Arg variant with type 2 diabetes mellitus in a mixed-ancestry population of South Africa. <i>South African Medical Journal</i> , 2014 , 104, 420-3	1.5	4
33	Obesity phenotypes and subclinical cardiovascular diseases in a mixed-ancestry South African population: a cross-sectional study. <i>Journal of Diabetes</i> , 2014 , 6, 267-70	3.8	3
32	Comparison of LDL-cholesterol estimate using the Friedewald formula and the newly proposed de Cordova formula with a directly measured LDL-cholesterol in a healthy South African population. <i>Annals of Clinical Biochemistry</i> , 2014 , 51, 672-9	2.2	21
31	Gamma-glutamyltransferase, insulin resistance and cardiometabolic risk profile in a middle-aged African population. <i>European Journal of Preventive Cardiology</i> , 2014 , 21, 1541-8	3.9	11
30	Risk predictive modelling for diabetes and cardiovascular disease. <i>Critical Reviews in Clinical Laboratory Sciences</i> , 2014 , 51, 1-12	9.4	18
29	The impact of chronic untreated hyperglycaemia on the long-term stability of paraoxonase 1 (PON1) and antioxidant status in human sera. <i>Journal of Clinical Pathology</i> , 2014 , 67, 55-9	3.9	2
28	Mini review article. Human herpesvirus-6 and the etiology of multiple sclerosis: a literature review. <i>Asian Biomedicine</i> , 2014 , 8, 303-313	0.4	
27	Chronic kidney diseases in mixed ancestry south African populations: prevalence, determinants and concordance between kidney function estimators. <i>BMC Nephrology</i> , 2013 , 14, 75	2.7	40

26	Three-year changes in glucose tolerance status in the Bellville South cohort: rates and phenotypes associated with progression. <i>Diabetes Research and Clinical Practice</i> , 2013 , 99, 223-30	7.4	12
25	Derivation and validation of a waist circumference optimal cutoff for diagnosing metabolic syndrome in a South African mixed ancestry population. <i>International Journal of Cardiology</i> , 2013 , 168, 2954-5	3.2	23
24	Multiple sclerosis-associated retrovirus and related human endogenous retrovirus-W in patients with multiple sclerosis: a literature review. <i>Journal of Neuroimmunology</i> , 2013 , 263, 8-12	3.5	12
23	Diabetes mellitus and inflammation. <i>Current Diabetes Reports</i> , 2013 , 13, 435-44	5.6	355
22	Phospholipase A2, prostaglandin E2 and polyunsaturated fatty acid metabolic abnormalities in multiple sclerosis. <i>Clinical and Experimental Neuroimmunology</i> , 2013 , 4, 288-295	0.4	2
21	Optimal waist-to-height ratio values for cardiometabolic risk screening in an ethnically diverse sample of South African urban and rural school boys and girls. <i>PLoS ONE</i> , 2013 , 8, e71133	3.7	19
20	Assessment of Epstein-Barr virus in blood from patients with multiple sclerosis. <i>Metabolic Brain Disease</i> , 2012 , 27, 311-8	3.9	8
19	Exploring leukocyte O-GlcNAcylation as a novel diagnostic tool for the earlier detection of type 2 diabetes mellitus. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 4640-9	5.6	39
18	Polymorphisms in the non-muscle myosin heavy chain gene (MYH9) are associated with lower glomerular filtration rate in mixed ancestry diabetic subjects from South Africa. <i>PLoS ONE</i> , 2012 , 7, e52529	3.7	8
17	High prevalence of diabetes mellitus and metabolic syndrome in a South African coloured population: baseline data of a study in Bellville, Cape Town. <i>South African Medical Journal</i> , 2012 , 102, 841-4	1.5	88
16	Non-esterified fatty acids in blood cell membranes from patients with multiple sclerosis. <i>European Journal of Lipid Science and Technology</i> , 2012 , 114, 703-709	3	4
15	Molecular analysis of ceruloplasmin in a South African cohort presenting with oesophageal cancer. <i>International Journal of Cancer</i> , 2012 , 131, 623-32	7.5	5
14	Peripheral blood mononuclear cell membrane fluidity and disease outcome in patients with multiple sclerosis. <i>Indian Journal of Hematology and Blood Transfusion</i> , 2012 , 28, 1-6	0.7	7
13	The growing importance of PON1 in cardiovascular health: a review. <i>Journal of Cardiovascular Medicine</i> , 2012 , 13, 443-53	1.9	22
12	The 30-year cardiovascular risk profile of South Africans with diagnosed diabetes, undiagnosed diabetes, pre-diabetes or normoglycaemia: the Bellville, South Africa pilot study. <i>Cardiovascular Journal of Africa</i> , 2012 , 23, 5-11	0.7	38
11	Monounsaturated fatty acids in blood cell membranes from patients with multiple sclerosis. <i>Inflammation</i> , 2011 , 34, 681-7	5.1	2
10	HbA1c of 6.5% to diagnose diabetes mellitus -- does it work for us? -- the Bellville South Africa study. <i>PLoS ONE</i> , 2011 , 6, e22558	3.7	41
9	Negative association of MC3R variants with weight and blood pressure in Cape Town pupils aged 11 - 16 years. <i>South African Medical Journal</i> , 2011 , 101, 417-20	1.5	6

8	Membrane saturated fatty acids and disease progression in multiple sclerosis patients. <i>Metabolic Brain Disease</i> , 2009 , 24, 561-8	3.9	9
7	Red blood cell membrane fluidity in the etiology of multiple sclerosis. <i>Journal of Membrane Biology</i> , 2009 , 232, 25-34	2.3	16
6	Erythrocyte membrane fatty acids in patients with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2009 , 15, 759-62	5	15
5	Metabolic syndrome in 10-16-year-old learners from the Western Cape, South Africa: Comparison of the NCEP ATP III and IDF criteria. <i>Atherosclerosis</i> , 2009 , 205, 363-6	3.1	12
4	Immune cell membrane fatty acids and inflammatory marker, C-reactive protein, in patients with multiple sclerosis. <i>British Journal of Nutrition</i> , 2009 , 102, 1334-40	3.6	21
3	Traditional home-brewed beer consumption and iron status in patients with esophageal cancer and healthy control subjects from Transkei, South Africa. <i>Nutrition and Cancer</i> , 2006 , 56, 67-73	2.8	19
2	Importance of family history in type 2 black South African diabetic patients. <i>Postgraduate Medical Journal</i> , 2001 , 77, 323-5	2	32
1	Assessment of glycaemic control in stable type 2 black South African diabetics attending a peri-urban clinic. <i>Postgraduate Medical Journal</i> , 1999 , 75, 603-6	2	28