## Giovanni Gambassi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/12016995/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Potentially Inappropriate Medication Use Among Elderly Home Care Patients in Europe. JAMA - Journal of the American Medical Association, 2005, 293, 1348.	3.8	562
2	Adverse Drug Reactions as Cause of Hospital Admissions: Results from the Italian Group of Pharmacoepidemiology in the Elderly (GIFA). Journal of the American Geriatrics Society, 2002, 50, 1962-1968.	1.3	411
3	Minimum Data Set for Home Care. Medical Care, 2000, 38, 1184-1190.	1.1	409
4	Heart failure, chronic diuretic use, and increase in mortality and hospitalization: an observational study using propensity score methods. European Heart Journal, 2006, 27, 1431-1439.	1.0	398
5	Randomised trial of impact of model of integrated care and case management for older people living in the community. BMJ: British Medical Journal, 1998, 316, 1348-1351.	2.4	370
6	Correlates and Management of Nonmalignant Pain in the Nursing Home. Journal of the American Geriatrics Society, 1999, 47, 936-942.	1.3	288
7	How the Intricate Interaction among Toll-Like Receptors, Microbiota, and Intestinal Immunity Can Influence Gastrointestinal Pathology. Journal of Immunology Research, 2015, 2015, 1-12.	0.9	193
8	Body Mass Index and Mortality Among Older People Living in the Community. Journal of the American Geriatrics Society, 1999, 47, 1072-1076.	1.3	186
9	Validity of Diagnostic and Drug Data in Standardized Nursing Home Resident Assessments. Medical Care, 1998, 36, 167-179.	1.1	180
10	Impact of inappropriate drug use among hospitalized older adults. European Journal of Clinical Pharmacology, 2005, 61, 453-459.	0.8	160
11	Association of Community-Acquired Pneumonia With Antipsychotic Drug Use in Elderly Patients. Annals of Internal Medicine, 2010, 152, 418.	2.0	132
12	Pain in European long-term care facilities: Cross-national study in Finland, Italy and the Netherlands. Pain, 2010, 148, 70-74.	2.0	131
13	Community care in Europe. The Aged in HOme Care project (AdHOC). Aging Clinical and Experimental Research, 2004, 16, 259-269.	1.4	130
14	Management of heart failure among very old persons living in long-term care: Has the voice of trials spread?. American Heart Journal, 2000, 139, 85-93.	1.2	124
15	The comprehensive geriatric assessment: when, where, how. Critical Reviews in Oncology/Hematology, 2000, 33, 45-56.	2.0	109
16	Multidimensional Geriatric Assessment: Back to the Future Second and Third Generation Assessment Instruments: The Birth of Standardization in Geriatric Care. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2008, 63, 308-313.	1.7	107
17	Inappropriate medication use among hospitalized older adults in Italy: results from the Italian Group of Pharmacoepidemiology in the Elderly. European Journal of Clinical Pharmacology, 2003, 59, 157-162.	0.8	103
18	Polypharmacy and Mortality Among Nursing Home Residents With Advanced Cognitive Impairment: Results From the Shelter Study. Journal of the American Medical Directors Association, 2013, 14, 450.e7-450.e12.	1.2	103

#	Article	IF	CITATIONS
19	Effectiveness of a multimodal intervention in functionally impaired older people with type 2 diabetes mellitus. Journal of Cachexia, Sarcopenia and Muscle, 2019, 10, 721-733.	2.9	98
20	Use of antipsychotics in elderly patients with dementia: Do atypical and conventional agents have a similar safety profile?. Pharmacological Research, 2009, 59, 1-12.	3.1	93
21	Cerebrovascular Events Among Elderly Nursing Home Patients Treated With Conventional or Atypical Antipsychotics. Journal of Clinical Psychiatry, 2005, 66, 1090-1096.	1.1	92
22	Effects of Angiotensin-Converting Enzyme Inhibitors and Digoxin on Health Outcomes of Very Old Patients With Heart Failure. Archives of Internal Medicine, 2000, 160, 53.	4.3	91
23	All-Cause Mortality Associated With Atypical and Conventional Antipsychotics Among Nursing Home Residents With Dementia. Journal of Clinical Psychiatry, 2009, 70, 1340-1347.	1.1	88
24	Physical function and perceived quality of life in older persons. Aging Clinical and Experimental Research, 2012, 24, 68-73.	1.4	86
25	Quality of dying and quality of end-of-life care of nursing home residents in six countries: An epidemiological study. Palliative Medicine, 2018, 32, 1584-1595.	1.3	82
26	Conventional or Atypical Antipsychotics and the Risk of Femur Fracture Among Elderly Patients. Journal of Clinical Psychiatry, 2007, 68, 929-934.	1.1	82
27	Impact of Integrated Home Care Services on Hospital Use. Journal of the American Geriatrics Society, 1999, 47, 1430-1434.	1.3	80
28	The Use of Atypical Antipsychotics in Nursing Homes. Journal of Clinical Psychiatry, 2003, 64, 1106-1112.	1.1	78
29	The palliative care knowledge of nursing home staff: The EU FP7 PACE cross-sectional survey in 322 nursing homes in six European countries. Palliative Medicine, 2018, 32, 1487-1497.	1.3	73
30	Functional Status and Mortality in Older Women With Gynecological Cancer. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2013, 68, 1129-1133.	1.7	72
31	Palliative Care Development in European Care Homes and Nursing Homes: Application of a Typology of Implementation. Journal of the American Medical Directors Association, 2017, 18, 550.e7-550.e14.	1.2	68
32	Sarilumab use in severe SARS-CoV-2 pneumonia. EClinicalMedicine, 2020, 27, 100553.	3.2	66
33	Moderate alcohol consumption and adverse drug reactions among older adults. Pharmacoepidemiology and Drug Safety, 2002, 11, 385-392.	0.9	65
34	Impact of a New Assessment System, the MDS-HC, on Function and Hospitalization of Homebound Older People: A Controlled Clinical Trial. Journal of the American Geriatrics Society, 2001, 49, 1288-1293.	1.3	64
35	Evaluation of a Palliative Care Program for Nursing Homes in 7 Countries. JAMA Internal Medicine, 2020, 180, 233.	2.6	62
36	Prevalence, Clinical Correlates, and Treatment of Hypertension in Elderly Nursing Home Residents. Archives of Internal Medicine, 1998, 158, 2377.	4.3	61

#	Article	IF	CITATIONS
37	Association Between Pain and Depression Among Older Adults in Europe. Journal of Clinical Psychiatry, 2005, 66, 982-988.	1.1	61
38	Adverse drug reactions and cognitive function among hospitalized older adults. European Journal of Clinical Pharmacology, 2002, 58, 371-377.	0.8	56
39	Intramitochondrial free calcium in cardiac myocytes in relation to dehydrogenase activation. Cardiovascular Research, 1993, 27, 1840-1844.	1.8	53
40	NSAID-Related Psychiatric Adverse Events. Drugs, 2004, 64, 2619-2627.	4.9	53
41	Risk of Ischemic Stroke Associated With Antidepressant Drug Use in Elderly Persons. Journal of Clinical Psychopharmacology, 2010, 30, 252-258.	0.7	51
42	A propensity-matched study of the effect of diabetes on the natural history of heart failure: variations by sex and age. Heart, 2006, 93, 1584-1590.	1.2	50
43	Variations in quality of Home Care between sites across Europe, as measured by Home Care Quality Indicators. Aging Clinical and Experimental Research, 2007, 19, 323-329.	1.4	50
44	Use of Antipsychotic Drugs Among Residents With Dementia in European Long-Term Care Facilities: Results From the SHELTER Study. Journal of the American Medical Directors Association, 2014, 15, 911-917.	1.2	48
45	The Microbiota and Immune System Crosstalk in Health and Disease. Mediators of Inflammation, 2018, 2018, 1-3.	1.4	48
46	Comparing Palliative Care in Care Homes Across Europe (PACE): Protocol of a Cross-sectional Study of Deceased Residents in 6 EU Countries. Journal of the American Medical Directors Association, 2016, 17, 566.e1-566.e7.	1.2	47
47	Antipsychotic use in elderly patients and the risk of pneumonia. Expert Opinion on Drug Safety, 2015, 14, 1-6.	1.0	42
48	Integrating palliative care in long-term care facilities across Europe (PACE): protocol of a cluster randomized controlled trial of the â€~PACE Steps to Success' intervention in seven countries. BMC Palliative Care, 2018, 17, 47.	0.8	39
49	The Interplay between Immunity and Microbiota at Intestinal Immunological Niche: The Case of Cancer. International Journal of Molecular Sciences, 2019, 20, 501.	1.8	39
50	Strategies for the implementation of palliative care education and organizational interventions in long-term care facilities: A scoping review. Palliative Medicine, 2020, 34, 558-570.	1.3	39
51	Oxidative and Nonoxidative Benzodiazepines and the Risk of Femur Fracture. Journal of Clinical Psychopharmacology, 2000, 20, 234-239.	0.7	39
52	Comorbidity and Drug Use in Cognitively Impaired Elderly Living in Long-Term Care. Dementia and Geriatric Cognitive Disorders, 1998, 9, 347-356.	0.7	38
53	THE SAGE DATABASE: INTRODUCING FUNCTIONAL OUTCOMES IN GERIATRIC PHARMACOâ€EPIDEMIOLOGY. Journal of the American Geriatrics Society, 1998, 46, 251-252.	1.3	38
54	Impact of the Type and Severity of Dementia on Hospitalization and Survival of the Elderly. Dementia and Geriatric Cognitive Disorders, 1999, 10, 121-129.	0.7	37

#	Article	IF	CITATIONS
55	Pharmacologic treatment of diabetes in long-term care. Journal of Clinical Epidemiology, 2001, 54, 525-530.	2.4	37
56	Dying in long-term care facilities in Europe: the PACE epidemiological study of deceased residents in six countries. BMC Public Health, 2019, 19, 1199.	1.2	37
57	The impact of age on risk of adverse drug reactions to digoxin. Journal of Clinical Epidemiology, 1993, 46, 1305-1314.	2.4	36
58	Serum cholesterol levels and in-hospital mortality in the elderly. American Journal of Medicine, 2003, 115, 265-271.	0.6	35
59	Palliative Care Implementation in Long-Term Care Facilities: European Association for Palliative Care White Paper. Journal of the American Medical Directors Association, 2020, 21, 1051-1057.	1.2	34
60	The Effect of Safety Warnings on Antipsychotic Drug Prescribing in Elderly Persons with Dementia in the United Kingdom and Italy: A Population-Based Study. CNS Drugs, 2016, 30, 1097-1109.	2.7	33
61	Treatment of osteoporosis among older adults discharged from hospital in Italy. European Journal of Clinical Pharmacology, 2001, 57, 599-604.	0.8	31
62	Changes in the prescribing pattern of antidepressant drugs in elderly patients: an Italian, nationwide, population-based study. European Journal of Clinical Pharmacology, 2014, 70, 469-478.	0.8	31
63	Advance directives in European long-term care facilities: a cross-sectional survey. BMJ Supportive and Palliative Care, 2022, 12, e393-e402.	0.8	30
64	Identification of a Circulating Amino Acid Signature in Frail Older Persons with Type 2 Diabetes Mellitus: Results from the Metabofrail Study. Nutrients, 2020, 12, 199.	1.7	30
65	The Intricate Link among Gut "Immunological Niche,―Microbiota, and Xenobiotics in Intestinal Pathology. Mediators of Inflammation, 2017, 2017, 1-12.	1.4	27
66	Evaluating the implementation of the PACE Steps to Success Programme in long-term care facilities in seven countries according to the RE-AIM framework. Implementation Science, 2019, 14, 107.	2.5	26
67	Shaping home care in Europe: The contribution of the Aged in Home Care project. Maturitas, 2009, 62, 235-242.	1.0	25
68	Onco-Geriatric Approach for the Management of Older Patients withÂCancer. Journal of the American Medical Directors Association, 2011, 12, 153-159.	1.2	24
69	Palliative care provision in long-term care facilities differs across Europe: Results of a cross-sectional study in six European countries (PACE). Palliative Medicine, 2019, 33, 1176-1188.	1.3	24
70	Functional Status and Clinical Correlates in Cognitively Impaired Community-Living Older People. Journal of Geriatric Psychiatry and Neurology, 2001, 14, 21-27.	1.2	23
71	Heart Failure Among Older Adults in Skilled Nursing Facilities: More of a Dilemma Than Many Now Realize. Current Geriatrics Reports, 2015, 4, 318-326.	1.1	19
72	The Interplay between Immunosenescence and Microbiota in the Efficacy of Vaccines. Vaccines, 2020, 8, 636.	2.1	18

#	Article	IF	CITATIONS
73	Length of stay in long-term care facilities: a comparison of residents in six European countries. Results of the PACE cross-sectional study. BMJ Open, 2020, 10, e033881.	0.8	15
74	Antiischemic Therapy in Patients with Coronary Heart Disease Living in Long-term Care. Pharmacotherapy, 1999, 19, 627-634.	1.2	14
75	Physical restraining of nursing home residents in the last week of life: An epidemiological study in six European countries. International Journal of Nursing Studies, 2020, 104, 103511.	2.5	13
76	Risk of burnout and stress in physicians working in a COVID team: A longitudinal survey. International Journal of Clinical Practice, 2021, 75, e14755.	0.8	13
77	Opioid, antipsychotic and hypnotic use in end of life in long-term care facilities in six European countries: results of PACE. European Journal of Public Health, 2019, 29, 74-79.	0.1	12
78	Association of serum creatinine and age with headache caused by nitrates*. Clinical Pharmacology and Therapeutics, 1995, 58, 470-481.	2.3	11
79	Is Drug Use by the Elderly with Cognitive Impairment Influenced by Type of Dementia?. Pharmacotherapy, 1999, 19, 430-436.	1.2	11
80	Opioid underuse in terminal care of long-term care facility residents with pain and/or dyspnoea: A cross-sectional PACE-survey in six European countries. Palliative Medicine, 2020, 34, 784-794.	1.3	11
81	Impact of Hospitalization on Blood Pressure Control in Italy: Results from the Italian Group of Pharmacoepidemiology in the Elderly (GIFA). Pharmacotherapy, 2003, 23, 240-247.	1.2	10
82	Race and the Natural History of Chronic Heart Failure: A Propensity-Matched Study. Journal of Cardiac Failure, 2008, 14, 373-378.	0.7	10
83	Prevalence and Correlates of Cardiovascular Medication Use Among Nursing Home Residents With Ischemic Heart Disease: Results From the SHELTER Study. Journal of the American Medical Directors Association, 2014, 15, 410-415.	1.2	10
84	Measuring Health Outcomes for Older People Using the Sage Database. Canadian Journal on Aging, 2000, 19, 67-86.	0.6	9
85	Who are they? Patients with heart failure in American skilled nursing facilities. Journal of Cardiology, 2018, 71, 428-434.	0.8	9
86	Nonmalignant Pain Symptom Subgroups in Nursing Home Residents. Journal of Pain and Symptom Management, 2019, 57, 535-544.e1.	0.6	9
87	Hospitalisation in the last month of life and in-hospital death of nursing home residents: a cross-sectional analysis of six European countries. BMJ Open, 2021, 11, e047086.	0.8	9
88	Vaccines, Microbiota and Immunonutrition: Food for Thought. Vaccines, 2022, 10, 294.	2.1	9
89	The "Metabolic biomarkers of frailty in older people with type 2 diabetes mellitus―(MetaboFrail) study: Rationale, design and methods. Experimental Gerontology, 2020, 129, 110782.	1.2	8
90	NONâ€INSULINâ€DEPENDENT DIABETES MELLITUS AND ALZHEIMER'S DISEASE. Journal of the American Geriatrics Society, 1997, 45, 654-654.	1.3	7

#	Article	IF	CITATIONS
91	A framework for cross-cultural development and implementation of complex interventions to improve palliative care in nursing homes: the PACE steps to success programme. BMC Health Services Research, 2019, 19, 745.	0.9	7
92	Perception of the Quality of Communication With Physicians Among Relatives of Dying Residents of Long-term Care Facilities in 6 European Countries: PACE Cross-Sectional Study. Journal of the American Medical Directors Association, 2020, 21, 331-337.	1.2	7
93	Associations between Length of Stay in Long Term Care Facilities and End of Life Care. Analysis of the PACE Cross-Sectional Study. International Journal of Environmental Research and Public Health, 2020, 17, 2742.	1.2	7
94	Prognostic role of hypothyroidism and low free-triiodothyronine levels in patients hospitalized with acute heart failure. Internal and Emergency Medicine, 2021, 16, 1477-1486.	1.0	7
95	Comfort and clinical events at the end of life of nursing home residents with and without dementia: The sixâ€country epidemiological PACE study. International Journal of Geriatric Psychiatry, 2020, 35, 719-727.	1.3	6
96	Lack of Effect of a Multicomponent Palliative Care Program for Nursing Home Residents on Hospital Use in the Last Month of Life and on Place of Death: A Secondary Analysis of a Multicountry Cluster Randomized Control Trial. Journal of the American Medical Directors Association, 2020, 21, 1973-1978.e2.	1.2	6
97	Mechanisms of Relaxation: Perspectives from Studies in Single Cardiac Cells. , 1994, , 149-165.		5
98	Pharmacotherapy Use in Older Patients With Heart Failure and Reduced Ejection Fraction After a Skilled Nursing Facility Stay. Journal of Cardiac Failure, 2017, 23, 843-851.	0.7	5
99	Surgical treatment of acute complicated diverticulitis in the elderly. Minerva Chirurgica, 2020, 74, 465-471.	0.8	5
100	Clinical Characteristics and Predictors of In-Hospital Mortality among Older Patients with Acute Heart Failure. Journal of Clinical Medicine, 2022, 11, 439.	1.0	5
101	Agreement of Nursing Home Staff With Palliative Care Principles: A PACE Cross-sectional Study Among Nurses and Care Assistants in Five European Countries. Journal of Pain and Symptom Management, 2019, 58, 824-834.	0.6	4
102	Decreased costs and retained QoL due to the †PACE Steps to Success' intervention in LTCFs: cost-effectiveness analysis of a randomized controlled trial. BMC Medicine, 2020, 18, 258.	2.3	4
103	No difference in effects of â€~PACE steps to success' palliative care program for nursing home residents with and without dementia: a pre-planned subgroup analysis of the seven-country PACE trial. BMC Palliative Care, 2021, 20, 39.	0.8	4
104	Study should have reported more data about associated diseases. BMJ: British Medical Journal, 2001, 323, 112-112.	2.4	4
105	Health Care for Older Persons, A Country Profile: Italy. Journal of the American Geriatrics Society, 1997, 45, 1519-1522.	1.3	3
106	Association between IgH enhancer hs1.2 and type 1 diabetes. Acta Diabetologica, 2018, 55, 443-448.	1.2	3
107	Technical-efficiency analysis of end-of-life care in long-term care facilities within Europe: A cross-sectional study of deceased residents in 6 EU countries (PACE). PLoS ONE, 2018, 13, e0204120.	1.1	3

Safety of Psychotropic Drugs in the Elderly. , 2016, , 285-297.

#	Article	IF	CITATIONS
109	An uncommon cause of acute flank pain: renal infarction. Internal and Emergency Medicine, 2019, 14, 485-488.	1.0	2
110	Factors Associated with Perception of the Quality of Physicians' End-of-life Communication in Long-Term Care Facilities: PACE Cross-Sectional Study. Journal of the American Medical Directors Association, 2020, 21, 439.e1-439.e8.	1.2	2
111	Vertebral artery halo sign to detect giant cell arteritis causing posterior circulation ischemic stroke. Internal and Emergency Medicine, 2020, 15, 711-713.	1.0	2
112	Predicting 30-day mortality and 30-day re-hospitalization risks in Medicare patients with heart failure discharged to skilled nursing facilities: development and validation of models using administrative data. The Journal of Nursing Home Research Sciences, 2019, 5, 60-67.	1.5	2
113	CONGESTIVE HEART FAILURE IN OLDER ADULTS. Journal of the American Geriatrics Society, 1998, 46, 1053-1054.	1.3	1
114	NURSE CASE MANAGEMENT OF FRAIL OLDER PEOPLE. Journal of the American Geriatrics Society, 2000, 48, 596-597.	1.3	1
115	Cancer in the Elderly: to Screen or Not to Screen?. Journal of the American Geriatrics Society, 2003, 51, 1816-1816.	1.3	1
116	Ruffled hair and fever in an old woman with Alzheimer's disease. Aging Clinical and Experimental Research, 2005, 17, 62-66.	1.4	1
117	Hypertension and Cognition: Enough to be Confused. Journal of the American Geriatrics Society, 2001, 49, 839-840.	1.3	0
118	PRACTICE DIFFERENCES BETWEEN THE UNITED STATES AND CANADA. Journal of the American Geriatrics Society, 2004, 52, 2148-2149.	1.3	0
119	A rare case of ANCA-associated cerebral vasculitis. Internal and Emergency Medicine, 2021, 16, 1085-1087.	1.0	О