

# Giovanni Gambassi

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/12016995/giovanni-gambassi-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

116  
papers

5,589  
citations

41  
h-index

73  
g-index

120  
ext. papers

6,358  
ext. citations

4.8  
avg, IF

5.02  
L-index

#	Paper	IF	Citations
116	Vaccines, Microbiota and Immunonutrition: Food for Thought.. <i>Vaccines</i> , <b>2022</b> , 10,	5.3	3
115	No difference in effects of PACE steps to success Palliative care program for nursing home residents with and without dementia: a pre-planned subgroup analysis of the seven-country PACE trial. <i>BMC Palliative Care</i> , <b>2021</b> , 20, 39	3	1
114	A rare case of ANCA-associated cerebral vasculitis. <i>Internal and Emergency Medicine</i> , <b>2021</b> , 16, 1085-1087.	3.7	1
113	Prognostic role of hypothyroidism and low free-triiodothyronine levels in patients hospitalized with acute heart failure. <i>Internal and Emergency Medicine</i> , <b>2021</b> , 16, 1477-1486	3.7	1
112	Hospitalisation in the last month of life and in-hospital death of nursing home residents: a cross-sectional analysis of six European countries. <i>BMJ Open</i> , <b>2021</b> , 11, e047086	3	2
111	Risk of burnout and stress in physicians working in a COVID team: A longitudinal survey. <i>International Journal of Clinical Practice</i> , <b>2021</b> , 75, e14755	2.9	5
110	Length of stay in long-term care facilities: a comparison of residents in six European countries. Results of the PACE cross-sectional study. <i>BMJ Open</i> , <b>2020</b> , 10, e033881	3	2
109	Comfort and clinical events at the end of life of nursing home residents with and without dementia: The six-country epidemiological PACE study. <i>International Journal of Geriatric Psychiatry</i> , <b>2020</b> , 35, 719-729	3.7	3
108	Palliative Care Implementation in Long-Term Care Facilities: European Association for Palliative Care White Paper. <i>Journal of the American Medical Directors Association</i> , <b>2020</b> , 21, 1051-1057	5.9	16
107	Strategies for the implementation of palliative care education and organizational interventions in long-term care facilities: A scoping review. <i>Palliative Medicine</i> , <b>2020</b> , 34, 558-570	5.5	20
106	Identification of a Circulating Amino Acid Signature in Frail Older Persons with Type 2 Diabetes Mellitus: Results from the Metabofrail Study. <i>Nutrients</i> , <b>2020</b> , 12,	6.7	10
105	Lack of Effect of a Multicomponent Palliative Care Program for Nursing Home Residents on Hospital Use in the Last Month of Life and on Place of Death: A Secondary Analysis of a Multicountry Cluster Randomized Control Trial. <i>Journal of the American Medical Directors Association</i> , <b>2020</b> , 21, 1973-1978.e2	5.9	1
104	Evaluation of a Palliative Care Program for Nursing Homes in 7 Countries: The PACE Cluster-Randomized Clinical Trial. <i>JAMA Internal Medicine</i> , <b>2020</b> , 180, 233-242	11.5	30
103	Factors Associated with Perception of the Quality of Physicians' End-of-life Communication in Long-Term Care Facilities: PACE Cross-Sectional Study. <i>Journal of the American Medical Directors Association</i> , <b>2020</b> , 21, 439.e1-439.e8	5.9	0
102	Physical restraining of nursing home residents in the last week of life: An epidemiological study in six European countries. <i>International Journal of Nursing Studies</i> , <b>2020</b> , 104, 103511	5.8	3
101	Vertebral artery halo sign to detect giant cell arteritis causing posterior circulation ischemic stroke. <i>Internal and Emergency Medicine</i> , <b>2020</b> , 15, 711-713	3.7	2
100	The "Metabolic biomarkers of frailty in older people with type 2 diabetes mellitus" (MetaboFrail) study: Rationale, design and methods. <i>Experimental Gerontology</i> , <b>2020</b> , 129, 110782	4.5	7

99	Decreased costs and retained QoL due to the PACE Steps to Success Intervention in LTCFs: cost-effectiveness analysis of a randomized controlled trial. <i>BMC Medicine</i> , <b>2020</b> , 18, 258	11.4	1
98	Sarilumab use in severe SARS-CoV-2 pneumonia. <i>EClinicalMedicine</i> , <b>2020</b> , 27, 100553	11.3	47
97	The Interplay between Immunosenescence and Microbiota in the Efficacy of Vaccines. <i>Vaccines</i> , <b>2020</b> , 8,	5.3	11
96	Perception of the Quality of Communication With Physicians Among Relatives of Dying Residents of Long-term Care Facilities in 6 European Countries: PACE Cross-Sectional Study. <i>Journal of the American Medical Directors Association</i> , <b>2020</b> , 21, 331-337	5.9	6
95	Associations between Length of Stay in Long Term Care Facilities and End of Life Care. Analysis of the PACE Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , <b>2020</b> , 17,	4.6	2
94	Opioid underuse in terminal care of long-term care facility residents with pain and/or dyspnoea: A cross-sectional PACE-survey in six European countries. <i>Palliative Medicine</i> , <b>2020</b> , 34, 784-794	5.5	7
93	Dying in long-term care facilities in Europe: the PACE epidemiological study of deceased residents in six countries. <i>BMC Public Health</i> , <b>2019</b> , 19, 1199	4.1	26
92	The Interplay between Immunity and Microbiota at Intestinal Immunological Niche: The Case of Cancer. <i>International Journal of Molecular Sciences</i> , <b>2019</b> , 20,	6.3	19
91	Advance directives in European long-term care facilities: a cross-sectional survey. <i>BMJ Supportive and Palliative Care</i> , <b>2019</b> ,	2.2	17
90	Effectiveness of a multimodal intervention in functionally impaired older people with type 2 diabetes mellitus. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , <b>2019</b> , 10, 721-733	10.3	56
89	Agreement of Nursing Home Staff With Palliative Care Principles: A PACE Cross-sectional Study Among Nurses and Care Assistants in Five European Countries. <i>Journal of Pain and Symptom Management</i> , <b>2019</b> , 58, 824-834	4.8	4
88	Palliative care provision in long-term care facilities differs across Europe: Results of a cross-sectional study in six European countries (PACE). <i>Palliative Medicine</i> , <b>2019</b> , 33, 1176-1188	5.5	11
87	A framework for cross-cultural development and implementation of complex interventions to improve palliative care in nursing homes: the PACE steps to success programme. <i>BMC Health Services Research</i> , <b>2019</b> , 19, 745	2.9	3
86	Predicting 30-day mortality and 30-day re-hospitalization risks in Medicare patients with heart failure discharged to skilled nursing facilities: development and validation of models using administrative data <b>2019</b> , 5, 60-67		1
85	Evaluating the implementation of the PACE Steps to Success Programme in long-term care facilities in seven countries according to the RE-AIM framework. <i>Implementation Science</i> , <b>2019</b> , 14, 107	8.4	11
84	An uncommon cause of acute flank pain: renal infarction. <i>Internal and Emergency Medicine</i> , <b>2019</b> , 14, 485-488	3.7	1
83	Nonmalignant Pain Symptom Subgroups in Nursing Home Residents. <i>Journal of Pain and Symptom Management</i> , <b>2019</b> , 57, 535-544.e1	4.8	4
82	Opioid, antipsychotic and hypnotic use in end of life in long-term care facilities in six European countries: results of PACE. <i>European Journal of Public Health</i> , <b>2019</b> , 29, 74-79	2.1	9

81	Surgical treatment of acute complicated diverticulitis in the elderly. <i>Minerva Chirurgica</i> , <b>2019</b> , 74, 465-470.8	4
80	Association between IgH enhancer hs1.2 and type 1 diabetes. <i>Acta Diabetologica</i> , <b>2018</b> , 55, 443-448	3.9 2
79	The palliative care knowledge of nursing home staff: The EU FP7 PACE cross-sectional survey in 322 nursing homes in six European countries. <i>Palliative Medicine</i> , <b>2018</b> , 32, 1487-1497	5.5 55
78	Integrating palliative care in long-term care facilities across Europe (PACE): protocol of a cluster randomized controlled trial of the PACE Steps to Success intervention in seven countries. <i>BMC Palliative Care</i> , <b>2018</b> , 17, 47	3 31
77	Who are they? Patients with heart failure in American skilled nursing facilities. <i>Journal of Cardiology</i> , <b>2018</b> , 71, 428-434	3 4
76	Technical-efficiency analysis of end-of-life care in long-term care facilities within Europe: A cross-sectional study of deceased residents in 6 EU countries (PACE). <i>PLoS ONE</i> , <b>2018</b> , 13, e0204120	3.7 2
75	Quality of dying and quality of end-of-life care of nursing home residents in six countries: An epidemiological study. <i>Palliative Medicine</i> , <b>2018</b> , 32, 1584-1595	5.5 51
74	Palliative Care Development in European Care Homes and Nursing Homes: Application of a Typology of Implementation. <i>Journal of the American Medical Directors Association</i> , <b>2017</b> , 18, 550.e7-550.e14	5.9 46
73	Pharmacotherapy Use in Older Patients With Heart Failure and Reduced Ejection Fraction After a Skilled Nursing Facility Stay. <i>Journal of Cardiac Failure</i> , <b>2017</b> , 23, 843-851	3.3 2
72	The Intricate Link among Gut "Immunological Niche," Microbiota, and Xenobiotics in Intestinal Pathology. <i>Mediators of Inflammation</i> , <b>2017</b> , 2017, 8390595	4.3 16
71	The Effect of Safety Warnings on Antipsychotic Drug Prescribing in Elderly Persons with Dementia in the United Kingdom and Italy: A Population-Based Study. <i>CNS Drugs</i> , <b>2016</b> , 30, 1097-1109	6.7 29
70	Comparing Palliative Care in Care Homes Across Europe (PACE): Protocol of a Cross-sectional Study of Deceased Residents in 6 EU Countries. <i>Journal of the American Medical Directors Association</i> , <b>2016</b> , 17, 566.e1-7	5.9 41
69	Safety of Psychotropic Drugs in the Elderly <b>2016</b> , 285-297	2
68	Heart Failure Among Older Adults in Skilled Nursing Facilities: More of a Dilemma Than Many Now Realize. <i>Current Geriatrics Reports</i> , <b>2015</b> , 4, 318-326	1.3 12
67	How the Intricate Interaction among Toll-Like Receptors, Microbiota, and Intestinal Immunity Can Influence Gastrointestinal Pathology. <i>Journal of Immunology Research</i> , <b>2015</b> , 2015, 489821	4.5 122
66	Prevalence and correlates of cardiovascular medication use among nursing home residents with ischemic heart disease: results from the SHELTER study. <i>Journal of the American Medical Directors Association</i> , <b>2014</b> , 15, 410-5	5.9 8
65	Use of antipsychotic drugs among residents with dementia in European long-term care facilities: results from the SHELTER study. <i>Journal of the American Medical Directors Association</i> , <b>2014</b> , 15, 911-7	5.9 35
64	Changes in the prescribing pattern of antidepressant drugs in elderly patients: an Italian, nationwide, population-based study. <i>European Journal of Clinical Pharmacology</i> , <b>2014</b> , 70, 469-78	2.8 25

63	Polypharmacy and mortality among nursing home residents with advanced cognitive impairment: results from the SHELTER study. <i>Journal of the American Medical Directors Association</i> , <b>2013</b> , 14, 450.e7-12	5.9	71
62	Functional status and mortality in older women with gynecological cancer. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2013</b> , 68, 1129-33	6.4	59
61	Physical function and perceived quality of life in older persons. <i>Aging Clinical and Experimental Research</i> , <b>2012</b> , 24, 68-73	4.8	61
60	Onco-geriatric approach for the management of older patients with cancer. <i>Journal of the American Medical Directors Association</i> , <b>2011</b> , 12, 153-9	5.9	15
59	Association of community-acquired pneumonia with antipsychotic drug use in elderly patients: a nested case-control study. <i>Annals of Internal Medicine</i> , <b>2010</b> , 152, 418-25, W139-40	8	110
58	Risk of ischemic stroke associated with antidepressant drug use in elderly persons. <i>Journal of Clinical Psychopharmacology</i> , <b>2010</b> , 30, 252-8	1.7	42
57	Pain in European long-term care facilities: cross-national study in Finland, Italy and The Netherlands. <i>Pain</i> , <b>2010</b> , 148, 70-74	8	102
56	Shaping home care in Europe: the contribution of the Aged in Home Care project. <i>Maturitas</i> , <b>2009</b> , 62, 235-42	5	23
55	Use of antipsychotics in elderly patients with dementia: do atypical and conventional agents have a similar safety profile?. <i>Pharmacological Research</i> , <b>2009</b> , 59, 1-12	10.2	78
54	All-cause mortality associated with atypical and conventional antipsychotics among nursing home residents with dementia: a retrospective cohort study. <i>Journal of Clinical Psychiatry</i> , <b>2009</b> , 70, 1340-7	4.6	78
53	Race and the natural history of chronic heart failure: a propensity-matched study. <i>Journal of Cardiac Failure</i> , <b>2008</b> , 14, 373-8	3.3	10
52	Second and third generation assessment instruments: the birth of standardization in geriatric care. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2008</b> , 63, 308-13	6.4	86
51	A propensity-matched study of the effect of diabetes on the natural history of heart failure: variations by sex and age. <i>Heart</i> , <b>2007</b> , 93, 1584-90	5.1	42
50	Variations in quality of Home Care between sites across Europe, as measured by Home Care Quality Indicators. <i>Aging Clinical and Experimental Research</i> , <b>2007</b> , 19, 323-9	4.8	39
49	Conventional or atypical antipsychotics and the risk of femur fracture among elderly patients: results of a case-control study. <i>Journal of Clinical Psychiatry</i> , <b>2007</b> , 68, 929-34	4.6	67
48	Heart failure, chronic diuretic use, and increase in mortality and hospitalization: an observational study using propensity score methods. <i>European Heart Journal</i> , <b>2006</b> , 27, 1431-9	9.5	330
47	Ruffled hair and fever in an old woman with Alzheimer's disease. <i>Aging Clinical and Experimental Research</i> , <b>2005</b> , 17, 62-6	4.8	1
46	Impact of inappropriate drug use among hospitalized older adults. <i>European Journal of Clinical Pharmacology</i> , <b>2005</b> , 61, 453-9	2.8	143

45	Potentially inappropriate medication use among elderly home care patients in Europe. <i>JAMA - Journal of the American Medical Association</i> , <b>2005</b> , 293, 1348-58	27.4	454
44	Association between pain and depression among older adults in Europe: results from the Aged in Home Care (AdHOC) project: a cross-sectional study. <i>Journal of Clinical Psychiatry</i> , <b>2005</b> , 66, 982-8	4.6	57
43	Cerebrovascular events among elderly nursing home patients treated with conventional or atypical antipsychotics. <i>Journal of Clinical Psychiatry</i> , <b>2005</b> , 66, 1090-6	4.6	78
42	Practice differences between the United States and Canada. <i>Journal of the American Geriatrics Society</i> , <b>2004</b> , 52, 2148-9	5.6	
41	Community care in Europe. The Aged in Home Care project (AdHOC). <i>Aging Clinical and Experimental Research</i> , <b>2004</b> , 16, 259-69	4.8	102
40	NSAID-related psychiatric adverse events: who is at risk?. <i>Drugs</i> , <b>2004</b> , 64, 2619-27	12.1	40
39	Inappropriate medication use among hospitalized older adults in Italy: results from the Italian Group of Pharmacoepidemiology in the Elderly. <i>European Journal of Clinical Pharmacology</i> , <b>2003</b> , 59, 157-62	2.8	87
38	Impact of hospitalization on blood pressure control in Italy: results from the Italian Group of Pharmacoepidemiology in the Elderly (GIFA). <i>Pharmacotherapy</i> , <b>2003</b> , 23, 240-7	5.8	10
37	Cancer in the elderly: to screen or not to screen?. <i>Journal of the American Geriatrics Society</i> , <b>2003</b> , 51, 1816; author reply 1816-7	5.6	1
36	Serum cholesterol levels and in-hospital mortality in the elderly. <i>American Journal of Medicine</i> , <b>2003</b> , 115, 265-71	2.4	32
35	The use of atypical antipsychotics in nursing homes. <i>Journal of Clinical Psychiatry</i> , <b>2003</b> , 64, 1106-12	4.6	61
34	Adverse drug reactions and cognitive function among hospitalized older adults. <i>European Journal of Clinical Pharmacology</i> , <b>2002</b> , 58, 371-7	2.8	47
33	Adverse drug reactions as cause of hospital admissions: results from the Italian Group of Pharmacoepidemiology in the Elderly (GIFA). <i>Journal of the American Geriatrics Society</i> , <b>2002</b> , 50, 1962-8	5.6	344
32	Moderate alcohol consumption and adverse drug reactions among older adults. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2002</b> , 11, 385-92	2.6	55
31	In re hypertension and cognition: enough to be confused!. <i>Journal of the American Geriatrics Society</i> , <b>2001</b> , 49, 839-41	5.6	
30	Impact of a new assessment system, the MDS-HC, on function and hospitalization of homebound older people: a controlled clinical trial. <i>Journal of the American Geriatrics Society</i> , <b>2001</b> , 49, 1288-93	5.6	52
29	Treatment of osteoporosis among older adults discharged from hospital in Italy. <i>European Journal of Clinical Pharmacology</i> , <b>2001</b> , 57, 599-604	2.8	28
28	Functional status and clinical correlates in cognitively impaired community-living older people. <i>Journal of Geriatric Psychiatry and Neurology</i> , <b>2001</b> , 14, 21-7	3.8	19

27	Pharmacologic treatment of diabetes in long-term care. <i>Journal of Clinical Epidemiology</i> , <b>2001</b> , 54, 525-30.	3.7	33
26	Study should have reported more data about associated diseases. <i>BMJ: British Medical Journal</i> , <b>2001</b> , 323, 112		4
25	Minimum data set for home care: a valid instrument to assess frail older people living in the community. <i>Medical Care</i> , <b>2000</b> , 38, 1184-90	3.1	347
24	Measuring Health Outcomes for Older People Using the Sage Database. <i>Canadian Journal on Aging</i> , <b>2000</b> , 19, 67-86	1.6	5
23	Nurse case management of frail older people. <i>Journal of the American Geriatrics Society</i> , <b>2000</b> , 48, 596-7	5.6	
22	The comprehensive geriatric assessment: when, where, how. <i>Critical Reviews in Oncology/Hematology</i> , <b>2000</b> , 33, 45-56	7	89
21	Effects of angiotensin-converting enzyme inhibitors and digoxin on health outcomes of very old patients with heart failure. SAGE Study Group. Systematic Assessment of Geriatric drug use via Epidemiology. <i>Archives of Internal Medicine</i> , <b>2000</b> , 160, 53-60		74
20	Management of heart failure among very old persons living in long-term care: has the voice of trials spread? The SAGE Study Group. <i>American Heart Journal</i> , <b>2000</b> , 139, 85-93	4.9	106
19	Oxidative and nonoxidative benzodiazepines and the risk of femur fracture. The Systematic Assessment of Geriatric Drug Use Via Epidemiology Study Group. <i>Journal of Clinical Psychopharmacology</i> , <b>2000</b> , 20, 234-9	1.7	27
18	Impact of integrated home care services on hospital use. <i>Journal of the American Geriatrics Society</i> , <b>1999</b> , 47, 1430-4	5.6	61
17	Is drug use by the elderly with cognitive impairment influenced by type of dementia?. <i>Pharmacotherapy</i> , <b>1999</b> , 19, 430-6	5.8	10
16	Antiischemic therapy in patients with coronary heart disease living in long-term care. Systematic Assessment of Geriatric Drug Use by Epidemiology (SAGE) Group. <i>Pharmacotherapy</i> , <b>1999</b> , 19, 627-34	5.8	14
15	Impact of the type and severity of dementia on hospitalization and survival of the elderly. The SAGE Study Group. <i>Dementia and Geriatric Cognitive Disorders</i> , <b>1999</b> , 10, 121-9	2.6	27
14	Correlates and management of nonmalignant pain in the nursing home. SAGE Study Group. Systematic Assessment of Geriatric drug use via Epidemiology. <i>Journal of the American Geriatrics Society</i> , <b>1999</b> , 47, 936-42	5.6	262
13	Body mass index and mortality among older people living in the community. <i>Journal of the American Geriatrics Society</i> , <b>1999</b> , 47, 1072-6	5.6	147
12	Prevalence, clinical correlates, and treatment of hypertension in elderly nursing home residents. SAGE (Systematic Assessment of Geriatric Drug Use via Epidemiology) Study Group. <i>Archives of Internal Medicine</i> , <b>1998</b> , 158, 2377-85		50
11	Comorbidity and drug use in cognitively impaired elderly living in long-term care. <i>Dementia and Geriatric Cognitive Disorders</i> , <b>1998</b> , 9, 347-56	2.6	32
10	The SAGE database: introducing functional outcomes in geriatric pharmaco-epidemiology. <i>Journal of the American Geriatrics Society</i> , <b>1998</b> , 46, 251-2	5.6	26

9	Congestive heart failure in older adults. <i>Journal of the American Geriatrics Society</i> , <b>1998</b> , 46, 1053-4	5.6	1
8	Randomised trial of impact of model of integrated care and case management for older people living in the community. <i>BMJ: British Medical Journal</i> , <b>1998</b> , 316, 1348-51		286
7	Validity of diagnostic and drug data in standardized nursing home resident assessments: potential for geriatric pharmacoepidemiology. SAGE Study Group. Systematic Assessment of Geriatric drug use via Epidemiology. <i>Medical Care</i> , <b>1998</b> , 36, 167-79	3.1	164
6	Health care for older persons, a country profile: Italy. <i>Journal of the American Geriatrics Society</i> , <b>1997</b> , 45, 1519-22	5.6	3
5	Non-insulin-dependent diabetes mellitus and Alzheimer's disease. <i>Journal of the American Geriatrics Society</i> , <b>1997</b> , 45, 654-5	5.6	5
4	Association of serum creatinine and age with headache caused by nitrates. Gruppo Italiano di Farmacovigilanza nell'anziano. <i>Clinical Pharmacology and Therapeutics</i> , <b>1995</b> , 58, 470-81	6.1	10
3	Mechanisms of Relaxation: Perspectives from Studies in Single Cardiac Cells <b>1994</b> , 149-165		2
2	The impact of age on risk of adverse drug reactions to digoxin. For The Gruppo Italiano di Farmacovigilanza nell'anziano. <i>Journal of Clinical Epidemiology</i> , <b>1993</b> , 46, 1305-14	5.7	31
1	Intramitochondrial free calcium in cardiac myocytes in relation to dehydrogenase activation. <i>Cardiovascular Research</i> , <b>1993</b> , 27, 1840-4	9.9	49