Hasan Turhan

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/12018808/hasan-turhan-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

52	1,144	22	33
papers	citations	h-index	g-index
52 ext. papers	1,228 ext. citations	2.7 avg, IF	3.35 L-index

#	Paper	IF	Citations
52	Symptoms in Dilating Venous Disease. <i>Current Cardiology Reviews</i> , 2020 , 16, 164-172	2.4	4
51	The impact of metabolic syndrome on left ventricular function: evaluated by using the index of myocardial performance. <i>International Journal of Cardiology</i> , 2009 , 132, 382-6	3.2	18
50	Bone mineral density and frequency of coronary heart disease. <i>American Journal of Cardiology</i> , 2008 , 101, 1680	3	
49	Increased P-wave dispersion in patients with Behëta disease: is there an exaggeration in explaining the meaning?. <i>International Journal of Cardiology</i> , 2008 , 129, 302-3	3.2	
48	Evaluation of cardiovascular risk factors and bone mineral density in post menopausal women undergoing coronary angiography. <i>International Journal of Cardiology</i> , 2008 , 131, 66-9	3.2	32
47	Increased dilator response to nitrate and decreased flow-mediated dilatation in migraineurs. <i>Headache</i> , 2007 , 47, 104-10	4.2	38
46	Is it worthwhile to test statin in migraine?. <i>Headache</i> , 2007 , 47, 448-50	4.2	4
45	Evaluation of cardiovascular risk factors and bone mineral density in patients undergoing coronary angiography and relation of findings to mitral annular calcium. <i>American Journal of Cardiology</i> , 2007 , 99, 159-62	3	8
44	Changes in bone mineral composition at the arm after coronary artery bypass grafting surgery. <i>American Journal of Cardiology</i> , 2007 , 100, 559	3	1
43	Increased plasma levels of cystatin C and transforming growth factor-beta1 in patients with coronary artery ectasia: can there be a potential interaction between cystatin C and transforming growth factor-beta1. <i>Coronary Artery Disease</i> , 2007 , 18, 211-4	1.4	13
42	Increased platelet activity in patients with isolated coronary artery ectasia. <i>Coronary Artery Disease</i> , 2007 , 18, 451-4	1.4	22
41	Cocaine-induced acute myocardial infarction in young individuals with otherwise normal coronary risk profile: is coronary microvascular dysfunction one of the underlying mechanisms?. <i>International Journal of Cardiology</i> , 2007 , 114, 106-7	3.2	15
40	Does metabolic syndrome attenuate the advantages of being a young woman regarding the risk of cardiovascular disease?. <i>International Journal of Cardiology</i> , 2007 , 114, 277-8	3.2	3
39	What are the impacts of chronic subclinic inflammation in patients with rheumatic mitral stenosis?. <i>International Journal of Cardiology</i> , 2007 , 117, 140	3.2	2
38	Coronary artery ectasia: is it a destructive inflammatory lesion of the vascular wall?. <i>International Journal of Cardiology</i> , 2007 , 118, 241	3.2	6
37	Effects of smoking on myocardial infarction at early ages. <i>International Journal of Cardiology</i> , 2007 , 120, 134-5; author reply 136-7	3.2	4
36	Increased plasma soluble adhesion molecules; ICAM-1, VCAM-1, and E-selectin levels in patients with slow coronary flow. <i>International Journal of Cardiology</i> , 2006 , 108, 224-30	3.2	94

(2005-2006)

Aborted sudden cardiac death in a 20-year-old man with slow coronary flow. <i>International Journal of Cardiology</i> , 2006 , 109, 427-9	3.2	28
Does gender modify the detrimental coronary effects of metabolic syndrome?. <i>International Journal of Cardiology</i> , 2006 , 110, 261-2	3.2	1
Poor in-hospital outcome in young women with acute myocardial infarction. Does metabolic syndrome play a role?. <i>International Journal of Cardiology</i> , 2006 , 112, 257-8	3.2	2
Coronary vasospasm due to hypercholinergic crisis: an example of normal coronary arteriogram and myocardial infarction. <i>International Journal of Cardiology</i> , 2006 , 113, 270-1	3.2	2
Homocysteine and coronary microcirculation: is it a microvasculopathic agent?. <i>International Journal of Cardiology</i> , 2006 , 110, 269-70	3.2	4
Impact of high altitude on flow-mediated dilatation: is it more pronounced in metabolic syndrome?. <i>International Journal of Cardiology</i> , 2006 , 111, 472-3	3.2	
Atrial fibrillation recurrence after cardioversion: is there a simple electrocardiographic parameter to predict it?. <i>International Journal of Cardiology</i> , 2006 , 113, 435-6	3.2	2
Is it necessary to add fibrate to statin therapy in the management of dyslipidemia of metabolic syndrome?. <i>International Journal of Cardiology</i> , 2006 , 110, 276-7	3.2	2
The relation between insulin resistance and slow coronary flow: the development of microvascular dysfunction in insulin resistant state may be a plausible explanation. <i>International Journal of Cardiology</i> , 2006 , 111, 474-5	3.2	1
Decreased endothelium-dependent vasodilatation in patients with migraine: a new aspect to vascular pathophysiology of migraine. <i>Coronary Artery Disease</i> , 2006 , 17, 29-33	1.4	40
Impact of metabolic syndrome on myocardial perfusion grade after primary percutaneous coronary intervention in patients with acute ST elevation myocardial infarction. <i>Coronary Artery Disease</i> , 2006 , 17, 339-43	1.4	14
Decreased nitrate-mediated dilatation in patients with coronary artery ectasia: an ultrasonographic evaluation of brachial artery. <i>Coronary Artery Disease</i> , 2006 , 17, 365-9	1.4	7
Increased thrombolysis in myocardial infarction frame count in patients with myocardial infarction and normal coronary arteriogram: a possible link between slow coronary flow and myocardial infarction. <i>Atherosclerosis</i> , 2005 , 181, 193-9	3.1	34
Effects of long-term beta-blocker therapy on P-wave duration and dispersion in patients with rheumatic mitral stenosis. <i>International Journal of Cardiology</i> , 2005 , 102, 33-7	3.2	29
Elevated level of plasma homocysteine in patients with slow coronary flow. <i>International Journal of Cardiology</i> , 2005 , 102, 419-23	3.2	48
Plasma homocysteine levels in patients with isolated coronary artery ectasia. <i>International Journal of Cardiology</i> , 2005 , 104, 158-62	3.2	15
Aneurismal disease of different vascular territories: is it a rare association?. <i>International Journal of Cardiology</i> , 2005 , 105, 100-1	3.2	2
Increased prevalence of varicocele in patients with coronary artery ectasia. <i>Coronary Artery Disease</i> , 2005 , 16, 261-4	1.4	48
	Does gender modify the detrimental coronary effects of metabolic syndrome?. <i>International Journal of Cardiology</i> , 2006, 110, 261-2 Poor in-hospital outcome in young women with acute myocardial infarction. Does metabolic syndrome play a role?. <i>International Journal of Cardiology</i> , 2006, 112, 257-8 Coronary vasospasm due to hypercholinergic crisis: an example of normal coronary arteriogram and myocardial infarction. <i>International Journal of Cardiology</i> , 2006, 113, 270-1 Homocysteine and coronary microcirculation: is it a microvasculopathic agent?. <i>International Journal of Cardiology</i> , 2006, 110, 269-70 Impact of high altitude on flow-mediated dilatation: is it more pronounced in metabolic syndrome?. <i>International Journal of Cardiology</i> , 2006, 111, 472-3 Atrial fibrillation recurrence after cardioversion: is there a simple electrocardiographic parameter to predict it?. <i>International Journal of Cardiology</i> , 2006, 113, 435-6 Is it necessary to add fibrate to statin therapy in the management of dyslipidemia of metabolic syndrome?. <i>International Journal of Cardiology</i> , 2006, 110, 276-7 The relation between insulin resistance and slow coronary flow: the development of microvascular dysfunction in insulin resistant state may be a plausible explanation. <i>International Journal of Cardiology</i> , 2006, 111, 472-5 Decreased endothelium-dependent vasodilatation in patients with migraine: a new aspect to vascular pathophysiology of migraine. <i>Coronary Artery Disease</i> , 2006, 17, 29-33 Impact of metabolic syndrome on myocardial perfusion grade after primary percutaneous coronary intervention in patients with acute ST elevation myocardial infarction. <i>Coronary Artery Disease</i> , 2006, 17, 339-43 Decreased hirate-mediated dilatation in patients with coronary artery ectasia: an ultrasonographic evaluation of brachial artery. <i>Coronary Artery Disease</i> , 2006, 17, 365-9 Increased thrombolysis in myocardial infarction frame count in patients with myocardial infarction and normal coronary arteriogram: a possible link betwe	Does gender modify the detrimental coronary effects of metabolic syndrome?. International Journal of Cardiology, 2006, 110, 261-2 Poor in-hospital outcome in young women with acute myocardial infarction. Does metabolic syndrome play a role?. International Journal of Cardiology, 2006, 112, 257-8 Coronary vasospasm due to hypercholinergic crisis: an example of normal coronary arteriogram and myocardial infarction. International Journal of Cardiology, 2006, 113, 270-1 Homocysteine and coronary microcirculation: is it a microvasculopathic agent?. International Journal of Cardiology, 2006, 110, 269-70 Impact of high altitude on flow-mediated dilatation: is it more pronounced in metabolic syndrome?. International Journal of Cardiology, 2006, 111, 472-3 Atrial fibrillation recurrence after cardioversion: is there a simple electrocardiographic parameter to predict it?. International Journal of Cardiology, 2006, 113, 435-6 Is it necessary to add fibrate to statin therapy in the management of dyslipidemia of metabolic syndrome?. International Journal of Cardiology, 2006, 110, 276-7 The relation between insulin resistants at slow coronary flow: the development of microvascular dysfunction in insulin resistant state may be a plausible explanation. International Journal of Cardiology, 2006, 111, 474-5 Decreased endothelium-dependent vasodilatation in patients with migraine: a new aspect to vascular pathophysiology of migraine. Coronary Artery Disease, 2006, 17, 29-33 Impact of metabolic syndrome on myocardial perfusion grade after primary percutaneous coronary intervention in patients with acute ST elevation myocardial infarction. Coronary Artery Disease, 2006, 17, 339-43 Decreased entrate-mediated dilatation in patients with coronary artery ectasia: an ultrasonographic evaluation of brachial artery. Coronary Artery Disease, 2006, 17, 339-34 Decreased Intrate-mediated dilatation in patients with coronary artery ectasia: International Journal of Cardiology, 2005, 102, 419-23 Effects of long-term beta-blocker ther

17	Plasma soluble adhesion molecules; intercellular adhesion molecule-1, vascular cell adhesion molecule-1 and E-selectin levels in patients with isolated coronary artery ectasia. <i>Coronary Artery Disease</i> , 2005 , 16, 45-50	1.4	80
16	Decreased carotid intima-media thickness in patients with coronary artery ectasia compared with patients with coronary artery disease. <i>Coronary Artery Disease</i> , 2005 , 16, 495-8	1.4	18
15	Impaired coronary collateral vessel development in patients with metabolic syndrome. <i>Coronary Artery Disease</i> , 2005 , 16, 281-5	1.4	31
14	High prevalence of metabolic syndrome among young women with premature coronary artery disease. <i>Coronary Artery Disease</i> , 2005 , 16, 37-40	1.4	40
13	Aortic valve calcification: association with bone mineral density and cardiovascular risk factors. <i>Coronary Artery Disease</i> , 2005 , 16, 379-83	1.4	42
12	Impaired coronary collateral vessel development in patients with proliferative diabetic retinopathy. <i>Clinical Cardiology</i> , 2005 , 28, 384-8	3.3	16
11	P-wave duration and P-wave dispersion in patients with dilated cardiomyopathy. <i>European Journal of Heart Failure</i> , 2004 , 6, 567-9	12.3	45
10	Comparison of C-reactive protein levels in patients with coronary artery ectasia versus patients with obstructive coronary artery disease. <i>American Journal of Cardiology</i> , 2004 , 94, 1303-6	3	85
9	Increased thrombolysis in myocardial infarction frame counts in patients with isolated coronary artery ectasia. <i>Heart and Vessels</i> , 2004 , 19, 23-6	2.1	33
8	Documentation of slow coronary flow by the thrombolysis in myocardial infarction frame count in habitual smokers with angiographically normal coronary arteries. <i>Heart and Vessels</i> , 2004 , 19, 271-4	2.1	16
7	Impaired coronary blood flow in patients with metabolic syndrome: documented by Thrombolysis in Myocardial Infarction (TIMI) frame count method. <i>American Heart Journal</i> , 2004 , 148, 789-94	4.9	38
6	Changes in plasma levels of adhesion molecules after percutaneous mitral balloon valvuloplasty. <i>Cardiovascular Pathology</i> , 2004 , 13, 103-8	3.8	7
5	Comparison of P-wave duration and dispersion in patients aged > or =65 years with those aged Journal of Electrocardiology, 2003 , 36, 321-6	1.4	11
4	Increased p-wave duration and p-wave dispersion in patients with aortic stenosis. <i>Annals of Noninvasive Electrocardiology</i> , 2003 , 8, 18-21	1.5	37
3	Effects of slow coronary artery flow on QT interval duration and dispersion. <i>Annals of Noninvasive Electrocardiology</i> , 2003 , 8, 107-11	1.5	28
2	Effects of percutaneous mitral balloon valvuloplasty on P-wave dispersion in patients with mitral stenosis. <i>American Journal of Cardiology</i> , 2002 , 89, 607-9	3	41
1	Levels of circulating adhesion molecules in rheumatic mitral stenosis. <i>American Journal of Cardiology</i> , 2001 , 88, 1209-11	3	33