

# Ronan Sauleau

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1202230/publications.pdf>

Version: 2024-02-01

536  
papers

9,648  
citations

38742  
50  
h-index

69250  
77  
g-index

538  
all docs

538  
docs citations

538  
times ranked

4755  
citing authors

#	ARTICLE	IF	CITATIONS
1	Highly Efficient Broadband Pyramidal Horn Antenna With Integrated H-Plane Power Division. IEEE Transactions on Antennas and Propagation, 2022, 70, 1499-1504.	5.1	3
2	Photonic-Enabled Beam Switching Mm-Wave Antenna Array. Journal of Lightwave Technology, 2022, 40, 632-639.	4.6	4
3	High-Resolution Model of Human Skin Appendages for Electromagnetic Dosimetry at Millimeter Waves. IEEE Journal of Microwaves, 2022, 2, 214-227.	6.5	7
4	Quad-Furcated Profiled Horn: The Next Generation Highly Efficient GEO Antenna in Additive Manufacturing. IEEE Open Journal of Antennas and Propagation, 2022, 3, 69-82.	3.7	12
5	Reconfigurable Dual-Band Capsule-Conformal Antenna Array for In-Body Bioelectronics. IEEE Transactions on Antennas and Propagation, 2022, 70, 3749-3761.	5.1	17
6	Ultra-Low-Profile Continuous Transverse Stub Array for SatCom Applications. IEEE Transactions on Antennas and Propagation, 2022, 70, 4459-4471.	5.1	8
7	Higher-Symmetries for Broadband Reflecting Luneburg Lenses at Ka-band. , 2022, , .		1
8	Synthesis and Characterization of a Focused-Beam Transmitarray Antenna at 300 GHz. , 2022, , .		1
9	Circularly-Polarized GNSS Metasurface Antenna with Two Feed Points in a Sub-wavelength Metallic Cavity. , 2022, , .		3
10	Dual-Band, Dual-Linearly Polarized Transmitarrays for SATCOM Applications at Ka-Band. , 2022, , .		2
11	GENERALIZED DESIGN METHODOLOGY OF HIGHLY EFFICIENT QUAD-FURCATED PROFILED HORNS WITH LARGER APERTURES. Progress in Electromagnetics Research M, 2022, 111, 1-12.	0.9	0
12	Wideband High-Gain Transmitarray Antenna for Point-to-Point Communications at 300 GHz. , 2022, , .		0
13	Compact Planar Beamformer Using Multiple Continuous Parallel-Plate Waveguide Delay Lenses. IEEE Antennas and Wireless Propagation Letters, 2022, 21, 2229-2233.	4.0	4
14	Wideband Dual-Circularly-Polarized Reflect-Arrays Based on Dual-Functional-Layer Cells With Berry-Phase Compensation at X-Band. IEEE Transactions on Antennas and Propagation, 2022, 70, 9924-9929.	5.1	2
15	Multibeam Si/GaAs Holographic Metasurface Antenna at <i>W</i> -Band. IEEE Transactions on Antennas and Propagation, 2021, 69, 3523-3528.	5.1	20
16	Enhancement of Penetration of Millimeter Waves by Field Focusing Applied to Breast Cancer Detection. IEEE Transactions on Biomedical Engineering, 2021, 68, 959-966.	4.2	16
17	A Novel Dual-Polarized Continuous Transverse Stub Antenna Based on Corrugated Waveguidesâ€”Part I: Principle of Operation and Design. IEEE Transactions on Antennas and Propagation, 2021, 69, 1302-1312.	5.1	11
18	Dual-Band Transmitarray With Low Scan Loss for Satcom Applications. IEEE Transactions on Antennas and Propagation, 2021, 69, 1775-1780.	5.1	22

#	ARTICLE	IF	CITATIONS
19	Circular Dielectric Rod With Conformal Strip of Graphene as Tunable Terahertz Antenna: Interplay of Inverse Electromagnetic Jet, Whispering Gallery and Plasmon Effects. IEEE Journal of Selected Topics in Quantum Electronics, 2021, 27, 1-8.	2.9	27
20	A Fast and Accurate Method of Synthesizing X-Wave Launchers by Metallic Horns. IEEE Access, 2021, 9, 1996-2006.	4.2	4
21	Dual-Band Dual-Linearly Polarized Transmitarray at Ka-Band. , 2021, , .		10
22	A Conformal, Dynamic Pattern-Reconfigurable Antenna Using Conductive Textile-Polymer Composite. IEEE Transactions on Antennas and Propagation, 2021, 69, 6175-6184.	5.1	31
23	Local Dosimetry at Cellular and Subcellular Level in HF and Millimeter-Wave Bands. IEEE Journal of Microwaves, 2021, , 1-12.	6.5	4
24	Compact and Highly Efficient Single and Dual Polarized Aperture Antennas with Integrated Multiport Overmoded Excitation. , 2021, , .		2
25	Four-Way Orthomode Waveguide Power Dividers: Subtractive and Additive Manufacturing. , 2021, , .		9
26	A Novel Dual-Polarized Continuous Transverse Stub Antenna Based on Corrugated Waveguidesâ€”Part II: Experimental Demonstration. IEEE Transactions on Antennas and Propagation, 2021, 69, 1313-1323.	5.1	16
27	Analysis and Efficient Design of Sub-THz Transmitarrays with Three Anisotropic Layers. , 2021, , .		4
28	Enhanced tunability and temperature-dependent dielectric characteristics at microwaves of K <sub>0.5</sub> Na <sub>0.5</sub> NbO <sub>3</sub> thin films epitaxially grown on (100)MgO substrates. Journal of Alloys and Compounds, 2021, 856, 158138.	5.5	10
29	Low-Profile CTS Array in PCB Technology for K/Ka-Band Applications. , 2021, , .		5
30	Excitation of guided waves of grounded dielectric slab by a THz plane wave scattered from finite number of embedded graphene strips: Singular integral equation analysis. IET Microwaves, Antennas and Propagation, 2021, 15, 1171-1180.	1.4	6
31	Multi-beam modulated metasurface antenna for 5G backhaul applications at K-band. Comptes Rendus Physique, 2021, 22, 47-52.	0.9	3
32	Physical Bounds on Implant Powering Efficiency Using Body-Conformal WPT Systems. , 2021, , .		7
33	Frequency-Tunable Slot-Loop Antenna Based on KNN Ferroelectric Interdigitated Varactors. IEEE Antennas and Wireless Propagation Letters, 2021, 20, 1414-1418.	4.0	7
34	Design and Measurements of a High-Performance Wideband Transmitarray Antenna for D-Band Communications. IEEE Antennas and Wireless Propagation Letters, 2021, 20, 1765-1769.	4.0	12
35	An Asymptotic Approach for the Scan Impedance in Infinite Phased Arrays of Dipoles. IEEE Transactions on Antennas and Propagation, 2021, , 1-1.	5.1	0
36	High-Resolution Technique for Near-Field Power Density Measurement Accounting for Antenna/Body Coupling at Millimeter Waves. IEEE Antennas and Wireless Propagation Letters, 2021, 20, 2151-2155.	4.0	4

#	ARTICLE	IF	CITATIONS
37	Antenna/Human Body Coupling in 5G Millimeter-Wave Bands: Do Age and Clothing Matter?. IEEE Journal of Microwaves, 2021, 1, 593-600.	6.5	9
38	High-resolution near-field measurements accounting for antenna/body coupling around 60 GHz. , 2021, , .		0
39	Design of Broadband Reflecting Luneburg Lenses by Higher Symmetries. , 2021, , .		0
40	A Switchable Linear to Circular Polarization Converter Using PIN Diodes. , 2021, , .		2
41	Recent Achievements on Passive and Beam Steering Transmitarrays at Millimeter Waves. , 2021, , .		1
42	Low-profile CTS Antenna with Circular Polarization for SatCom Applications in PCB Technology. , 2021, , .		0
43	Metal-only Reflecting Luneburg Lens Design for Sub-THz Applications. , 2021, , .		3
44	High Gain Low Profile CTS Antenna Array for Satcom Applications. , 2021, , .		1
45	Broadband Passive Two-Feed-Per-Beam Pillbox Architecture for High Beam Crossover Level. IEEE Transactions on Antennas and Propagation, 2020, 68, 575-580.	5.1	10
46	A Low-Profile and High-Gain Frequency Beam Steering Subterahertz Antenna Enabled by Silicon Micromachining. IEEE Transactions on Antennas and Propagation, 2020, 68, 672-682.	5.1	47
47	2 Bit Reconfigurable Unit-Cell and Electronically Steerable Transmitarray at \$K\alpha\$ -Band. IEEE Transactions on Antennas and Propagation, 2020, 68, 5003-5008.	5.1	75
48	A Conformal Band-Notched Ultrawideband Antenna With Monopole-Like Radiation Characteristics. IEEE Antennas and Wireless Propagation Letters, 2020, 19, 203-207.	4.0	30
49	Towards a Si/GaAs Based Flat-Panel Quasi-Optical Metasurface Antenna with Switchable Beam Characteristics. , 2020, , .		0
50	Integral Equation Analysis of Terahertz Backscattering From Circular Dielectric Rod With Partial Graphene Cover. IEEE Journal of Quantum Electronics, 2020, 56, 1-8.	1.9	29
51	Quasi-Optical Excitation of a Circularly-Polarized Metasurface Antenna at K-band. , 2020, , .		0
52	Equidispersive Dual-Mode Long Slot Arrays. IEEE Antennas and Wireless Propagation Letters, 2020, 19, 2127-2131.	4.0	3
53	A Compact and Broadband Four-Way Dual Polarization Waveguide Power Divider for Antenna Arrays. , 2020, , .		6
54	P-i-n Diode Based Electronically Steerable Transmitarrays for SOTM at Ka-Band. , 2020, , .		2

#	ARTICLE	IF	CITATIONS
55	Optimal Frequency of Operation and Radiation Efficiency Limitations of Implantable Antennas. , 2020, , .		4
56	Effects of Radiofrequency Radiation on Gene Expression: A Study of Gene Expressions of Human Keratinocytes From Different Origins. Bioelectromagnetics, 2020, 41, 552-557.	1.6	4
57	Antenna/Body Coupling in the Near-Field at 60 GHz: Impact on the Absorbed Power Density. Applied Sciences (Switzerland), 2020, 10, 7392.	2.5	19
58	Dual-Circularly Polarized High-Gain Transmitarray Antennas at $\text{Ka}$ -Band. IEEE Transactions on Antennas and Propagation, 2020, 68, 7223-7227.	5.1	21
59	Electronically-Steerable Transmitarray Antennas for SATCOM Terminals: a System Perspective. , 2020, , .		2
60	Backward Scattering from a Circular Dielectric Rod with a Conformal Strip of Graphene. , 2020, , .		2
61	Experimental Validation of a 2-Bit Reconfigurable Unit-Cell for Transmitarrays at Ka-Band. IEEE Access, 2020, 8, 114991-114997.	4.2	22
62	A Photonically-Excited Leaky-Wave Antenna Array at E-Band for 1-D Beam Steering. Applied Sciences (Switzerland), 2020, 10, 3474.	2.5	9
63	Analysis of Circularly Polarized CTS Arrays. IEEE Transactions on Antennas and Propagation, 2020, 68, 4571-4582.	5.1	15
64	Tetragonal tungsten bronze phase thin films in the $\text{Na}^+\text{Nb}^+\text{O}$ system: Pulsed laser deposition, structural and dielectric characterizations. Journal of Alloys and Compounds, 2020, 827, 154341.	5.5	7
65	Exposure Assessment in Millimeter-Wave Reverberation Chamber Using Murine Phantoms. Bioelectromagnetics, 2020, 41, 121-135.	1.6	2
66	Design of a Reflecting Luneburg Lens by Metal-Only Metasurface. , 2020, , .		1
67	Broadband graded index Cutman lens with a wide field of view utilizing artificial dielectrics: a design methodology. Optics Express, 2020, 28, 14648.	3.4	37
68	Application of Fundamental In-Body Radiation Limitations to Practical Design of Antennas for Implantable Bioelectronics. , 2020, , .		1
69	Plasmon Resonance of Graphene Strip Placed on Dielectric Rod in the Microwave Range. , 2020, , .		0
70	Multifunctional Flexible Sensor Based on Laser-Induced Graphene. Sensors, 2019, 19, 3477.	3.8	66
71	Shaped Continuous Parallel Plate Delay Lens With Enhanced Scanning Performance. IEEE Transactions on Antennas and Propagation, 2019, 67, 6695-6704.	5.1	31
72	Metasurface Antennas Embedded in Small Circular Cavities for Telemetry Applications. Applied Sciences (Switzerland), 2019, 9, 2496.	2.5	3

#	ARTICLE	IF	CITATIONS
73	Combined plasmon-resonance and photonic-jet effect in the THz wave scattering by dielectric rod decorated with graphene strip. Journal of Applied Physics, 2019, 126, 023104.	2.5	23
74	Ensuring Robust and Tissue-Independent Operation of Implantable, Ingestible, and Injectable Antennas. , 2019, , .		0
75	Untargeted metabolomics unveil alterations of biomembranes permeability in human HaCaT keratinocytes upon 60â€‰GHz millimeter-wave exposure. Scientific Reports, 2019, 9, 9343.	3.3	6
76	Compact GNSS Metasurface-Inspired Cavity Antennas. IEEE Antennas and Wireless Propagation Letters, 2019, 18, 2652-2656.	4.0	11
77	Washing Durability of PDMS-Conductive Fabric Composite: Realizing Washable UHF RFID Tags. IEEE Antennas and Wireless Propagation Letters, 2019, 18, 2572-2576.	4.0	30
78	Millimeterâ€Wave Heating in In Vitro Studies: Effect of Convection in Continuous and Pulseâ€Modulated Regimes. Bioelectromagnetics, 2019, 40, 553-568.	1.6	7
79	Metal-only modulated metasurface antenna for Cubesat platforms. , 2019, , .		2
80	Dielectric-Loaded Conformal Microstrip Antennas for Versatile In-Body Applications. IEEE Antennas and Wireless Propagation Letters, 2019, 18, 2686-2690.	4.0	30
81	Long Slot Array Fed by a Nonuniform Corporate Feed Network in PPW Technology. IEEE Transactions on Antennas and Propagation, 2019, 67, 5436-5445.	5.1	24
82	Scattering and Absorption of the H-polarized Plane Wave of THz Range by a Circularly Curved Graphene Strip in the Free Space. , 2019, , .		1
83	Near-Field Multibeam Generation by Tensorial Metasurfaces. IEEE Transactions on Antennas and Propagation, 2019, 67, 6068-6075.	5.1	9
84	Circularly Polarized Fabryâ€Perot Antenna Using a Hybrid Leaky-Wave Mode. IEEE Transactions on Antennas and Propagation, 2019, 67, 5867-5876.	5.1	10
85	Low-Cost Metal-Only Transmitarray Antennas at Ka-Band. IEEE Antennas and Wireless Propagation Letters, 2019, 18, 1243-1247.	4.0	28
86	Reconfigurable CTS Antenna Fully Integrated in PCB Technology for 5G Backhaul Applications. IEEE Transactions on Antennas and Propagation, 2019, 67, 3609-3618.	5.1	25
87	Optimal Radiation of Body-Implanted Capsules. Physical Review Letters, 2019, 122, 108101.	7.8	33
88	A Millimeter-Wave Multibeam Transparent Transmitarray Antenna at Ka-Band. IEEE Antennas and Wireless Propagation Letters, 2019, 18, 631-635.	4.0	56
89	Modeling of circularly-polarized CTS arrays. , 2019, , .		0
90	Some recent developments on modulated metasurface antennas. , 2019, , .		1

#	ARTICLE	IF	CITATIONS
91	Terahertz Range Elementary Dipole Excitation of a Thin Dielectric Disk Sandwiched between Two Graphene Covers: Integral Equation Analysis. , 2019, , .		0
92	Influence of Body-Implanted Capsule Dimensions and Materials on Achievable Radiation Efficiency. , 2019, , .		1
93	A Beam-Steering Transmitarray Antenna for 5G MIMO Channel Sounding in V-band. , 2019, , .		2
94	Quasi-Optical Excitation of Modulated Metasurface Antennas. , 2019, , .		1
95	Radiation Performance of Highly Miniaturized Implantable Devices. , 2019, , .		0
96	Design of a Quasi-Optical Si/GaAs W-Band Beam-Forming Metasurface Antenna. , 2019, , .		0
97	Millimeter-wave pulsed heating in vitro: cell mortality and heat shock response. Scientific Reports, 2019, 9, 15249.	3.3	9
98	Optically-Controlled Unit-Cell for Transmitarrays at X-band. , 2019, , .		1
99	Experimental Characterization of a Circularly Polarized 1 Bit Unit Cell for Beam Steerable Transmitarrays at Ka-Band. IEEE Transactions on Antennas and Propagation, 2019, 67, 1300-1305.	5.1	24
100	Immune-to-Detuning Wireless In-Body Platform for Versatile Biotelemetry Applications. IEEE Transactions on Biomedical Circuits and Systems, 2019, 13, 403-412.	4.0	30
101	A Wide-Angle Scanning Switched-Beam Antenna System in LTCC Technology With High Beam Crossing Levels for V-Band Communications. IEEE Transactions on Antennas and Propagation, 2019, 67, 541-553.	5.1	37
102	Electromagnetic Radiation Efficiency of Body-Implanted Devices. Physical Review Applied, 2018, 9, .	3.8	45
103	Multibeam Pillbox Antenna Integrating Amplitude-Comparison Monopulse Technique in the 24 GHz Band for Tracking Applications. IEEE Transactions on Antennas and Propagation, 2018, 66, 2616-2621.	5.1	24
104	A Twofold Approach in Loss Reduction of $KTa_{0.5}Nb_{0.5}O_3$ Ferroelectric Layers for Low-Loss Tunable Devices at Microwaves. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2018, 65, 665-671.	3.0	1
105	Untargeted Metabolomics Reveal Lipid Alterations upon 2-Deoxyglucose Treatment in Human HaCaT Keratinocytes. Journal of Proteome Research, 2018, 17, 1146-1157.	3.7	5
106	Broadband and Broad-Angle Multilayer Polarizer Based on Hybrid Optimization Algorithm for Low-Cost Ka-Band Applications. IEEE Transactions on Antennas and Propagation, 2018, 66, 1874-1881.	5.1	44
107	SIW Rotman Lens Antenna With Ridged Delay Lines and Reduced Footprint. IEEE Transactions on Microwave Theory and Techniques, 2018, 66, 3136-3144.	4.6	29
108	Compact Folded Fresnel Zone Plate Lens Antenna for mm-Wave Communications. IEEE Antennas and Wireless Propagation Letters, 2018, 17, 873-876.	4.0	24

#	ARTICLE	IF	CITATIONS
109	Truncated Leaky-Wave Antenna With Cosecant-Squared Radiation Pattern. IEEE Antennas and Wireless Propagation Letters, 2018, 17, 841-844.	4.0	27
110	Integrated Lens Antennas. Signals and Communication Technology, 2018, , 3-36.	0.5	7
111	Metal-Only Transmitarray Based on C-Shaped Slot. , 2018, , .		1
112	Low Scan Loss Bifocal Ka-band Transparent Transmitarray Antenna. , 2018, , .		3
113	Design of a 3-Facet Linearly-Polarized Transmitarray Antenna at Ka-band. , 2018, , .		0
114	Polarization Control of a Metal-Only Transmitarray Unit-Cell. , 2018, , .		2
115	A millimeter wave transparent transmitarray antenna using meshed double circle rings elements. , 2018, , .		3
116	2-bit Reconfigurable Circularly-Polarized Unit-Cell at Ka-band. , 2018, , .		1
117	Comparison of Optimization Procedures for the Design of Continuous Parallel Plate Waveguide Multiple Beam Lens Antennas. , 2018, , .		4
118	K/Ka-Band Transmitarray Antennas Based on Polarization Twisted Unit-Cells. , 2018, , .		1
119	Additive Manufactured Metal-Only Modulated Metasurface Antennas. IEEE Transactions on Antennas and Propagation, 2018, 66, 6106-6114.	5.1	67
120	Circularly Polarized Transmitarray Antennas at Ka-Band. IEEE Antennas and Wireless Propagation Letters, 2018, 17, 1204-1208.	4.0	54
121	K x Na $\tilde{\text{N}}\text{bO}_3$ perovskite thin films grown by pulsed laser deposition on R-plane sapphire for tunable microwave devices. Journal of Materials Science, 2018, 53, 13042-13052.	3.7	8
122	Impact of Tissue Electromagnetic Properties on Radiation Performance of In-Body Antennas. IEEE Antennas and Wireless Propagation Letters, 2018, 17, 1440-1444.	4.0	35
123	Analytical Model and Study of Continuous Parallel Plate Waveguide Lens-like Multiple-Beam Antennas. IEEE Transactions on Antennas and Propagation, 2018, 66, 4426-4436.	5.1	33
124	A Switched-Beam Conformal Array With a 3-D Beam Forming Capability in C-Band. IEEE Transactions on Antennas and Propagation, 2017, 65, 2950-2957.	5.1	17
125	Impact of phase compensation method on transmitarray performance. , 2017, , .		9
126	Systematic design of a class of wideband circular polarizers using dispersion engineering. , 2017, , .		7



#	ARTICLE	IF	CITATIONS
127	Broadband CTS antenna array at E-band. , 2017, , .		2
128	On the use of convex optimization for electromagnetic near-field shaping. , 2017, , .		7
129	Evaluation of currents induced in human body by plane wave exposure at 180 MHz. , 2017, , .		1
130	Enhancing breast cancer imaging at millimeter waves using focusing techniques. , 2017, , .		1
131	434 MHz ISM band antenna for in-body biotelemetry capsules. , 2017, , .		8
132	Switched-beam E-band transmitarray antenna for point-to-point communications. , 2017, , .		12
133	Dual-band dual-polarized transmitarrays at Ka-band. , 2017, , .		6
134	Experimental characterization of dual linearly polarized transmitarray antennas at X-band. , 2017, , .		1
135	Analysis and design of a continuous parallel plate waveguide multiple beam lens antenna at Ku-band. , 2017, , .		7
136	All-metal Ku-band Luneburg lens antenna based on variable parallel plate spacing Fakir bed of nails. , 2017, , .		30
137	Wideband multibeam arrays of long slots fed by quasi-optical systems. , 2017, , .		0
138	Circularly-Polarized Reconfigurable Transmitarray in Ka-Band With Beam Scanning and Polarization Switching Capabilities. IEEE Transactions on Antennas and Propagation, 2017, 65, 529-540.	5.1	186
139	Dual-Band Transmitarrays With Dual-Linear Polarization at Ka-Band. IEEE Transactions on Antennas and Propagation, 2017, 65, 7009-7018.	5.1	82
140	Mode Matching Analysis of an E-Plane $90^\circ$ Bend With a Square Step in Parallel-Plate Waveguide. IEEE Antennas and Wireless Propagation Letters, 2017, 16, 2187-2190.	4.0	12
141	Effect of acute millimeter wave exposure on dopamine metabolism of NGF-treated PC12 cells. Journal of Radiation Research, 2017, 58, 439-445.	1.6	10
142	Robust Ultraminiature Capsule Antenna for Ingestible and Implantable Applications. IEEE Transactions on Antennas and Propagation, 2017, 65, 6107-6119.	5.1	93
143	Parallel fed $2\tilde{A}-1$ antenna array utilizing surface wave cancellation on LTCC substrate. , 2017, , .		0
144	Wideband and Large Coverage Continuous Beam Steering Antenna in the 60-GHz Band. IEEE Transactions on Antennas and Propagation, 2017, 65, 4418-4426.	5.1	54

#	ARTICLE	IF	CITATIONS
145	A Low-Profile Broadband 32-Slot Continuous Transverse Stub Array for Backhaul Applications in \$E\$-Band. IEEE Transactions on Antennas and Propagation, 2017, 65, 6307-6316.	5.1	49
146	A Dual-Mode, Dual-Port Pattern Diversity Antenna for 2.45-GHz WBAN. IEEE Antennas and Wireless Propagation Letters, 2017, 16, 1064-1067.	4.0	63
147	Microscale temperature and SAR measurements in cell monolayer models exposed to millimeter waves. Bioelectromagnetics, 2017, 38, 11-21.	1.6	12
148	An LTCC beam-switching antenna with high beam overlap for 60-GHz mobile access points. , 2017, , .		2
149	Characterization of dual-band dual-linearly polarized transmitarray antennas. , 2017, , .		1
150	Near-Field User Exposure in Forthcoming 5G Scenarios in the 60 GHz Band. IEEE Transactions on Antennas and Propagation, 2017, 65, 6606-6615.	5.1	23
151	Scalar near-field focusing in lossy media. , 2017, , .		5
152	Linearly-polarized electronically reconfigurable transmitarray antenna with 2-bit phase resolution in Ka-band. , 2017, , .		5
153	Conformal antennas for miniature in-body devices: The quest to improve radiation performance. URSI Radio Science Bulletin, 2017, 2017, 52-64.	0.1	18
154	Wideband circularly-polarized 3-bit transmitarray antenna in Ka-band. , 2017, , .		13
155	A Novel Right Handed Circular Polarization Folded Reflectarray Antenna at 60 GHz. International Journal of Electrical and Computer Engineering, 2017, 7, 1580.	0.7	1
156	A Multilayer LTCC Solution for Integrating 5G Access Point Antenna Modules. IEEE Transactions on Microwave Theory and Techniques, 2016, 64, 2272-2283.	4.6	77
157	Design and experimental validation of leaky-wave bessell-beam launchers at millimeter-wave frequencies. , 2016, , .		0
158	Design and experimental characterization of a reconfigurable transmitarray with reduced focal distance. International Journal of Microwave and Wireless Technologies, 2016, 8, 447-454.	1.9	9
159	A low-profile and high-gain continuous transverse stub antenna using PCB-air hybrid technology. , 2016, , .		4
160	3D focal spot manipulation at millimeter waves. , 2016, , .		0
161	Continuous parallel plate waveguide beamformer based on a bifocal constrained lens design. , 2016, , .		7
162	Imaging system fed by a quasi-optical beam-forming network for Ka-band satellite applications. , 2016, , .		0

#	ARTICLE	IF	CITATIONS
163	Conformal phased array in a small conical shape for communications at 5.2 GHz. , 2016, , .		4
164	Performance of radiation pattern and polarization diversity for body-centric applications at 2.45 GHz. , 2016, , .		0
165	Improvement of the Scanning Performance of the Extended Hemispherical Integrated Lens Antenna Using a Double Lens Focusing System. IEEE Transactions on Antennas and Propagation, 2016, 64, 3698-3702.	5.1	29
166	Polarized Beams Using Scalar Metasurfaces. IEEE Transactions on Antennas and Propagation, 2016, 64, 3391-3400.	5.1	43
167	Experimental Dosimetry in a Mode-Stirred Reverberation Chamber in the 60-GHz Band. IEEE Transactions on Electromagnetic Compatibility, 2016, 58, 981-992.	2.2	10
168	Mode-Matching Analysis of Lossy SIW Devices. IEEE Transactions on Microwave Theory and Techniques, 2016, 64, 4126-4137.	4.6	10
169	Impact of 60-GHz millimeter waves on stress and pain-related protein expression in differentiating neuron-like cells. Bioelectromagnetics, 2016, 37, 444-454.	1.6	9
170	Increasing the radiation efficiency and matching stability of in-body capsule antennas. , 2016, , .		16
171	Multi-beam slotted Waveguide pillbox antenna with reduced side lobe level and high beam crossover. , 2016, , .		1
172	Split aperture decoupling method applied to multi-beam pillbox antennas for large coverage, high crossover and low side lobe levels. , 2016, , .		0
173	Simulation of graphene-disk antenna with axially symmetric excitation using MAR and orthogonal polynomials. , 2016, , .		1
174	Leaky-wave-based dual-band phased array for satellite communications. , 2016, , .		2
175	Amplitude monopulse pillbox antenna in SIW technology. , 2016, , .		1
176	Radiation Pattern Synthesis for Monopulse Radar Applications With a Reconfigurable Transmitarray Antenna. IEEE Transactions on Antennas and Propagation, 2016, 64, 4148-4154.	5.1	36
177	A V-band antenna module based on vertical TEM waveguides fully integrated in LTCC. , 2016, , .		1
178	Broadband polarizer and leaky-wave antenna for low cost Ka-band applications. , 2016, , .		1
179	3-D Shaping of a Focused Aperture in the Near Field. IEEE Transactions on Antennas and Propagation, 2016, 64, 5262-5271.	5.1	20
180	Circularly-polarized reconfigurable unit-cell for transmitarray applications in Ka-band. , 2016, , .		2

#	ARTICLE	IF	CITATIONS
181	Irregular superstrate array for the reduction of the side lobe level in satcom user terminal antennas. , 2016, , .		0
182	3D near-field shaping of a focused aperture. , 2016, , .		6
183	Equivalent circuit and scanning capabilities of long slot arrays with TEM parallel-feed excitation. , 2016, , .		1
184	Circularly-polarized reconfigurable transmitarray in Ka-band. , 2016, , .		3
185	A long slot array fed by a multilayer true-time delay network in LTCC for 60-GHz communications. , 2016, , .		0
186	Multilayer SIW Rotman lens antenna in 24 GHz band. , 2016, , .		1
187	Millington Effect and Propagation Enhancement in 60-GHz Body Area Networks. IEEE Transactions on Antennas and Propagation, 2016, 64, 776-781.	5.1	2
188	Synthesis Procedure for Thinned Leaky-Wave-Based Arrays With Reduced Number of Elements. IEEE Transactions on Antennas and Propagation, 2016, 64, 582-590.	5.1	18
189	Wideband Antenna in Cavity Based on Metasurfaces. IEEE Antennas and Wireless Propagation Letters, 2016, 15, 1053-1056.	4.0	22
190	A Conical Patch Antenna Array for Agile Point-to-Point Communications in the 5.2-GHz Band. IEEE Antennas and Wireless Propagation Letters, 2016, 15, 1230-1233.	4.0	19
191	Effects of 60-GHz millimeter waves on neurite outgrowth in PC12 cells using high-content screening. Neuroscience Letters, 2016, 618, 58-65.	2.1	12
192	Design of Wideband Dual Linearly Polarized Transmitarray Antennas. IEEE Transactions on Antennas and Propagation, 2016, 64, 2022-2026.	5.1	80
193	Higher-Order Leaky-Mode Bessel-Beam Launcher. IEEE Transactions on Antennas and Propagation, 2016, 64, 904-913.	5.1	50
194	Multibeam SIW Slotted Waveguide Antenna System Fed by a Compact Dual-Layer Rotman Lens. IEEE Transactions on Antennas and Propagation, 2016, 64, 504-514.	5.1	102
195	1-Bit Reconfigurable Unit Cell for Ka-Band Transmitarrays. IEEE Antennas and Wireless Propagation Letters, 2016, 15, 560-563.	4.0	80
196	Additive Effects of Millimeter Waves and 2-Deoxyglucose Co-Exposure on the Human Keratinocyte Transcriptome. PLoS ONE, 2016, 11, e0160810.	2.5	15
197	Slotted ridged waveguide array designed with a reflection cancelling technique for multibeam applications in V-band. , 2015, , .		1
198	Implementations of plane wave source for BoR-FDTD. , 2015, , .		0

#	ARTICLE	IF	CITATIONS
199	A strategy for research projects to impact standards and regulatory bodies: The approach of the EU-funded project MiWaveS. , 2015, , .		0
200	Millimeter waves as a source of selective heating of skin. Bioelectromagnetics, 2015, 36, 464-475.	1.6	22
201	Microfluidically Tunable Microstrip Filters. IEEE Transactions on Microwave Theory and Techniques, 2015, 63, 2245-2252.	4.6	19
202	2015 IEEE International Symposium on Antenna and Propagation and North American Radio Science Meeting Awards Banquet [Awards]. IEEE Antennas and Propagation Magazine, 2015, 57, 6-147.	1.4	0
203	LHCP/RHCP reconfigurable transmitarray in Ka-band. , 2015, , .		1
204	Physical optics modeling of a pillbox as a beam forming network for a large imaging system in satellite communications. , 2015, , .		0
205	1.9-THz Multiflare Angle Horn Optimization for Space Instruments. IEEE Transactions on Terahertz Science and Technology, 2015, 5, 914-921.	3.1	40
206	Efficient CMOS Systems With Beamâ€œLead Interconnects for Space Instruments. IEEE Transactions on Terahertz Science and Technology, 2015, 5, 637-644.	3.1	9
207	Thermal model of skin-equivalent phantoms at 60 GHz. , 2015, , .		2
208	SIW multilayer Rotman lens antenna in the 24-GHz band. , 2015, , .		0
209	Experimental characterization of an X-band transmitarray with a reduced focal distance. , 2015, , .		2
210	SIW multilayer Rotman lens antenna in the 24-GHz band. , 2015, , .		0
211	On-body propagation characterization with an H-plane Substrate Integrated Waveguide (SIW) horn antenna at 60 GHz. , 2015, , .		12
212	Design and Experimental Validation of a Mode-Stirred Reverberation Chamber at Millimeter Waves. IEEE Transactions on Electromagnetic Compatibility, 2015, 57, 12-21.	2.2	25
213	Dual Circularly Polarized Reflectarray With Independent Control of Polarizations. IEEE Transactions on Antennas and Propagation, 2015, 63, 1877-1881.	5.1	51
214	Bandwidth Behavior and Improvement of Miniature Cavity Antennas With Broadside Radiation Pattern Using a Metasurface. IEEE Transactions on Antennas and Propagation, 2015, 63, 1899-1908.	5.1	14
215	SIW Pillbox Antenna for Monopulse Radar Applications. IEEE Transactions on Antennas and Propagation, 2015, 63, 3918-3927.	5.1	36
216	A compact and high-gain Ka-band multibeam continuous transverse stub antenna. , 2015, , .		3

#	ARTICLE	IF	CITATIONS
217	Pillbox antenna with monopulse technique and wide scanning capabilities for tracking applications. , 2015, , .		1
218	Continuous Transverse Stub Array for Ka-Band Applications. IEEE Transactions on Antennas and Propagation, 2015, 63, 4792-4800.	5.1	99
219	Beam-Forming Capabilities of Waveguide Feeds Assisted by Corrugated Flanges. IEEE Transactions on Antennas and Propagation, 2015, 63, 5548-5560.	5.1	6
220	Dual-Layer Ridged Waveguide Slot Array Fed by a Butler Matrix With Sidelobe Control in the 60-GHz Band. IEEE Transactions on Antennas and Propagation, 2015, 63, 3857-3867.	5.1	147
221	Pattern shaping and synthesis of planar leaky-wave-based arrays for satellite communications. , 2015, , .		2
222	Multibeam Pillbox Antenna With Low Sidelobe Level and High-Beam Crossover in SIW Technology Using the Split Aperture Decoupling Method. IEEE Transactions on Antennas and Propagation, 2015, 63, 5209-5215.	5.1	42
223	Active Impedance of Infinite Parallel-Fed Continuous Transverse Stub Arrays. IEEE Transactions on Antennas and Propagation, 2015, 63, 3291-3297.	5.1	40
224	Millimeter-wave electromagnetic field exposure from mobile terminals. , 2015, , .		6
225	Circularly Polarized Transmitarray With Sequential Rotation in Ka-Band. IEEE Transactions on Antennas and Propagation, 2015, 63, 5118-5124.	5.1	85
226	Optimization Procedure for Planar Leaky-Wave Antennas With Flat-Topped Radiation Patterns. IEEE Transactions on Antennas and Propagation, 2015, 63, 5854-5859.	5.1	35
227	Contactless Microstrip Transition for Flexible Microfluidic Circuits and Antennas. IEEE Antennas and Wireless Propagation Letters, 2015, 14, 1502-1505.	4.0	9
228	Low-cost photomask fabrication using laser ablation. Journal of Materials Processing Technology, 2015, 216, 71-78.	6.3	6
229	End-Fire Antenna for BAN at 60 GHz: Impact of Bending, On-Body Performances, and Study of an On to Off-Body Scenario. Electronics (Switzerland), 2014, 3, 221-233.	3.1	12
230	Efficient computation of post-slot interactions in complex layered media with vertical interconnects. , 2014, , .		0
231	A flat-topped leaky-wave source for phased arrays with reduced scan losses. , 2014, , .		6
232	Unit-cell for dual-circular polarisation reflectarrays. , 2014, , .		1
233	Automatically optimized near-field focusing radial line slot array. , 2014, , .		0
234	Wave scattering by one and many thin material strips: Singular integral equations, Meshless Nystrom discretization, and periodicity caused resonances. , 2014, , .		0

#	ARTICLE	IF	CITATIONS
235	A radial line slot array focusing in the near field: Analysis and design. , 2014, , .		0
236	Enhancement of On-Body Propagation at 60 GHz Using Electro Textiles. IEEE Antennas and Wireless Propagation Letters, 2014, 13, 603-606.	4.0	23
237	Loss Reduction Technique in Ferroelectric Tunable Devices by Laser Microetching. Application to a CPW Stub Resonator in $\langle \text{inline-formula} \rangle \langle \text{tex-math notation="LaTeX"} \rangle \$X\$ \langle /tex-math \rangle \langle /inline-formula \rangle$ -Band. IEEE Transactions on Electron Devices, 2014, 61, 4166-4170.	3.0	4
238	Distribution fitting for real-time off-body channel measurements. , 2014, , .		0
239	Tissue-equivalent phantoms in the 60-GHz band and their application to the body-centric propagation studies. , 2014, , .		2
240	Diversity contribution of a versatile UHF RFID antenna system in portal applications. , 2014, , .		2
241	Determining the lowest usable frequency of a frequency-stirred reverberation chamber using modal density. , 2014, , .		10
242	Indoor off-body channel measurements using miniaturized chip antennas with pattern diversity. , 2014, , .		2
243	Bessel beam launchers at millimeter waves using higher-order leaky-wave modes. , 2014, , .		0
244	Efficient analysis of lossy substrate integrated waveguide structures. , 2014, , .		1
245	Generation of non-diffractive bessel beams using leaky-wave modes. , 2014, , .		1
246	Seeing the order in a mess: optical signature of periodicity in a cloud of plasmonic nanowires. Optics Express, 2014, 22, 28190.	3.4	21
247	On-body propagation at 60 GHz: Impact of a textile presence. , 2014, , .		1
248	Advanced feed for a 60-GHz exposure chamber. , 2014, , .		0
249	Characterization of the body-centric propagation channel at 60 GHz in the presence of textiles. , 2014, , .		2
250	Hybrid MoM/mode-matching method for SIW devices housing layered dielectric substrates. , 2014, , .		0
251	Circularly polarized transmit-array with sequentially rotated elements in Ka band. , 2014, , .		7
252	Impact of 60â€GHz millimeter waves and corresponding heat effect on endoplasmic reticulum stress sensor gene expression. Bioelectromagnetics, 2014, 35, 444-451.	1.6	21

#	ARTICLE	IF	CITATIONS
253	Circuit models explaining bandwidth behavior of small circular cavity backed patch antennas. , 2014, , .		1
254	A millimeter-wave bessell beam launcher through the excitation of higher-order leaky modes. , 2014, , .		2
255	Challenges and opportunities for millimeter-wave mobile access standardisation. , 2014, , .		12
256	Distribution of energy absorption in an inhomogeneous head model at 900 MHz. IEEE Electromagnetic Compatibility Magazine, 2014, 3, 43-48.	0.1	2
257	A large imaging array in Ka band with a substrate integrated waveguide Pillbox beamformer. , 2014, , .		2
258	On Maximum Bandwidth of Rectangular Cavity Antennas With Broadside Radiation Pattern. IEEE Antennas and Wireless Propagation Letters, 2014, 13, 1709-1712.	4.0	5
259	Effect of Periodicity in the Resonant Scattering of Light by Finite Sparse Configurations of Many Silver Nanowires. Plasmonics, 2014, 9, 389-407.	3.4	48
260	On the Near-Field Shaping and Focusing Capability of a Radial Line Slot Array. IEEE Transactions on Antennas and Propagation, 2014, 62, 1991-1999.	5.1	73
261	Numerical-asymptotic synergic approach for speeding up the filling time in a MoM/mode matching code for large SIW structures. , 2014, , .		0
262	Compact metallic antenna solutions for linear and circular polarization operation. , 2014, , .		0
263	Inset-fed liquid metal patch antenna. , 2014, , .		2
264	Unit Cell for Reflectarrays Operating With Independent Dual Circular Polarizations. IEEE Antennas and Wireless Propagation Letters, 2014, 13, 1176-1179.	4.0	12
265	Effect of Textile on the Propagation Along the Body at 60 GHz. IEEE Transactions on Antennas and Propagation, 2014, 62, 1489-1494.	5.1	31
266	Reconfigurable transmit-array antenna with multiple focal sources. , 2014, , .		9
267	Annular Cavity Horn Antenna Provides a Fivefold Increase of the Power Density in BEM Experiments in the 60-GHz Band. IEEE Antennas and Wireless Propagation Letters, 2014, 13, 1693-1696.	4.0	3
268	A switched phased array on a conical structure. , 2014, , .		4
269	Solid Phantom for Body-Centric Propagation Measurements at 60 GHz. IEEE Transactions on Microwave Theory and Techniques, 2014, 62, 1373-1380.	4.6	21
270	Waveguide-Integrated MEMS-Based phase shifter for phased array antenna. IET Microwaves, Antennas and Propagation, 2014, 8, 235-243.	1.4	6



#	ARTICLE	IF	CITATIONS
271	Study of ferroelectric/dielectric multilayers for tunable stub resonator applications at microwaves. Thin Solid Films, 2014, 553, 109-113.	1.8	7
272	Transcriptome Analysis Reveals the Contribution of Thermal and the Specific Effects in Cellular Response to Millimeter Wave Exposure. PLoS ONE, 2014, 9, e109435.	2.5	29
273	Enhancing Exposure Efficiency and Uniformity Using a Choke Ring Antenna: Application to Bioelectromagnetic Studies at 60 GHz. IEEE Transactions on Microwave Theory and Techniques, 2013, 61, 2005-2014.	4.6	15
274	Floating boundary particle swarm optimization algorithm. Optimization Letters, 2013, 7, 1261-1280.	1.6	8
275	A Lumped-Element Unit Cell for Beam-Forming Networks and Its Application to a Miniaturized Butler Matrix. IEEE Transactions on Microwave Theory and Techniques, 2013, 61, 1477-1487.	4.6	51
276	A Full-Wave Hybrid Method for the Analysis of Multilayered SIW-Based Antennas. IEEE Transactions on Antennas and Propagation, 2013, 61, 5575-5588.	5.1	26
277	Antennas and Propagation for Body-Centric Wireless Communications at Millimeter-Wave Frequencies: A Review [Wireless Corner]. IEEE Antennas and Propagation Magazine, 2013, 55, 262-287.	1.4	114
278	A new synthesis technique for near-field focusing systems. , 2013, , .		0
279	SIW pillbox antenna with integrated beam-switching feeds for mutual coupling reduction between close-spaced sources. , 2013, , .		0
280	Wideband 400-Element Electronically Reconfigurable Transmitarray in X Band. IEEE Transactions on Antennas and Propagation, 2013, 61, 5017-5027.	5.1	242
281	Effect of head heterogeneity on a cellular phone field. , 2013, , .		0
282	Periodicity assisted scattering and absorption of light by finite layered gratings of silver nanowires. , 2013, , .		0
283	Modeling of a discrete parabolic reflector made of sub-wavelength plasmonic wires. , 2013, , .		6
284	Beam scanning folded reflectarray antenna with shifted waveguide positions. , 2013, , .		1
285	Role of periodicity in the scattering by a cloud of randomly located plasmonic nanowires. , 2013, , .		0
286	Bandwidth behavior of miniature square cavity microstrip antennas. , 2013, , .		1
287	Exposure System and Dosimetry for In Vitro Studies of Biocompatibility of Pulse-Modulated RF Signals of Ultrahigh Field MRI. IEEE Transactions on Biomedical Engineering, 2013, 60, 3167-3175.	4.2	5
288	Shaped Lens-Like Dome for UWB Antennas With a Gaussian-Like Radiation Pattern. IEEE Transactions on Antennas and Propagation, 2013, 61, 1658-1664.	5.1	14

#	ARTICLE	IF	CITATIONS
289	Self-Polarizing Fabry-Perot Antennas Based on Polarization Twisting Element. IEEE Transactions on Antennas and Propagation, 2013, 61, 1032-1040.	5.1	57
290	Design and Characterization of a CPSS-Based Unit-Cell for Circularly Polarized Reflectarray Applications. IEEE Transactions on Antennas and Propagation, 2013, 61, 2313-2318.	5.1	22
291	60-GHz Textile Antenna Array for Body-Centric Communications. IEEE Transactions on Antennas and Propagation, 2013, 61, 1816-1824.	5.1	81
292	On-Body Propagation at 60 GHz. IEEE Transactions on Antennas and Propagation, 2013, 61, 1876-1888.	5.1	67
293	State of knowledge on biological effects at 40-60 GHz. Comptes Rendus Physique, 2013, 14, 402-411.	0.9	30
294	Efficient Computation of the Coupling Between a Vertical Line Source and a Slot. IEEE Transactions on Antennas and Propagation, 2013, 61, 6084-6093.	5.1	3
295	Optimized analysis of slotted substrate integrated waveguides by a method-of-moments mode-matching hybrid approach. , 2013, , .		1
296	Characterization of on-body communications at millimeter waves. , 2013, , .		0
297	Study of propagation along the body at 60 GHz with analytical models and skin-equivalent phantoms. , 2013, , .		0
298	Efficient analysis of SIW-based antenna geometries through a rigorous MoM mode-matching approach. , 2013, , .		0
299	Skin-Equivalent Phantoms, Propagation, and Antennas for Body-Centric Communications in the 60-GHz Band. , 2013, , .		0
300	Modeling of Plasmon Resonances of Multiple Flat Noble-Metal Nanostrips With a Median-Line Integral Equation Technique. IEEE Nanotechnology Magazine, 2013, 12, 442-449.	2.0	35
301	Guest Editorial for the Special Issue on Antennas and Propagation at mm- and Sub mm-Waves. IEEE Transactions on Antennas and Propagation, 2013, 61, 1502-1507.	5.1	3
302	REDUCTION OF INTERNAL REFLECTIONS IN INTEGRATED LENS ANTENNAS FOR BEAM-STEERING. Progress in Electromagnetics Research, 2013, 134, 63-78.	4.4	17
303	H-plane radiation patterns of rectangular waveguide aperture with a corrugated flange. , 2012, , .		2
304	Focal Distance Reduction of Transmit-Array Antennas Using Multiple Feeds. IEEE Antennas and Wireless Propagation Letters, 2012, 11, 1311-1314.	4.0	40
305	Size and Weight Reduction of Integrated Lens Antennas Using a Cylindrical Air Cavity. IEEE Transactions on Antennas and Propagation, 2012, 60, 5993-5998.	5.1	36
306	Comparison between scrimp horns and stacked Fabry-Perot cavity antennas with small apertures. , 2012, , .		2

#	ARTICLE	IF	CITATIONS
307	Hexagonal-Shaped Broadband Compact Scrimp Horn Antenna for Operation in S-Band. IEEE Antennas and Wireless Propagation Letters, 2012, 11, 842-845.	4.0	10
308	A millimeter-wave elastomeric microstrip phase shifter. , 2012, , .		11
309	A lumped-element directional coupler with arbitrary output amplitude and phase distributions. , 2012, , .		5
310	Near and far fields of a kite-shaped dielectric resonator antenna. , 2012, , .		0
311	Performance of frequency-agile CPW resonators on thin film ferroelectric material. , 2012, , .		0
312	Design of printed antennas on reactive impedance substrates for circular polarization operation in S-band. , 2012, , .		2
313	Skin-equivalent phantom for on-body antenna measurements at 60 GHz. , 2012, , .		3
314	Resonant scattering of light by finite sparse configurations of silver nanowires. , 2012, , .		0
315	Mode matching method for the analysis of Substrate Integrated Waveguides. , 2012, , .		5
316	Radiation and absorption of waves emitted by a radial dipole in the presence of a layered dielectric sphere with a spherical screen. IET Microwaves, Antennas and Propagation, 2012, 6, 1063.	1.4	2
317	2D Beam-steering with non-symmetrical beam using non-symmetrical integrated lens antenna. , 2012, , .		4
318	Fabry-Perot-like resonances in the E-polarized electromagnetic plane wave scattering and absorption by a thin dielectric strip. , 2012, , .		3
319	Synthesized elliptical lens with optimized extension for focal array fed lens antennas. , 2012, , .		3
320	Human skin-equivalent phantom for on-body antenna measurements in 60 GHz band. Electronics Letters, 2012, 48, 67.	1.0	28
321	Characterization of the Interactions Between a 60-GHz Antenna and the Human Body in an Off-Body Scenario. IEEE Transactions on Antennas and Propagation, 2012, 60, 5958-5965.	5.1	76
322	Design of medium-size dielectric bifocal lenses for wide-angle beam scanning antennas. , 2012, , .		4
323	A compact directional coupler for use in beam-forming networks. , 2012, , .		0
324	Design of a reconfigurable transmit-array at X-band frequencies. , 2012, , .		5

#	ARTICLE	IF	CITATIONS
325	Structural, Optical, and Dielectric Properties of $\text{Bi}_{1.5}\text{Zn}_{0.92}\text{Nb}_{1.5}\text{O}_{6.92}\text{Thin Films Grown by PLD on R-plane Sapphire and } \text{LaAlO}_3 \text{ Substrates. ACS Applied Materials \& Interfaces, 2012, 4, 5227-5233.}$	8.0	7
326	Novel Phase Shifter Design Based on Substrate-Integrated-Waveguide Technology. IEEE Microwave and Wireless Components Letters, 2012, 22, 518-520.	3.2	47
327	Lens-Corrected Axis-Symmetrical Shaped Horn Antenna in Metallized Foam With Improved Bandwidth. IEEE Antennas and Wireless Propagation Letters, 2012, 11, 57-60.	4.0	12
328	1-Bit Reconfigurable Unit Cell Based on PIN Diodes for Transmit-Array Applications in X-Band. IEEE Transactions on Antennas and Propagation, 2012, 60, 2260-2269.	5.1	170
329	Dual Linearly-Polarized Unit-Cells With Nearly 2-Bit Resolution For Reflectarray Applications In X-Band. IEEE Transactions on Antennas and Propagation, 2012, 60, 6042-6048.	5.1	53
330	A CPSS-based reflectarray cell with reconfigurable capabilities. , 2012, , .		6
331	Design of a CPSS-based reflectarray cell with controllable reflected phase for dual-circularly-polarised reflectarrays. , 2012, , .		3
332	Folded Rotman lens multibeam antenna in SIW technology at 24 GHz. , 2012, , .		12
333	Wearable Endfire Textile Antenna for On-Body Communications at 60 GHz. IEEE Antennas and Wireless Propagation Letters, 2012, 11, 799-802.	4.0	106
334	New Method for Determining Dielectric Properties of Skin and Phantoms at Millimeter Waves Based on Heating Kinetics. IEEE Transactions on Microwave Theory and Techniques, 2012, 60, 827-832.	4.6	33
335	Iris-based 2-bit waveguide phase shifters and transmit-array for automotive radar applications. , 2012, , .		3
336	Advanced modeling of choke ring antennas for mm-wave applications. , 2012, , .		5
337	Efficient Analysis of Metallic and Dielectric Posts in Parallel-Plate Waveguide Structures. IEEE Transactions on Microwave Theory and Techniques, 2012, 60, 2979-2989.	4.6	33
338	Purely Metallic Waveguide-Fed Fabry-Perot Cavity Antenna With a Polarizing Frequency Selective Surface for Compact Solutions in Circular Polarization. IEEE Antennas and Wireless Propagation Letters, 2012, 11, 881-884.	4.0	24
339	Small-Size Shielded Metallic Stacked Fabry-Perot Cavity Antennas With Large Bandwidth for Space Applications. IEEE Transactions on Antennas and Propagation, 2012, 60, 792-802.	5.1	48
340	Lumped-element unit cell for designing beam forming networks. , 2012, , .		0
341	Compact multibeam rotman lens antenna in SIW technology. , 2012, , .		4
342	SIW Slotted Waveguide Array With Pillbox Transition for Mechanical Beam Scanning. IEEE Antennas and Wireless Propagation Letters, 2012, 11, 1572-1575.	4.0	73

#	ARTICLE	IF	CITATIONS
343	USING OPTIMIZED ECCENTRICITY REXOLITE LENS FOR ELECTRICAL BEAM STEERING WITH INTEGRATED APERTURE COUPLED PATCH ARRAY. Progress in Electromagnetics Research B, 2012, 44, 345-365.	1.0	18
344	Dual-Grid multiresolution technique for electrically large BoR-FTD simulation. Microwave and Optical Technology Letters, 2012, 54, 1714-1718.	1.4	2
345	Complex permittivity of representative biological solutions in the 2-67 GHz range. Bioelectromagnetics, 2012, 33, 346-355.	1.6	34
346	Smooth-Walled Light-Weight Ka-Band Shaped Horn Antennas in Metallized Foam. IEEE Transactions on Antennas and Propagation, 2012, 60, 1245-1251.	5.1	9
347	Broadband Tissue-Equivalent Phantom for BAN Applications at Millimeter Waves. IEEE Transactions on Microwave Theory and Techniques, 2012, 60, 2259-2266.	4.6	61
348	Near-field dosimetry for in vitro exposure of human cells at 60 GHz. Bioelectromagnetics, 2012, 33, 55-64.	1.6	31
349	Whole-genome expression analysis in primary human keratinocyte cell cultures exposed to 60 GHz radiation. Bioelectromagnetics, 2012, 33, 147-158.	1.6	31
350	Plasmon-assisted scattering of light by a discrete corner made of silver nanowires. , 2011, , .		0
351	Periodicity-Enhanced Plasmon Resonances in the Scattering of Light by Sparse Finite Gratings of Circular Silver Nanowires. IEEE Photonics Technology Letters, 2011, , .	2.5	14
352	Wideband Low-Loss Linear and Circular Polarization Transmit-Arrays in V-Band. IEEE Transactions on Antennas and Propagation, 2011, 59, 2513-2523.	5.1	220
353	Surface plasmon resonances and gap size effects in multistrip nanoantennas. , 2011, , .		0
354	Highly tunable microwave stub resonator on ferroelectric KTa <sub>0.5</sub> Nb <sub>0.5</sub> O <sub>3</sub> thin film. Applied Physics Letters, 2011, 99, 092904.	3.3	24
355	Two-Shell Radially Symmetric Dielectric Lenses as Low-Cost Analogs of the Luneburg Lens. IEEE Transactions on Antennas and Propagation, 2011, 59, 3089-3093.	5.1	26
356	Focal Array Fed Dielectric Lenses: An Attractive Solution for Beam Reconfiguration at Millimeter Waves. IEEE Transactions on Antennas and Propagation, 2011, 59, 2152-2159.	5.1	30
357	Flat-Shaped Dielectric Lens Antenna for 60-GHz Applications. IEEE Transactions on Antennas and Propagation, 2011, 59, 4041-4048.	5.1	26
358	Human skin permittivity models for millimetre-wave range. Electronics Letters, 2011, 47, 427.	1.0	47
359	Axisymmetric Resonant Lens Antenna With Improved Directivity in Ka-Band. IEEE Antennas and Wireless Propagation Letters, 2011, 10, 37-40.	4.0	15
360	Self-Generation of Circular Polarization Using Compact Fabry-Perot Cavity Antennas. IEEE Antennas and Wireless Propagation Letters, 2011, 10, 907-910.	4.0	54

#	ARTICLE	IF	CITATIONS
361	A Compact UWB Antenna for On-Body Applications. IEEE Transactions on Antennas and Propagation, 2011, 59, 1123-1131.	5.1	217
362	Periodicity-induced effects in the scattering and absorption of light by infinite and finite gratings of circular silver nanowires. Optics Express, 2011, 19, 22176.	3.4	85
363	Millimeter-wave interactions with the human body: state of knowledge and recent advances. International Journal of Microwave and Wireless Technologies, 2011, 3, 237-247.	1.9	187
364	Wideband Circularly Polarized Patch Antennas on Reactive Impedance Substrates. IEEE Antennas and Wireless Propagation Letters, 2011, 10, 1015-1018.	4.0	88
365	Multi-Beam Multi-Layer Leaky-Wave SIW Pillbox Antenna for Millimeter-Wave Applications. IEEE Transactions on Antennas and Propagation, 2011, 59, 1093-1100.	5.1	215
366	NUMERICAL INVESTIGATION INTO THE DESIGN OF SHAPED DIELECTRIC LENS ANTENNAS WITH IMPROVED ANGULAR CHARACTERISTICS. Progress in Electromagnetics Research B, 2011, 30, 279-292.	1.0	9
367	Accurate quantification of the Purcell effect in the presence of a dielectric microdisk of nanoscale thickness. Micro and Nano Letters, 2011, 6, 393.	1.3	11
368	Optical Theorem Helps Understand Thresholds of Lasing in Microcavities With Active Regions. IEEE Journal of Quantum Electronics, 2011, 47, 20-30.	1.9	93
369	IEEE Transactions on Antennas and Propagation Announces a Special Issue on "Antennas and Propagation at mm- and sub mm-waves". IEEE Antennas and Propagation Magazine, 2011, 53, 166-166.	1.4	1
370	Reduced-Size Double-Shell Lens Antenna With Flat-Top Radiation Pattern for Indoor Communications at Millimeter Waves. IEEE Transactions on Antennas and Propagation, 2011, 59, 2424-2429.	5.1	53
371	Scattering of Light by a Discrete Cross Made of Silver Nanowires. , 2011, , .		0
372	Mutual Coupling Reduction of Fabry-Pérot SIW Feeds Using a Double Partially Reflecting Pin-Made Grid Configuration. IEEE Antennas and Wireless Propagation Letters, 2011, 10, 647-650.	4.0	3
373	1-bit reconfigurable unit-cell for transmit-array applications in X-band. , 2011, , .		8
374	Coplanar gratings of multiple thin noble-metal nano-strips as surface plasmon resonance structures. , 2011, , .		1
375	Scattering and Absorption of Waves by Flat Material Strips Analyzed Using Generalized Boundary Conditions and Nystrom-Type Algorithm. IEEE Transactions on Antennas and Propagation, 2011, 59, 3339-3346.	5.1	42
376	Electromagnetic dosimetry for adult and child models within a car: multi-exposure scenarios. International Journal of Microwave and Wireless Technologies, 2011, 3, 707-715.	1.9	18
377	Radiatively coupled plasmons in the scattering of light by periodic grids of circular silver nanowires. , 2011, , .		1
378	Dual Integral Equations and Analytical Regularization Technique in the Study of Purcell Effect for a Thin Dielectric Disk. , 2011, , .		0

#	ARTICLE	IF	CITATIONS
379	Essentials of the Median-Line Integral Equation Technique for the Simulation of Scattering by Flat Metal Nano-Strips. , 2011, , .		0
380	PARAMETER SELECTION IN PARTICLE SWARM OPTIMIZATION ALGORITHM FOR SYNTHESIS OF LINEAR ARRAYS WITH FLAT-TOP BEAMS. Telecommunications and Radio Engineering (English Translation of) Tj ETQq0 0 0 rgBT /Overclock 10 3f 50 697 T		
381	RECIPE FOR AN EFFICIENT HYBRID GENETIC ALGORITHM. Telecommunications and Radio Engineering (English Translation of Elektrosvyaz and Radiotekhnika), 2011, 70, 1143-1158.	0.4	2
382	Finite-difference time-domain simulations of the effects of air gaps in double-shell extended hemispherical lenses. IET Microwaves, Antennas and Propagation, 2010, 4, 35.	1.4	5
383	DESIGN, FABRICATION AND CHARACTERIZATION OF A DIELECTRIC RESONATOR ANTENNA REFLECTARRAY IN KA-BAND. Progress in Electromagnetics Research B, 2010, 25, 261-275.	1.0	29
384	A NOVEL OF RECONFIGURABLE PLANAR ANTENNA ARRAY (RPAA) WITH BEAM STEERING CONTROL. Progress in Electromagnetics Research B, 2010, 20, 125-146.	1.0	25
385	Dielectric resonator antenna reflectarray in Ka-band. , 2010, , .		1
386	Backscattering from thin magneto-dielectric strips at the edge-on incidence of the H-polarized plane wave. , 2010, , .		0
387	Mechanical scanning with a dual-layer pillbox antenna for millimeter-wave applications. , 2010, , .		0
388	Efficient approach for fast synthesis of phased arrays with the aid of a hybrid genetic algorithm and a smart feed representation. , 2010, , .		5
389	Plasmon and grid resonances in the electromagnetic scattering by finite grids of silver nanowires. , 2010, , .		2
390	A Millimeter-Wave Inflatable Frequency-Agile Elastomeric Antenna. IEEE Antennas and Wireless Propagation Letters, 2010, 9, 1131-1134.	4.0	23
391	Electromagnetic wave scattering by periodically structured chains of closely spaced sub-wavelength wires. , 2010, , .		0
392	Numerical algorithm for the scattering by imperfect strips using the nystrom-type discretization. , 2010, , .		1
393	Enhancement of plasmon resonances in the wave scattering by finite grids of circular silver wires. , 2010, , .		0
394	Resonant lenses as building blocks for advanced narrow-band integrated receivers. , 2010, , .		0
395	Layered Circular-Cylindrical Dielectric Lens Antennasâ€”Synthesis and Height Reduction Technique. IEEE Transactions on Antennas and Propagation, 2010, 58, 1783-1788.	5.1	17
396	Four-state dual polarisation unit-cells for reflectarray applications. Electronics Letters, 2010, 46, 742.	1.0	17

#	ARTICLE	IF	CITATIONS
397	Design and Characterization of 60-GHz Integrated Lens Antennas Fabricated Through Ceramic Stereolithography. IEEE Transactions on Antennas and Propagation, 2010, 58, 2757-2762.	5.1	118
398	Near and far fields of perturbed whispering-gallery modes in a 2-D spiral-shaped active microcavity. , 2010, , .		0
399	Design of dielectric lens antennas for multibeam applications. , 2010, , .		1
400	Effective mode volume of a natural mode of an open dielectric resonator with an active region. , 2010, , .		0
401	Compact shaped horn antennas in metallized foam technology. , 2010, , .		1
402	A Reconfigurable Planar Antenna Array (RPAA) with back lobe reduction. , 2010, , .		13
403	Low-threshold lasing eigenmodes of an infinite periodic chain of quantum wires. Optics Letters, 2010, 35, 3634.	3.3	55
404	Drastic influence of the half-bowtie resonances on the focusing and collimating capabilities of 2-D extended hemielliptical and hemispherical dielectric lenses. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2010, 27, 2442.	1.5	8
405	Improvement of the on-body performance of a dual-band textile antenna using an EBG structure. , 2010, , .		20
406	Multi-beam leaky-wave antenna fed by a multi-layer integrated symmetric parabolic reflector. , 2010, , .		1
407	Single-Folded Leaky-Wave Antennas for Automotive Radars at 77 GHz. IEEE Antennas and Wireless Propagation Letters, 2010, 9, 859-862.	4.0	63
408	H-wave scattering by a flat magneto-dielectric strip analyzed with the Nystrom-type numerical algorithm. , 2010, , .		0
409	Plasmon and structure resonances in the scattering of light by a periodic chain of silver nanocylinders. , 2010, , .		1
410	Optimization of Reduced-Size Smooth-Walled Conical Horns Using BoR-FDTD and Genetic Algorithm. IEEE Transactions on Antennas and Propagation, 2010, 58, 3094-3100.	5.1	23
411	Design and characterization of an UWB wearable antenna. , 2010, , .		13
412	Numerical study of electromagnetic field scattering by an electrically resistive disk. , 2010, , .		0
413	Modification of the power radiated by an electrical dipole in the presence of a thin dielectric disk. , 2010, , .		1
414	Plasmon resonances in the H-wave scattering by a nanosize thin flat silver strip. , 2010, , .		4



#	ARTICLE	IF	CITATIONS
415	Hybrid genetic algorithm for fast electromagnetic synthesis. , 2010, , .		5
416	A millimeter-wave frequency tunable microstrip antenna on ultraflexible PDMS substrate. , 2010, , .		6
417	DESIGN OF RECONFIGURABLE MULTIPLE ELEMENTS MICROSTRIP RECTANGULAR LINEAR ARRAY ANTENNA. Progress in Electromagnetics Research C, 2009, 6, 21-35.	0.9	21
418	DUAL INTEGRAL EQUATIONS TECHNIQUE IN ELECTROMAGNETIC WAVE SCATTERING BY A THIN DISK. Progress in Electromagnetics Research B, 2009, 16, 107-126.	1.0	52
419	A PLANAR ANTENNA ARRAY WITH SEPARATED FEED LINE FOR HIGHER GAIN AND SIDELobe REDUCTION. Progress in Electromagnetics Research C, 2009, 8, 69-82.	0.9	18
420	Simulation and performance comparison of ADE and PACO dual-reflector antenna models in 2-D using Nystrom-type MDS algorithm. Digest / IEEE Antennas and Propagation Society International Symposium, 2009, , .	0.0	0
421	A Millimeter-Wave Microstrip Antenna Array on Ultra-Flexible Micromachined Polydimethylsiloxane (PDMS) Polymer. IEEE Antennas and Wireless Propagation Letters, 2009, 8, 1306-1309.	4.0	50
422	Study of narrow band millimeter-wave potential interactions with endoplasmic reticulum stress sensor genes. Bioelectromagnetics, 2009, 30, 365-373.	1.6	20
423	Absence of direct effect of low-power millimeter-wave radiation at 60.4 GHz on endoplasmic reticulum stress. Cell Biology and Toxicology, 2009, 25, 471-478.	5.3	22
424	Optical fields of the lowest modes in a uniformly active thin subwavelength spiral microcavity. Optics Letters, 2009, 34, 3773.	3.3	15
425	Exact off-resonance near fields of small-size extended hemielliptic 2-D lenses illuminated by plane waves. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2009, 26, 259.	1.5	9
426	Reconfigurable multi-beam pillbox antenna for millimeter wave automotive radars. , 2009, , .		3
427	Evaluation of the Potential Biological Effects of the 60-GHz Millimeter Waves Upon Human Cells. IEEE Transactions on Antennas and Propagation, 2009, 57, 2949-2956.	5.1	44
428	Very Broadband Extended Hemispherical Lenses: Role of Matching Layers for Bandwidth Enlargement. IEEE Transactions on Antennas and Propagation, 2009, 57, 1907-1913.	5.1	47
429	Millimeter-wave patch array antenna on ultra flexible micromachined Polydimethylsiloxane (PDMS) substrate. Digest / IEEE Antennas and Propagation Society International Symposium, 2009, , .	0.0	9
430	A Liquid-Crystal, Tunable, Ultra-Thin Fabry-Perot Resonator in Ka Band. IEEE Antennas and Wireless Propagation Letters, 2009, 8, 701-704.	4.0	16
431	Performance of Hemielliptic Dielectric Lens Antennas With Optimal Edge Illumination. IEEE Transactions on Antennas and Propagation, 2009, 57, 2193-2198.	5.1	47
432	Perturbation Technique to Analyze Mutual Coupling in Reflectarrays. IEEE Antennas and Wireless Propagation Letters, 2009, 8, 697-700.	4.0	14

#	ARTICLE	IF	CITATIONS
433	Comparative Research on the Adequacy of GO/PO-, FDTD-, and IE-Based Numerical Algorithms for Analyzing Compact Dielectric Lenses in MM and SubMM Integrated Antennas. Telecommunications and Radio Engineering (English Translation of Elektrosvyaz and Radiotekhnika), 2009, 68, 1-26.	0.4	0
434	$\text{KTa}_{0.5}\text{Nb}_{0.5}\text{O}_3$ ferroelectric thin films grown by pulsed laser deposition: structural characteristics and applications to microwave devices. Physica Status Solidi C: Current Topics in Solid State Physics, 2008, 5, 3298-3303.	0.8	4
435	Small Hemielliptic Dielectric Lens Antenna Analysis in 2-D: Boundary Integral Equations Versus Geometrical and Physical Optics. IEEE Transactions on Antennas and Propagation, 2008, 56, 485-492.	5.1	53
436	Compact Ka-Band Lens Antennas for LEO Satellites. IEEE Transactions on Antennas and Propagation, 2008, 56, 1251-1258.	5.1	75
437	Test of the FDTD accuracy in the analysis of the scattering resonances associated with high-Q whispering-gallery modes of a circular cylinder. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2008, 25, 1169.	1.5	51
438	Reflectarray element based on strip-loaded dielectric resonator antenna. Electronics Letters, 2008, 44, 664.	1.0	26
439	Comparison of two configurations of a four-reflector beam-waveguide for a large space communication facility. , 2008, , .		0
440	Role of edge illumination in hemielliptic dielectric lens antenna performance. , 2008, , .		1
441	Interplay between the ray and mode effects in electromagnetic behavior of small-size hemielliptic dielectric lenses. , 2008, , .		0
442	Shape optimization of lens antennas for Short Range and Long Range sensors at millimeter waves. , 2008, , .		2
443	Structural Characteristics of $\text{KTa}_{0.5}\text{Nb}_{0.5}\text{O}_3$ Ferroelectric Thin Films and Applications to Planar Transmission Lines. Ferroelectrics, 2008, 362, 137-144.	0.6	8
444	Size reduction of synthesized elliptical substrate lenses using air cavities. , 2008, , .		1
445	Range of validity and accuracy of the hybrid GO-PO method for the analysis of reduced-size lens antennas: Benchmarking with BoR - FDTD. , 2008, , .		1
446	Lens antennas with beam shaping capabilities at the feed level. , 2008, , .		0
447	Numerical and experimental approaches to millimeter-wave dosimetry for in vitro experiments. , 2008, , .		0
448	Full-wave consistent MDS-based simulation of a beam-waveguide circuit fragment for a deep space communication or radio astronomy antenna. , 2008, , .		0
449	Layer-to-layer ceramic stereolithography for the design of extended hemispherical lenses at 60 GHz. , 2008, , .		0
450	Size reduction of dielectric-loaded horn antennas combining a Body-of-Revolution (BoR) - FDTD solver and a Genetic Algorithm (GA). , 2008, , .		3

451	A low loss reflectarray element based on a dielectric resonator antenna (DRA) with a parasitic strip. , 2008, , .		2
452	Application of MAS and FDTD for the design of 2-D EBG resonator antennas and dielectric/guided lenses. , 2008, , .		2
453	2-D analysis and synthesis of dielectric lens antennas with boundary integral equations. , 2008, , .		0
454	Collimation and focusing of wave beams with metal-plate lens antennas analyzed using nystrom-type MDS algorithm. , 2008, , .		4
455	Assessment of FDTD Accuracy in the Compact Hemielliptic Dielectric Lens Antenna Analysis. IEEE Transactions on Antennas and Propagation, 2008, 56, 758-764.	5.1	26
456	Synthesis of small axis-symmetrical shaped integrated lens antennas: Comparison between full-wave and high-frequency optimization strategies. , 2008, , .		1
457	Synthesizing layered dielectric cylindrical lens antennas. , 2008, , .		1
458	Beam diversity techniques based on Integrated Lens Antennas fed by beam-switching linear and planar printed antenna sub-arrays. , 2008, , .		2
459	Numerical and Experimental Millimeter-Wave Dosimetry for In Vitro Experiments. IEEE Transactions on Microwave Theory and Techniques, 2008, 56, 2998-3007.	4.6	35
460	Towards the Integration of Epitaxially Grown KTN Thin Films in Silicon Technology. Ferroelectrics, 2008, 362, 95-104.	0.6	7
461	Recent advances in shape optimization techniques of 3-D integrated lens antennas. ESAIM: Proceedings and Surveys, 2008, 22, 88-95.	0.4	0
462	Radiation of Electromagnetic Waves by a Spherical-Circular Mirostrip Antenna Excited with Elementary Dipoles Located on the Axis of Symmetry. , 2007, , .		0
463	Design of dielectric dome antennas with shaped and pencil beams at millimeter waves. , 2007, , .		3
464	Reduced-size lenses for flat-top pattern antennas. , 2007, , .		1
465	Full wave synthesis of integrated lens antennas using FDTD and genetic algorithms. , 2007, , .		1
466	Efficient body-of-revolution (BOR) FDTD solver applied to the analysis and synthesis of focusing and EBG antennas. , 2007, , .		0
467	Lens shaping aimed at improvement of the beam-switching antenna off-axis properties. , 2007, , .		2
468	Electromagnetic bandâ€‘gap (EBG) structures using combined inductive and capacitive elements and chirpingâ€‘andâ€‘tapering technique. Microelectronics International, 2007, 25, 15-20.	0.6	0

#	ARTICLE	IF	CITATIONS
469	Design and Optimization of Three-Dimensional Integrated Lens Antennas With Genetic Algorithm. IEEE Transactions on Antennas and Propagation, 2007, 55, 770-775.	5.1	71
470	Electrically-Small Shaped Integrated Lens Antennas: A Study of Feasibility in Q-Band. IEEE Transactions on Antennas and Propagation, 2007, 55, 1038-1044.	5.1	33
471	Radiation and focusing of waves by hemielliptic dielectric lenses: 2-D analysis and optimization with boundary integral equations. , 2007, , .		3
472	Compact Fabry-Perot Cavities in x-band with PEC and PMC Boundary Conditions. , 2007, , .		3
473	Synthesis of axisymmetric shaped dielectric dome antennas with shaped beams at 60 GHz. , 2007, , .		1
474	Design and optimisation of axisymmetric millimetre-wave shaped lens antennas with directive, secant-squared and conical beams. IET Microwaves, Antennas and Propagation, 2007, 1, 433.	1.4	7
475	Low-power millimeter wave radiations do not alter stress-sensitive gene expression of chaperone proteins. Bioelectromagnetics, 2007, 28, 188-196.	1.6	35
476	Numerical and comparative study of the agility of planar transmission lines printed on a ferroelectric thin film. Microwave and Optical Technology Letters, 2007, 49, 280-285.	1.4	3
477	Assessment of design procedures of nearly axis-symmetric shaped lens antennas: A comparative study between 2-D and 3-D formulations. Microwave and Optical Technology Letters, 2007, 49, 615-622.	1.4	0
478	Analysis of electromagnetic band-gap waveguide structures using body-of-revolution finite-difference time-domain method. Microwave and Optical Technology Letters, 2007, 49, 2201-2206.	1.4	9
479	Radiation performance of purely metallic waveguide-fed compact Fabry-Perot antennas for space applications. Microwave and Optical Technology Letters, 2007, 49, 2216-2221.	1.4	13
480	A 2:1 band frequency-agile active microstrip patch antenna. , 2007, , .		2
481	Millimeter-Wave Integrated Lens Antennas: A Review. Telecommunications and Radio Engineering (English Translation of Elektrosvyaz and Radiotekhnika), 2007, 66, 817-825.	0.4	1
482	Tunable stub resonators on KTN ferroelectric thin films. , 2007, , .		0
483	Dielectric Lens Antenna Size Reduction Due to the Shape Optimization with Genetic Algorithm and Muller Boundary Integral Equations. , 2006, , .		7
484	Far field millimetric band antenna test facility : Positioning procedure using phase measurements. , 2006, , .		1
485	Effect of metallic helmet on the microwave absorption in a spherical phantom of a dipole antenna user head. , 2006, , .		0
486	A Complete Procedure for the Design and Optimization of Arbitrarily Shaped Integrated Lens Antennas. IEEE Transactions on Antennas and Propagation, 2006, 54, 1122-1133.	5.1	80

#	ARTICLE	IF	CITATIONS
487	A stepwise and effective procedure for impedance matching of slot-fed planar antennas. application to the design of wide band printed antennas and reconfigurable EBG resonator antennas. , 2006, , .		0
488	Numerical studies of stripline-typed photonic band-gap (PBG) structures using finite difference time domain (FDTD) method. Journal of Computational Electronics, 2006, 5, 53-61.	2.5	2
489	Quasi axis-symmetric integrated lens antennas: Design rules and experimental/manufacturing trade-offs at millimeter-wave frequencies. Microwave and Optical Technology Letters, 2006, 48, 20-29.	1.4	3
490	Design and analysis of on-package dual-mode band pass filters for highly integrated wireless transceivers. Microwave and Optical Technology Letters, 2006, 48, 756-760.	1.4	1
491	Ming-Sze Tong, Yinchao Chen, Qunsheng Cao, Mingwu Yang, and Ronan Sauleau, Design and analysis of on-package dual-mode band pass filters for highly integrated wireless transceivers, Microwave and Optical Technology Letters(2006) 48(4) 756-760. Microwave and Optical Technology Letters, 2006, 48, 1227-1227.	1.4	0
492	Numerical analysis of PBG via structures using FDTD algorithm. Microelectronics International, 2006, 23, 4-9.	0.6	0
493	Benchmark of lens antennas for KA-band global earth observation from leo satellites. , 2006, , .		8
494	Do millimeter waves alter biomembranes non-thermally?. , 2006, , .		0
495	Interactions between 60-GHz millimeter waves and artificial biological membranes: dependence on radiation parameters. IEEE Transactions on Microwave Theory and Techniques, 2006, 54, 2534-2542.	4.6	38
496	Single- and double-shell shaped lens antennas with asymmetrical radiation characteristics. , 2006, , .		2
497	Study on Wave Propagation and Boundary Absorption Performance using a Body-of-Revolution Finite-Difference Time-Domain (BOR-FDTD) Method. , 2006, , .		1
498	Polydimethylsiloxane membranes for millimeter-wave planar ultra flexible antennas. Journal of Micromechanics and Microengineering, 2006, 16, 2389-2395.	2.6	93
499	Interactions between millimeter waves and artificial biological membranes. , 2005, , .		0
500	A shaping technique of substrate lens antennas with genetic algorithm. , 2005, , .		9
501	Review of lens antenna design and technologies for mm-wave shaped-beam applications. , 2005, , .		24
502	Inversion of Fresnel equations for the determination of effective parameters of periodic resonant and non-resonant metamaterials. , 2005, , .		1
503	An EBG resonator antenna with a controllable directivity. , 2005, , .		0
504	60 GHz electromagnetic fields do not activate stress-sensitive gene expression. , 2005, , .		0

#	ARTICLE	IF	CITATIONS
505	Local optimization of mm-wave integrated lens antennas. , 2005, , .		0
506	Analysis of a printed CPW-fed slot antenna using a lossy transmission-line model. Microwave and Optical Technology Letters, 2005, 44, 45-48.	1.4	0
507	Anomalous frequency range of effective parameters of resonant negative refractive index metamaterials. , 2005, , .		1
508	Frequency beam scanning with EBG Fabry-Perot resonator. , 2005, , .		1
509	Small hemielliptic dielectric lens antenna analysis boundary integral equations vs. GO and PO. , 2005, , .		9
510	A new accurate design method for millimeter-wave homogeneous dielectric substrate lens antennas of arbitrary shape. IEEE Transactions on Antennas and Propagation, 2005, 53, 1069-1082.	5.1	94
511	Performance of reduced size substrate lens antennas for Millimeter-wave communications. IEEE Transactions on Antennas and Propagation, 2005, 53, 1278-1286.	5.1	105
512	Effective parameters of resonant negative refractive index metamaterials: Interpretation and validity. Journal of Applied Physics, 2005, 98, 063505.	2.5	49
513	FDTD analysis of reduced size substrate lens antennas. , 2004, , .		3
514	Ultra-Wideband Wave Reactances of Capacitive Grids. Journal of Infrared, Millimeter and Terahertz Waves, 2004, 25, 1401-1421.	0.6	3
515	Multi-layer microstrip antennas on quartz substrates: Technological considerations and performances at 60 GHz. Microwave and Optical Technology Letters, 2004, 40, 41-47.	1.4	17
516	Input impedance of electromagnetic bandgap resonator antennas. Microwave and Optical Technology Letters, 2004, 41, 369-375.	1.4	8
517	Low-profile directive quasi-planar antennas based on millimetre wave Fabryâ€‘Perot cavities. IET Microwaves Antennas and Propagation, 2003, 150, 274.	1.2	32
518	Near-field coupling between a printed antenna and a Fabry Perot resonator: Experimental study of the radiation properties at millimeter wave frequencies. Microwave and Optical Technology Letters, 2003, 38, 438-443.	1.4	7
519	A new concept of focusing antennas using plane-parallel fabry-perot cavities with nonuniform mirrors. IEEE Transactions on Antennas and Propagation, 2003, 51, 3171-3175.	5.1	62
520	Radiation characteristics and performance of millimeter-wave horn-fed gaussian beam antennas. IEEE Transactions on Antennas and Propagation, 2003, 51, 378-387.	5.1	35
521	Influence of residual air gaps on characteristics of circularly polarised aperture-coupled millimetre-wave microstrip antennas. Electronics Letters, 2003, 39, 889.	1.0	1
522	Beam focusing using 60â€‘GHz Fabryâ€‘Perot resonators with uniform and non-uniform metal grids. Electronics Letters, 2003, 39, 341.	1.0	7

#	ARTICLE	IF	CITATIONS
523	Parametric study and synthesis of 60-GHz Fabry-Perot resonators. Microwave and Optical Technology Letters, 2002, 34, 247-252.	1.4	10
524	Title is missing!. Journal of Infrared, Millimeter and Terahertz Waves, 2002, 23, 475-498.	0.6	13
525	57 GHz Gaussian beam antenna for wireless broadband communications. Electronics Letters, 2000, 36, 594.	1.0	5
526	VECTOR AND PARALLEL IMPLEMENTATIONS FOR THE FDTD ANALYSIS OF MILLIMETER WAVE PLANAR ANTENNAS. International Journal of High Speed Computing, 1999, 10, 209-234.	0.2	23
527	Theoretical Reflection Coefficient of Metal Grid Reflectors at a Dielectric Interface. Journal of Infrared, Millimeter and Terahertz Waves, 1999, 20, 325-340.	0.6	11
528	Implementation of conductor losses in an FDTD algorithm combined with Floquet boundary conditions: Application to the study of millimeter-wave resonant cavities. Microwave and Optical Technology Letters, 1999, 22, 103-108.	1.4	4
529	Analysis of millimeter-wave Fabry-Perot cavities using the FDTD technique. , 1999, 9, 189-191.		7
530	Title is missing!. Journal of Infrared, Millimeter and Terahertz Waves, 1998, 19, 1693-1710.	0.6	14
531	Numerical calibration in FDTD to compute complex reflection coefficient of periodic structures. Electronics Letters, 1998, 34, 2289.	1.0	5
532	Realization of millimeter-wave planar antennas on PDMS. , 0, , .		0
533	Lens Antennas for MM and SUB-MM Wave Applications. , 0, , .		3
534	Exact Near Fields of 2-D Models of Extended Hemielliptic Lenses Made of Rexolite, Quartz and Silicon. , 0, , .		0
535	Antennas for Body Centric Wireless Communications at Millimeter Wave Frequencies. , 0, , .		14
536	Fabry-Perot Resonators. , 0, , .		30