## David M Reid

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/12026541/publications.pdf

Version: 2024-02-01

76 papers 11,619 citations

71061 41 h-index 72 g-index

76 all docs

76 docs citations

76 times ranked 16315 citing authors

#	Article	IF	CITATIONS
1	UK clinical guideline for the prevention and treatment of osteoporosis. Archives of Osteoporosis, 2022, 17, 58.	1.0	146
2	Anticholinergic burden in middle-aged women and recurrent falls in later life: findings from the Aberdeen prospective osteoporosis screening study (APOSS). Therapeutic Advances in Drug Safety, 2020, 11, 204209862092985.	1.0	3
3	Balancing the risks and benefits of biologic drugs in rheumatic disease: the case for romosozumab?. Therapeutic Advances in Musculoskeletal Disease, 2020, 12, 1759720X1989549.	1.2	O
4	Statistical shape modelling provides a responsive measure of morphological change in knee osteoarthritis over 12 months. Rheumatology, 2020, 59, 2419-2426.	0.9	8
5	Zoledronate. Bone, 2020, 137, 115390.	1.4	39
6	Guidance for the assessment and management of prostate cancer treatment-induced bone loss. A consensus position statement from an expert group. Journal of Bone Oncology, 2020, 25, 100311.	1.0	27
7	Bone turnover markers after the menopause: T-score approach. Bone, 2018, 111, 44-48.	1.4	38
8	A high anticholinergic burden is associated with a history of falls in the previous year in middle-aged women: findings from the Aberdeen Prospective Osteoporosis Screening Study. Annals of Epidemiology, 2018, 28, 557-562.e2.	0.9	13
9	Randomized trial of switching from prescribed non-selective non-steroidal anti-inflammatory drugs to prescribed celecoxib: the Standard care vs. Celecoxib Outcome Trial (SCOT). European Heart Journal, 2017, 38, ehw387.	1.0	58
10	Degenerative inter-vertebral disc disease osteochondrosis intervertebralis in Europe: prevalence, geographic variation and radiological correlates in men and women aged 50 and over. Rheumatology, 2017, 56, 1189-1199.	0.9	11
11	The Scottish Early Rheumatoid Arthritis (SERA) Study: an inception cohort and biobank. BMC Musculoskeletal Disorders, 2016, 17, 461.	0.8	22
12	Latest therapeutic advances in musculoskeletal disease from the ACR 2015 annual conference. Therapeutic Advances in Musculoskeletal Disease, 2016, 8, 8-14.	1.2	O
13	Osteoporosis therapeutics: recent developments at ASBMR. Therapeutic Advances in Musculoskeletal Disease, 2016, 8, 3-7.	1.2	2
14	Maternal gestational vitamin D supplementation and offspring bone health (MAVIDOS): a multicentre, double-blind, randomised placebo-controlled trial. Lancet Diabetes and Endocrinology,the, 2016, 4, 393-402.	5.5	188
15	Normocalcaemic hypoparathyroidism: prevalence and effect on bone status in older women. The <scp>OPUS</scp> study. Clinical Endocrinology, 2015, 82, 816-823.	1.2	14
16	Reproducibility and Diagnostic Accuracy of Kellgren-Lawrence Grading for Osteoarthritis Using Radiographs and Dual-Energy X-ray Absorptiometry Images. Journal of Clinical Densitometry, 2015, 18, 239-244.	0.5	26
17	Neural correlates of fatigue in granulomatosis with polyangiitis: a functional magnetic resonance imaging study. Rheumatology, 2014, 53, 2080-2087.	0.9	19
18	A genome-wide copy number association study of osteoporotic fractures points to the 6p25.1 locus. Journal of Medical Genetics, 2014, 51, 122-131.	1.5	36

#	Article	IF	CITATIONS
19	Patterns of dietary intake and serum carotenoid and tocopherol status are associated with biomarkers of chronic low-grade systemic inflammation and cardiovascular risk. British Journal of Nutrition, 2014, 112, 1341-1352.	1.2	73
20	THRA and DIO2 mutations are unlikely to be a common cause of increased bone mineral density in euthyroid post-menopausal women. European Journal of Endocrinology, 2014, 170, 637-644.	1.9	9
21	A Meta-Analysis of the Association of Fracture Risk and Body Mass Index in Women. Journal of Bone and Mineral Research, 2014, 29, 223-233.	3.1	388
22	Effect on bone turnover markers of once-yearly intravenous infusion of zoledronic acid versus daily oral risedronate in patients treated with glucocorticoids. Rheumatology, 2013, 52, 1058-1069.	0.9	15
23	FRAX®: Prediction of Major Osteoporotic Fractures in Women from the General Population: The OPUS Study. PLoS ONE, 2013, 8, e83436.	1.1	45
24	Genome-wide meta-analysis identifies 56 bone mineral density loci and reveals 14 loci associated with risk of fracture. Nature Genetics, 2012, 44, 491-501.	9.4	1,100
25	Bisphosphonates and glucocorticoid osteoporosis in men: results of a randomized controlled trial comparing zoledronic acid with risedronate. Bone, 2012, 50, 289-295.	1.4	55
26	Dietary silicon interacts with oestrogen to influence bone health: Evidence from the Aberdeen Prospective Osteoporosis Screening Study. Bone, 2012, 50, 681-687.	1.4	78
27	Polymorphisms in the P2X7 receptor gene are associated with low lumbar spine bone mineral density and accelerated bone loss in post-menopausal women. European Journal of Human Genetics, 2012, 20, 559-564.	1.4	63
28	Associations between dietary flavonoid intakes and bone health in a scottish population. Journal of Bone and Mineral Research, 2011, 26, 941-947.	3.1	92
29	Skin Color Change in Caucasian Postmenopausal Women Predicts Summer-Winter Change in 25-Hydroxyvitamin D: Findings from the ANSAViD Cohort Study. Journal of Clinical Endocrinology and Metabolism, 2011, 96, 1677-1686.	1.8	36
30	The Functional ACTN3 577X Variant Increases the Risk of Falling in Older Females: Results From Two Large Independent Cohort Studies. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2011, 66A, 130-135.	1.7	32
31	Genome-Wide Association Study Using Extreme Truncate Selection Identifies Novel Genes Affecting Bone Mineral Density and Fracture Risk. PLoS Genetics, 2011, 7, e1001372.	1.5	233
32	Pharmacological treatment. , 2011, , 77-115.		0
33	Confirmation of association of the REL locus with rheumatoid arthritis susceptibility in the UK population. Annals of the Rheumatic Diseases, 2010, 69, 1572-1573.	0.5	32
34	Update on the Use of Zoledronic Acid in the Management of Osteoporosis. Current Osteoporosis Reports, 2010, 8, 145-150.	1.5	6
35	Genome-wide association study of CNVs in 16,000 cases of eight common diseases and 3,000 shared controls. Nature, 2010, 464, 713-720.	13.7	737
36	Genome-wide association study meta-analysis identifies seven new rheumatoid arthritis risk loci. Nature Genetics, 2010, 42, 508-514.	9.4	1,132

#	Article	IF	Citations
37	No evidence for association of the KLF12 gene with rheumatoid arthritis in a large UK cohort. Annals of the Rheumatic Diseases, 2010, 69, 1407-1408.	0.5	9
38	The Incidence of Osteonecrosis of the Jaw in Patients Receiving 5 Milligrams of Zoledronic Acid. Journal of the American Dental Association, 2010, 141, 1365-1370.	0.7	99
39	Association of CD40 with rheumatoid arthritis confirmed in a large UK case-control study. Annals of the Rheumatic Diseases, 2010, 69, 813-816.	0.5	62
40	Common genetic determinants of vitamin D insufficiency: a genome-wide association study. Lancet, The, 2010, 376, 180-188.	6.3	1,385
41	Overlapping genetic susceptibility variants between three autoimmune disorders: rheumatoid arthritis, type 1 diabetes and coeliac disease. Arthritis Research and Therapy, 2010, 12, R175.	1.6	92
42	Identification of AF4/FMR2 family, member 3 (AFF3) as a novel rheumatoid arthritis susceptibility locus and confirmation of two further pan-autoimmune susceptibility genes. Human Molecular Genetics, 2009, 18, 2518-2522.	1.4	78
43	Combined effects of three independent SNPs greatly increase the risk estimate for RA at $6q23$ . Human Molecular Genetics, $2009$ , $18$ , $2693$ - $2699$ .	1.4	93
44	Investigating the viability of genetic screening/testing for RA susceptibility using combinations of five confirmed risk loci. Rheumatology, 2009, 48, 1369-1374.	0.9	20
45	Reevaluation of the interaction between HLA–DRB1 shared epitope alleles, PTPN22, and smoking in determining susceptibility to autoantibodyâ€positive and autoantibodyâ€negative rheumatoid arthritis in a large UK Caucasian population. Arthritis and Rheumatism, 2009, 60, 2565-2576.	6.7	86
46	Genetic variants at CD28, PRDM1 and CD2/CD58 are associated with rheumatoid arthritis risk. Nature Genetics, 2009, 41, 1313-1318.	9.4	306
47	A Rare Haplotype in the Upstream Regulatory Region of <i>COL1A1</i> Is Associated With Reduced Bone Quality and Hip Fracture. Journal of Bone and Mineral Research, 2009, 24, 448-454.	3.1	19
48	Prevention of osteoporosis after breast cancer. Maturitas, 2009, 64, 4-8.	1.0	20
49	Zoledronic acid and risedronate in the prevention and treatment of glucocorticoid-induced osteoporosis (HORIZON): a multicentre, double-blind, double-dummy, randomised controlled trial. Lancet, The, 2009, 373, 1253-1263.	6.3	452
50	Rheumatoid arthritis susceptibility loci at chromosomes 10p15, 12q13 and 22q13. Nature Genetics, 2008, 40, 1156-1159.	9.4	143
51	Geographical variation in DXA bone mineral density in young European men and women. Results from the Network in Europe on male osteoporosis (NEMO) study. Bone, 2008, 43, 332-339.	1.4	39
52	Re-evaluation of putative rheumatoid arthritis susceptibility genes in the post-genome wide association study era and hypothesis of a key pathway underlying susceptibility. Human Molecular Genetics, 2008, 17, 2274-2279.	1.4	131
53	Large-Scale Analysis of Association Between <emph type="ital">LRP5</emph> and <emph type="ital">LRP6</emph> Variants and Osteoporosis. JAMA - Journal of the American Medical Association, 2008, 299, 1277.	3.8	246
54	Vitamin K1 intake is associated with higher bone mineral density and reduced bone resorption in early postmenopausal Scottish women: no evidence of gene-nutrient interaction with apolipoprotein E polymorphisms. American Journal of Clinical Nutrition, 2008, 87, 1513-1520.	2.2	53

#	Article	IF	Citations
55	Effect of potassium citrate supplementation or increased fruit and vegetable intake on bone metabolism in healthy postmenopausal women: a randomized controlled trial. American Journal of Clinical Nutrition, 2008, 88, 465-474.	2.2	148
56	Can high bone turnover markers identify osteopenic postmenopausal women at risk of future fracture?. Nature Clinical Practice Endocrinology and Metabolism, 2007, 3, 570-571.	2.9	1
57	Rheumatoid arthritis association at 6q23. Nature Genetics, 2007, 39, 1431-1433.	9.4	361
58	Alendronic Acid Produces Greater Effects than Risedronic Acid on Bone??Density and Turnover in Postmenopausal Women with Osteoporosis. Clinical Drug Investigation, 2006, 26, 63-74.	1.1	29
59	Large-Scale Evidence for the Effect of the COLIA1 Sp1 Polymorphism on Osteoporosis Outcomes: The GENOMOS Study. PLoS Medicine, 2006, 3, e90.	3.9	160
60	Haplotypes Defined by Promoter and Intron 1 Polymorphisms of the COLIA1 Gene Regulate Bone Mineral Density in Women. Journal of Clinical Endocrinology and Metabolism, 2006, 91, 3575-3583.	1.8	55
61	Longitudinal changes in dietary intake in Scottish women around the menopause: changes in dietary pattern result in minor changes in nutrient intake. Public Health Nutrition, 2005, 8, 409-416.	1.1	44
62	Large-Scale Population-Based Study Shows No Evidence of Association Between Common Polymorphism of the VDR Gene and BMD in British Women. Journal of Bone and Mineral Research, 2005, 21, 151-162.	3.1	78
63	Low dietary potassium intakes and high dietary estimates of net endogenous acid production are associated with low bone mineral density in premenopausal women and increased markers of bone resorption in postmenopausal women. American Journal of Clinical Nutrition, 2005, 81, 923-933.	2.2	168
64	Reply to HA Weiler and MC Kruger. American Journal of Clinical Nutrition, 2004, 80, 1086-1087.	2.2	2
65	Association of Five Quantitative Ultrasound Devices and Bone Densitometry With Osteoporotic Vertebral Fractures in a Population-Based Sample: The OPUS Study. Journal of Bone and Mineral Research, 2004, 19, 782-793.	3.1	240
66	Lower estimates of net endogenous noncarbonic acid production are positively associated with indexes of bone health in premenopausal and perimenopausal women. American Journal of Clinical Nutrition, 2004, 79, 131-138.	2.2	134
67	Nutritional associations with bone loss during the menopausal transition: evidence of a beneficial effect of calcium, alcohol, and fruit and vegetable nutrients and of a detrimental effect of fatty acids. American Journal of Clinical Nutrition, 2004, 79, 155-165.	2.2	313
68	Linkage disequilibrium between polymorphisms in the human TNFRSF1B gene and their association with bone mass in perimenopausal women. Human Molecular Genetics, 2002, 11, 2289-2295.	1.4	41
69	COL1A1 Sp1 Polymorphism Predicts Perimenopausal and Early Postmenopausal Spinal Bone Loss. Journal of Bone and Mineral Research, 2001, 16, 1634-1641.	3.1	66
70	Dietary influences on bone mass and bone metabolism: further evidence of a positive link between fruit and vegetable consumption and bone health?. American Journal of Clinical Nutrition, 2000, 71, 142-151.	2.2	446
71	Efficacy and Safety of Daily Risedronate in the Treatment of Corticosteroid-Induced Osteoporosis in Men and Women: A Randomized Trial. Journal of Bone and Mineral Research, 2000, 15, 1006-1013.	3.1	518
72	Arthritis at the Menopause. The Journal of the British Menopause Society, 1999, 5, 55-57.	1.3	0

#	Article	IF	CITATION
73	The Pharmacoeconomics of Hormone Replacement Therapy. Pharmacoeconomics, 1999, 16, 9-16.	1.7	8
74	Nutritional influences on bone mass. Proceedings of the Nutrition Society, 1997, 56, 977-987.	0.4	28
75	The Economics of Osteoporosis and Its Prevention. Pharmacoeconomics, 1997, 11, 126-138.	1.7	31
76	Reduced bone density and osteoporosis associated with a polymorphic Sp1 binding site in the collagen type I $\hat{l}$ ± 1 gene. Nature Genetics, 1996, 14, 203-205.	9.4	639