Akihiro Yoneda

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1202658/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Heat shock protein 47 confers chemoresistance on pancreatic cancer cells by interacting with calreticulin and IRE11±. Cancer Science, 2021, 112, 2803-2820. | 3.9 | 8 |
| 2 | Safety and Feasibility of Laparoscopic Resection of Neuroblastoma Without Image-Defined Risk Factors Performed by Pediatric Surgical Trainees: A Multicenter Comparison Study. Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A, 2021, 31, 954-958. | 1.0 | 4 |
| 3 | Targeting of Collagen-specific Chaperone Heat Shock Protein 47 for Cancer Therapy. Thermal Medicine, 2021, 37, 79-93. | 0.1 | 0 |
| 4 | Uncapsulized sacrococcygeal teratoma in a neonate. Pediatrics International, 2021, 63, 1266-1267. | 0.5 | 0 |
| 5 | Rhabdoid tumor predisposition syndrome with renal tumor 10 years after brain tumor. Pathology International, 2021, 71, 155-160. | 1.3 | 2 |
| 6 | Early ileostomy in a 419 g infant and longâ€ŧerm follow up: A case report. Pediatrics International, 2020, 62, 94-95. | 0.5 | 1 |
| 7 | HSP47 promotes metastasis of breast cancer by interacting with myosin IIA via the unfolded protein response transducer IRE11±. Oncogene, 2020, 39, 4519-4537. | 5.9 | 17 |
| 8 | A phase II JN-I-10 efficacy study of IDRF-based surgical decisions and stepwise treatment intensification for patients with intermediate-risk neuroblastoma: a study protocol. BMC Pediatrics, 2020, 20, 212. | 1.7 | 4 |
| 9 | Heat Shock Protein 47 Maintains Cancer Cell Growth by Inhibiting the Unfolded Protein Response Transducer IRE1α. Molecular Cancer Research, 2020, 18, 847-858. | 3.4 | 7 |
| 10 | Liver resection for a congenital intrahepatic portosystemic shunt in a child with hyperammonemia and hypermanganesemia: a case report. Surgical Case Reports, 2020, 6, 73. | 0.6 | 3 |
| 11 | Results of a prospective clinical trial JNâ€Lâ€10 using imageâ€defined risk factors to inform surgical decisions for children with lowâ€risk neuroblastoma disease: A report from the Japan Children's Cancer Group Neuroblastoma Committee. Pediatric Blood and Cancer, 2019, 66, e27914. | 1.5 | 12 |
| 12 | ERO1α is a novel endogenous marker of hypoxia in human cancer cell lines. BMC Cancer, 2019, 19, 510. | 2.6 | 12 |
| 13 | Japanese clinical practice guidelines for sacrococcygeal teratoma, 2017. Pediatrics International, 2019, 61, 672-678. | 0.5 | 14 |
| 14 | Results of a phase II trial for high-risk neuroblastoma treatment protocol JN-H-07: a report from the Japan Childhood Cancer Group Neuroblastoma Committee (JNBSG). International Journal of Clinical Oncology, 2018, 23, 965-973. | 2.2 | 36 |
| 15 | Image-based surgical risk factors for Wilms tumor. Pediatric Surgery International, 2018, 34, 29-34. | 1.4 | 4 |
| 16 | Clinicopathological features of neuroblastic tumors with opsoclonusâ€nyoclonusâ€ataxia syndrome: Follicular structure predicts a better neurological outcome. Pathology International, 2017, 67, 503-509. | 1.3 | 4 |
| 17 | Hypoxia-inducible ERO1α promotes cancer progression through modulation of integrin-β1 modification and signalling in HCT116 colorectal cancer cells. Scientific Reports, 2017, 7, 9389. | 3.3 | 34 |
| 18 | Role of surgery in delayed local treatment for <scp>INSS</scp> 4 neuroblastoma. Pediatrics International, 2017, 59, 986-990. | 0.5 | 7 |

Akihiro Yoneda

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Ultrasound-guided hydrostatic enema for meconium obstruction in extremely low birth weight infants: a preliminary report. Pediatric Surgery International, 2017, 33, 1019-1022. | 1.4 | 3 |
| 20 | Endoplasmic reticulum oxidase 11± is critical for collagen secretion from and membrane type 1-matrix metalloproteinase levels in hepatic stellate cells. Journal of Biological Chemistry, 2017, 292, 15649-15660. | 3.4 | 10 |
| 21 | Spatiotemporal Regulation of Hsp90–Ligand Complex Leads to Immune Activation. Frontiers in Immunology, 2016, 7, 201. | 4.8 | 12 |
| 22 | Implantable central venous access device in infants: Longâ€ŧerm results. Pediatrics International, 2016, 58, 1027-1031. | 0.5 | 1 |
| 23 | Can Image-Defined Risk Factors Predict Surgical Complications in Localized Neuroblastoma?. European Journal of Pediatric Surgery, 2016, 26, 117-122. | 1.3 | 28 |
| 24 | Early Detection and Treatment of Neuroblastic Tumor with Opsoclonus-Myoclonus Syndrome Improve Neurological Outcome: A Review of Five Cases at a Single Institution in Japan. European Journal of Pediatric Surgery, 2016, 26, 054-059. | 1.3 | 11 |
| 25 | Can neoadjuvant chemotherapy reduce the surgical risks for localized neuroblastoma patients with image-defined risk factors at the time of diagnosis?. Pediatric Surgery International, 2016, 32, 209-214. | 1.4 | 17 |
| 26 | Vitamin A and insulin are required for the maintenance of hepatic stellate cell quiescence. Experimental Cell Research, 2016, 341, 8-17. | 2.6 | 34 |
| 27 | Congenital urethrovaginal fistula associated with imperforate hymen causing fetal urinary ascites and abdominal cystic lesions: AÂcase report and literature review. Journal of Pediatric Surgery Case Reports, 2015, 3, 48-52. | 0.2 | 3 |
| 28 | Involvement of mouse and porcine PLCζ-induced calcium oscillations in preimplantation development of mouse embryos. Biochemical and Biophysical Research Communications, 2015, 460, 476-481. | 2.1 | 4 |
| 29 | Cancer Stem-like Cells Derived from Chemoresistant Tumors Have a Unique Capacity to Prime Tumorigenic Myeloid Cells. Cancer Research, 2014, 74, 2698-2709. | 0.9 | 56 |
| 30 | TIM-4 Glycoprotein-Mediated Degradation of Dying Tumor Cells by Autophagy Leads to Reduced Antigen Presentation and Increased Immune Tolerance. Immunity, 2013, 39, 1070-1081. | 14.3 | 100 |
| 31 | T cell immunoglobulin domain and mucin domain-3 as an emerging target for immunotherapy in cancer management. ImmunoTargets and Therapy, 2013, 2, 135. | 5.8 | 5 |
| 32 | Observation of untreated patients with neuroblastoma detected by mass screening: A ?wait and see? pilot study. Medical and Pediatric Oncology, 2001, 36, 160-162. | 1.0 | 44 |