

# Pichet Udomratn

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/12036264/publications.pdf>

Version: 2024-02-01

51  
papers

1,793  
citations

516215

16  
h-index

276539

41  
g-index

51  
all docs

51  
docs citations

51  
times ranked

2711  
citing authors

#	ARTICLE	IF	CITATIONS
1	Innovations and changes in the ICD-11 classification of mental, behavioural and neurodevelopmental disorders. <i>World Psychiatry</i> , 2019, 18, 3-19.	4.8	505
2	The WPA- Lancet Psychiatry Commission on the Future of Psychiatry. <i>Lancet Psychiatry</i> , 2017, 4, 775-818.	3.7	305
3	Reducing the treatment gap for mental disorders: a WPA survey. <i>World Psychiatry</i> , 2010, 9, 169-176.	4.8	301
4	Mental health and the psychosocial consequences of natural disasters in Asia. <i>International Review of Psychiatry</i> , 2008, 20, 441-444.	1.4	87
5	Public mental health: required actions to address implementation failure in the context of COVID-19. <i>Lancet Psychiatry</i> , 2022, 9, 169-182.	3.7	54
6	Subjective memory and concentration deficits in medication-free, non-elderly Asians with major depressive disorder: Prevalence and their correlates. <i>Journal of Affective Disorders</i> , 2015, 171, 105-110.	2.0	33
7	Use of electroconvulsive therapy for Asian patients with schizophrenia (2001-2009): Trends and correlates. <i>Psychiatry and Clinical Neurosciences</i> , 2015, 69, 489-496.	1.0	30
8	Adjunctive mood stabilizer treatment for hospitalized schizophrenia patients: Asia psychotropic prescription study (2001-2008). <i>International Journal of Neuropsychopharmacology</i> , 2011, 14, 1157-1164.	1.0	28
9	Adjunctive benzodiazepine treatment of hospitalized schizophrenia patients in Asia from 2001 to 2008. <i>International Journal of Neuropsychopharmacology</i> , 2011, 14, 735-745.	1.0	28
10	Perception of Stigma and Its Associated Factors Among Patients With Major Depressive Disorder: A Multicenter Survey From an Asian Population. <i>Frontiers in Psychiatry</i> , 2019, 10, 321.	1.3	26
11	Clinical and sociodemographic correlates of suicidality in patients with major depressive disorder from six Asian countries. <i>BMC Psychiatry</i> , 2014, 14, 37.	1.1	24
12	Clinical features of depression in Asia: Results of a large prospective, cross-sectional study. <i>Asia-Pacific Psychiatry</i> , 2013, 5, 259-267.	1.2	22
13	Common use of high doses of antipsychotic medications in older Asian patients with schizophrenia (2001-2009). <i>International Journal of Geriatric Psychiatry</i> , 2014, 29, 359-366.	1.3	19
14	Postgraduate training in psychiatry in Asia. <i>Current Opinion in Psychiatry</i> , 2018, 31, 396-402.	3.1	19
15	Adjunctive antidepressant prescriptions for hospitalized patients with schizophrenia in Asia (2001-2009). <i>Asia-Pacific Psychiatry</i> , 2013, 5, E81-7.	1.2	17
16	Common Use of Antipsychotic Polypharmacy in Older Asian Patients With Schizophrenia (2001-2009). <i>Journal of Clinical Psychopharmacology</i> , 2012, 32, 809-813.	0.7	16
17	Suicidal thoughts/acts and clinical correlates in patients with depressive disorders in Asians: results from the REAP-AD study. <i>Acta Neuropsychiatrica</i> , 2016, 28, 337-345.	1.0	16
18	Patterns of long acting injectable antipsychotic use and associated clinical factors in schizophrenia among 15 Asian countries and region. <i>Asia-Pacific Psychiatry</i> , 2020, 12, e12393.	1.2	16

#	ARTICLE	IF	CITATIONS
19	Network analysis of the depressive symptom profiles in Asian patients with depressive disorders: Findings from the Research on Asian Psychotropic Prescription Patterns for Antidepressants (REAP-AD). <i>Psychiatry and Clinical Neurosciences</i> , 2020, 74, 344-353.	1.0	16
20	First-Night-Effects on Generalized Anxiety Disorder (GAD)-Based Insomnia: Laboratory Versus Home Sleep Recordings. <i>Sleep</i> , 1996, , .	0.6	15
21	Use of Clozapine in Older Asian Patients with Schizophrenia between 2001 and 2009. <i>PLoS ONE</i> , 2013, 8, e66154.	1.1	15
22	Differences in psychiatric symptoms among Asian patients with depression: A multi-country cross-sectional study. <i>Psychiatry and Clinical Neurosciences</i> , 2014, 68, 245-254.	1.0	14
23	Postmenopausal Sexuality in Thai Women*. <i>Asia-Oceania Journal of Obstetrics and Gynaecology</i> , 1991, 17, 143-146.	0.0	13
24	Acute and transient psychotic disorders: An overview of studies in Asia. <i>International Review of Psychiatry</i> , 2012, 24, 463-466.	1.4	12
25	Clinical and sociodemographic correlates of severe insomnia in psychotropic drug-free, Asian outpatients with major depressive disorder. <i>Journal of Affective Disorders</i> , 2015, 186, 26-31.	2.0	12
26	Psychotropic drug-prescribing correlates of disorganized speech in Asians with schizophrenia: The REAP-AP study. <i>Saudi Pharmaceutical Journal</i> , 2019, 27, 246-253.	1.2	12
27	Use of first- and second-generation antipsychotic medications in older patients with schizophrenia in Asia (2001-2009). <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 1159-1164.	1.3	11
28	Prevalence of tsunami-related PTSD and MDD in Thailand. <i>Asian Journal of Psychiatry</i> , 2009, 2, 124-127.	0.9	10
29	Factors Associated With Antidepressant Dosing in Asia. <i>Journal of Clinical Psychopharmacology</i> , 2016, 36, 716-719.	0.7	9
30	Clinical and socio-demographic correlates of anxious distress in Asian outpatients with major depressive disorder. <i>Nordic Journal of Psychiatry</i> , 2017, 71, 503-508.	0.7	9
31	Coprescription of mood stabilizers in schizophrenia, dosing, and clinical correlates: An international study. <i>Human Psychopharmacology</i> , 2020, 35, 1-7.	0.7	9
32	Impact on Thai Psychiatrists of Passive Dissemination of a Clinical Practice Guideline on Prescribing Attitudes in Treatment-Resistant Schizophrenia. <i>Neuropsychobiology</i> , 2002, 45, 186-190.	0.9	8
33	Concurrent benzodiazepine use in older adults treated with antidepressants in Asia. <i>International Psychogeriatrics</i> , 2019, 31, 685-691.	0.6	8
34	Prevalence and Prescription of Antidepressants in Depression with Somatic Comorbidity in Asia. <i>Chinese Medical Journal</i> , 2015, 128, 853-858.	0.9	8
35	Common use of anticholinergic medications in older patients with schizophrenia: findings of the Research on Asian Psychotropic Prescription Pattern (REAP) study, 2001-2009. <i>International Journal of Geriatric Psychiatry</i> , 2013, 28, 305-311.	1.3	7
36	Clinical Use of Mood Stabilizers With Antidepressants in Asia. <i>Journal of Clinical Psychopharmacology</i> , 2017, 37, 255-259.	0.7	7

#	ARTICLE	IF	CITATIONS
37	Concurrent antipsychotic use in older adults treated with antidepressants in Asia. <i>Psychogeriatrics</i> , 2019, 19, 333-339.	0.6	7
38	Subjective depressive symptoms associated with pain in patients with major depressive disorder: Findings from the study on the aspect of Asian depression. <i>Perspectives in Psychiatric Care</i> , 2020, 56, 188-193.	0.9	7
39	Mental health and psychiatry in Thailand. <i>International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists</i> , 2007, 4, 11-14.	0.2	6
40	How Thailand has modified the section on mental disorders in the International Statistical Classification of Diseases and Related Health Problems 10th Revision (ICD-10). <i>Asia-Pacific Psychiatry</i> , 2009, 1, 88-89.	1.2	6
41	Prototype matching together with operational criteria would make a better approach to psychiatric classification. <i>World Psychiatry</i> , 2012, 11, 31-31.	4.8	6
42	The teaching and training of psychiatry in Thailand. <i>International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists</i> , 2007, 4, 41-42.	0.2	5
43	Correlates of Disability in Asian Patients With Major Depressive Disorder. <i>Perspectives in Psychiatric Care</i> , 2016, 52, 265-272.	0.9	4
44	Physical comorbidities in older adults receiving antidepressants in Asia. <i>Psychogeriatrics</i> , 2018, 18, 351-356.	0.6	3
45	Outpatient prescribing practices in Asian countries. , 0, , 135-143.		2
46	A comparison of clinical characteristics of older adults treated with antidepressants in general and psychiatric hospitals in Asia. <i>Psychogeriatrics</i> , 2017, 17, 348-355.	0.6	2
47	A Call for a Rational Polypharmacy Policy: International Insights From Psychiatrists. <i>Psychiatry Investigation</i> , 2021, 18, 1058-1067.	0.7	2
48	Clinical Characteristics and Psychotropic Prescribing Patterns Associated with impaired Concentration in Asians with Depressive Disorders: The REAP-AD Study. <i>Tohoku Journal of Experimental Medicine</i> , 2017, 242, 151-156.	0.5	1
49	Mental health and psychiatry in Thailand. <i>International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists</i> , 2007, 4, 11-14.	0.2	1
50	The teaching and training of psychiatry in Thailand. <i>International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists</i> , 2007, 4, 41-42.	0.2	0
51	Psychotherapy for Depressed Patients in Low- and Middle-Income Countries, Particularly in Asia. , 0, , 137-139.		0