
Pichet Udomratn

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/12036264/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Public mental health: required actions to address implementation failure in the context of COVID-19. Lancet Psychiatry,the, 2022, 9, 169-182.	3.7	54
2	A Call for a Rational Polypharmacy Policy: International Insights From Psychiatrists. Psychiatry Investigation, 2021, 18, 1058-1067.	0.7	2
3	Subjective depressive symptoms associated with pain in patients with major depressive disorder: Findings from the study on the aspect of Asian depression. Perspectives in Psychiatric Care, 2020, 56, 188-193.	0.9	7
4	Coprescription of mood stabilizers in schizophrenia, dosing, and clinical correlates: An international study. Human Psychopharmacology, 2020, 35, 1-7.	0.7	9
5	Patterns of long acting injectable antipsychotic use and associated clinical factors in schizophrenia among 15 Asian countries and region. Asia-Pacific Psychiatry, 2020, 12, e12393.	1.2	16
6	Network analysis of the depressive symptom profiles in Asian patients with depressive disorders: Findings from the Research on Asian Psychotropic Prescription Patterns for Antidepressants (REAPâ€AD). Psychiatry and Clinical Neurosciences, 2020, 74, 344-353.	1.0	16
7	Perception of Stigma and Its Associated Factors Among Patients With Major Depressive Disorder: A Multicenter Survey From an Asian Population. Frontiers in Psychiatry, 2019, 10, 321.	1.3	26
8	Psychotropic drug-prescribing correlates of disorganized speech in Asians with schizophrenia: The REAP-AP study. Saudi Pharmaceutical Journal, 2019, 27, 246-253.	1.2	12
9	Concurrent antipsychotic use in older adults treated with antidepressants in Asia. Psychogeriatrics, 2019, 19, 333-339.	0.6	7
10	Innovations and changes in the ICDâ€11 classification of mental, behavioural and neurodevelopmental disorders. World Psychiatry, 2019, 18, 3-19.	4.8	505
11	Concurrent benzodiazepine use in older adults treated with antidepressants in Asia. International Psychogeriatrics, 2019, 31, 685-691.	0.6	8
12	Postgraduate training in psychiatry in Asia. Current Opinion in Psychiatry, 2018, 31, 396-402.	3.1	19
13	Physical comorbidities in older adults receiving antidepressants in Asia. Psychogeriatrics, 2018, 18, 351-356.	0.6	3
14	A comparison of clinical characteristics of older adults treated with antidepressants in general and psychiatric hospitals in <scp>A</scp> sia. Psychogeriatrics, 2017, 17, 348-355.	0.6	2
15	The WPA- Lancet Psychiatry Commission on the Future of Psychiatry. Lancet Psychiatry,the, 2017, 4, 775-818.	3.7	305
16	Clinical Use of Mood Stabilizers With Antidepressants in Asia. Journal of Clinical Psychopharmacology, 2017, 37, 255-259.	0.7	7
17	Clinical and socio-demographic correlates of anxious distress in Asian outpatients with major depressive disorder. Nordic Journal of Psychiatry, 2017, 71, 503-508.	0.7	9
18	Clinical Characteristics and Psychotropic Prescribing Patterns Associated with impaired Concentration in Asians with Depressive Disorders: The REAP-AD Study. Tohoku Journal of Experimental Medicine, 2017, 242, 151-156.	0.5	1

PICHET UDOMRATN

#	Article	IF	CITATIONS
19	Correlates of Disability in Asian Patients With Major Depressive Disorder. Perspectives in Psychiatric Care, 2016, 52, 265-272.	0.9	4
20	Suicidal thoughts/acts and clinical correlates in patients with depressive disorders in Asians: results from the REAP-AD study. Acta Neuropsychiatrica, 2016, 28, 337-345.	1.0	16
21	Factors Associated With Antidepressant Dosing in Asia. Journal of Clinical Psychopharmacology, 2016, 36, 716-719.	0.7	9
22	Use of electroconvulsive therapy for Asian patients with schizophrenia (2001–2009): Trends and correlates. Psychiatry and Clinical Neurosciences, 2015, 69, 489-496.	1.0	30
23	Clinical and sociodemographic correlates of severe insomnia in psychotropic drug-free, Asian outpatients with major depressive disorder. Journal of Affective Disorders, 2015, 186, 26-31.	2.0	12
24	Subjective memory and concentration deficits in medication-free, non-elderly Asians with major depressive disorder: Prevalence and their correlates. Journal of Affective Disorders, 2015, 171, 105-110.	2.0	33
25	Prevalence and Prescription of Antidepressants in Depression with Somatic Comorbidity in Asia. Chinese Medical Journal, 2015, 128, 853-858.	0.9	8
26	Differences in psychiatric symptoms among Asian patients with depression: A multi-country cross-sectional study. Psychiatry and Clinical Neurosciences, 2014, 68, 245-254.	1.0	14
27	Common use of high doses of antipsychotic medications in older Asian patients with schizophrenia (2001–2009). International Journal of Geriatric Psychiatry, 2014, 29, 359-366.	1.3	19
28	Clinical and sociodemographic correlates of suicidality in patients with major depressive disorder from six Asian countries. BMC Psychiatry, 2014, 14, 37.	1.1	24
29	Common use of anticholinergic medications in older patients with schizophrenia: findings of the Research on Asian Psychotropic Prescription Pattern (REAP) study, 2001–2009. International Journal of Geriatric Psychiatry, 2013, 28, 305-311.	1.3	7
30	Adjunctive antidepressant prescriptions for hospitalized patients with schizophrenia in Asia (2001–2009). Asia-Pacific Psychiatry, 2013, 5, E81-7.	1.2	17
31	Clinical features of depression in Asia: Results of a large prospective, cross-sectional study. Asia-Pacific Psychiatry, 2013, 5, 259-267.	1.2	22
32	Use of Clozapine in Older Asian Patients with Schizophrenia between 2001 and 2009. PLoS ONE, 2013, 8, e66154.	1.1	15
33	Common Use of Antipsychotic Polypharmacy in Older Asian Patients With Schizophrenia (2001–2009). Journal of Clinical Psychopharmacology, 2012, 32, 809-813.	0.7	16
34	Prototype matching together with operational criteria would make a better approach to psychiatric classification. World Psychiatry, 2012, 11, 31-31.	4.8	6
35	Use of first- and second-generation antipsychotic medications in older patients with schizophrenia in Asia (2001–2009). Australian and New Zealand Journal of Psychiatry, 2012, 46, 1159-1164.	1.3	11
36	Acute and transient psychotic disorders: An overview of studies in Asia. International Review of Psychiatry, 2012, 24, 463-466.	1.4	12

PICHET UDOMRATN

#	Article	IF	CITATIONS
37	Adjunctive mood stabilizer treatment for hospitalized schizophrenia patients: Asia psychotropic prescription study (2001–2008). International Journal of Neuropsychopharmacology, 2011, 14, 1157-1164.	1.0	28
38	Adjunctive benzodiazepine treatment of hospitalized schizophrenia patients in Asia from 2001 to 2008. International Journal of Neuropsychopharmacology, 2011, 14, 735-745.	1.0	28
39	Reducing the treatment gap for mental disorders: a WPA survey. World Psychiatry, 2010, 9, 169-176.	4.8	301
40	How Thailand has modified the section on mental disorders in the International Statistical Classification of Diseases and Related Health Problems 10th Revision (ICD-10). Asia-Pacific Psychiatry, 2009, 1, 88-89.	1.2	6
41	Prevalence of tsunami-related PTSD and MDD in Thailand. Asian Journal of Psychiatry, 2009, 2, 124-127.	0.9	10
42	Mental health and the psychosocial consequences of natural disasters in Asia. International Review of Psychiatry, 2008, 20, 441-444.	1.4	87
43	Mental health and psychiatry in Thailand. International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists, 2007, 4, 11-14.	0.2	6
44	The teaching and training of psychiatry in Thailand. International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists, 2007, 4, 41-42.	0.2	5
45	Mental health and psychiatry in Thailand. International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists, 2007, 4, 11-14.	0.2	1
46	The teaching and training of psychiatry in Thailand. International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists, 2007, 4, 41-42.	0.2	0
47	Impact on Thai Psychiatrists of Passive Dissemination of a Clinical Practice Guideline on Prescribing Attitudes in Treatment-Resistant Schizophrenia. Neuropsychobiology, 2002, 45, 186-190.	0.9	8
48	First-Night-Effects on Generalized Anxiety Disorder (GAD)-Based Insomnia: Laboratory Versus Home Sleep Recordings. Sleep, 1996, , .	0.6	15
49	Postmenopausal Sexuality in Thai Women*. Asia-Oceania Journal of Obstetrics and Gynaecology, 1991, 17, 143-146.	0.0	13
50	Outpatient prescribing practices in Asian countries. , 0, , 135-143.		2
51	Psychotherapy for Depressed Patients in Low- and Middle-Income Countries, Particularly in Asia. , 0, , 137-139.		О