

Christian Albus

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/12037694/publications.pdf>

Version: 2024-02-01

85
papers

17,115
citations

249298

26
h-index

66518

82
g-index

100
all docs

100
docs citations

100
times ranked

21088
citing authors

#	ARTICLE	IF	CITATIONS
1	2021 ESC Guidelines on cardiovascular disease prevention in clinical practice. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 5-115.	0.8	220
2	Cortisol Awakening Reaction and Anxiety in Depressed Coronary Artery Disease Patients. <i>Journal of Clinical Medicine</i> , 2022, 11, 374.	1.0	5
3	Sick Leave and Intention to Quit the Job among Nursing Staff in German Hospitals during the COVID-19 Pandemic. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 1947.	1.2	37
4	The impact of the COVID-19 pandemic on the mental health of medical staff considering the interplay of pandemic burden and psychosocial resources—A rapid systematic review. <i>PLoS ONE</i> , 2022, 17, e0264290.	1.1	28
5	The impact of the COVID-19 pandemic on pediatric developmental services: a cross-sectional study on overall burden and mental health status. <i>Archives of Public Health</i> , 2022, 80, 113.	1.0	2
6	Validity of a multidimensional comprehensive psychosocial screening instrument based on the ESC cardiovascular prevention guidelines — Evidence from the general and cardiovascular patient population. <i>Journal of Psychosomatic Research</i> , 2022, 157, 110791.	1.2	5
7	Individual Stress Burden and Mental Health in Health Care Workers during the COVID-19 Pandemic: Moderating and Mediating Effects of Resilience. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 6545.	1.2	8
8	Health-related quality of life after 50 years in individuals with thalidomide embryopathy: Evidence from a German cross-sectional survey. <i>Birth Defects Research</i> , 2022, 114, 714-724.	0.8	4
9	The mediating role of COVID-19-related burden in the association between adverse childhood experiences and emotional exhaustion: results of the egePan — VOICE study. <i>HÅgre Utbildning</i> , 2021, 12, 1976441.	1.4	4
10	Social Support and Optimism as Protective Factors for Mental Health among 7765 Healthcare Workers in Germany during the COVID-19 Pandemic: Results of the VOICE Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3827.	1.2	52
11	Cardiac Rehabilitation in German Speaking Countries of Europe—Evidence-Based Guidelines from Germany, Austria and Switzerland LLKardReha-DACH—Part 1. <i>Journal of Clinical Medicine</i> , 2021, 10, 2192.	1.0	23
12	Psychosocial burden and working conditions during the COVID-19 pandemic in Germany: The VOICE survey among 3678 health care workers in hospitals. <i>Journal of Psychosomatic Research</i> , 2021, 144, 110415.	1.2	65
13	Sense of coherence, social support and religiosity as resources for medical personnel during the COVID-19 pandemic: A web-based survey among 4324 health care workers within the German Network University Medicine. <i>PLoS ONE</i> , 2021, 16, e0255211.	1.1	32
14	Cardiac Rehabilitation in German Speaking Countries of Europe—Evidence-Based Guidelines from Germany, Austria and Switzerland LLKardReha-DACH—Part 2. <i>Journal of Clinical Medicine</i> , 2021, 10, 3071.	1.0	21
15	2021 ESC Guidelines on cardiovascular disease prevention in clinical practice. <i>European Heart Journal</i> , 2021, 42, 3227-3337.	1.0	2,517
16	Correlates and Predictors of PTSD Symptoms Among Healthcare Workers During the COVID-19 Pandemic: Results of the egePan-VOICE Study. <i>Frontiers in Psychiatry</i> , 2021, 12, 686667.	1.3	16
17	Psychosocial Factors and Diabetes. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2021, 129, S91-S105.	0.6	3
18	Psychosocial Pre-Transplant Screening With the Transplant Evaluation Rating Scale Contributes to Prediction of Survival After Hematopoietic Stem Cell Transplantation. <i>Frontiers in Psychiatry</i> , 2021, 12, 741438.	1.3	4

#	ARTICLE	IF	CITATIONS
19	Psychosocial Impact of the COVID-19 Pandemic on Healthcare Workers and Initial Areas of Action for Intervention and Preventionâ€”The egePan/VOICE Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10531.	1.2	20
20	Depression, anxiety, and vital exhaustion are associated with pro-coagulant markers in depressed patients with coronary artery disease â€” A cross sectional and prospective secondary analysis of the SPIRR-CAD trial. <i>Journal of Psychosomatic Research</i> , 2021, 151, 110659.	1.2	6
21	Measuring COVID-19 Related Health Literacy in Healthcare Professionalsâ€”Psychometric Evaluation of the HL-COV-HP Instrument. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 11959.	1.2	4
22	Moral Distress in Hospitals During the First Wave of the COVID-19 Pandemic: A Web-Based Survey Among 3,293 Healthcare Workers Within the German Network University Medicine. <i>Frontiers in Psychology</i> , 2021, 12, 775204.	1.1	21
23	Update on cardiovascular prevention in clinical practice: A position paper of the European Association of Preventive Cardiology of the European Society of Cardiology. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 181-205.	0.8	148
24	Health literacy in persons at risk of and patients with coronary heart disease: A systematic review. <i>Social Science and Medicine</i> , 2020, 245, 112711.	1.8	27
25	Comparison of Patient and Proxy Assessment of Patient-Centeredness in the Care of Coronary Heart Disease: A Cross Sectional Survey Using the PACIC-S11.1. <i>Journal of Primary Care and Community Health</i> , 2020, 11, 215013272097623.	1.0	0
26	Efficacy of team-based collaborative care for distressed patients in secondary prevention of chronic coronary heart disease (TEACH): study protocol of a multicenter randomized controlled trial. <i>BMC Cardiovascular Disorders</i> , 2020, 20, 520.	0.7	11
27	Length Polymorphisms in the Angiotensin I-Converting Enzyme Gene and the Serotonin-Transporter-Linked Polymorphic Region Constitute a Risk Haplotype for Depression in Patients with Coronary Artery Disease. <i>Biochemical Genetics</i> , 2020, 58, 631-648.	0.8	6
28	Perceived Stress Levels in Adult Patients With Uveitis. <i>Frontiers in Psychiatry</i> , 2020, 10, 916.	1.3	6
29	Behandlung. , 2020, , 199-303.		0
30	Psychosomatische Problemfelder und KomorbiditÃten am Beispiel der koronaren Herzkrankheit. , 2020, , 59-117.		0
31	Detection and treatment of mental disorders in patients with coronary heart disease (MenDis-CHD): A cross-sectional study. <i>PLoS ONE</i> , 2020, 15, e0243800.	1.1	5
32	Title is missing!. , 2020, 15, e0243800.		0
33	Title is missing!. , 2020, 15, e0243800.		0
34	Title is missing!. , 2020, 15, e0243800.		0
35	Title is missing!. , 2020, 15, e0243800.		0
36	Title is missing!. , 2020, 15, e0243800.		0

#	ARTICLE	IF	CITATIONS
37	Title is missing!. , 2020, 15, e0243800.		0
38	Health literacy: Do we have effective interventions to enhance it in socially disadvantaged people?. European Journal of Preventive Cardiology, 2019, 26, 1760-1761.	0.8	2
39	Longitudinal relationship between B-type natriuretic peptide and anxiety in coronary heart disease patients with depression. Journal of Psychosomatic Research, 2019, 123, 109728.	1.2	7
40	Prediction of survival on the waiting list for heart transplantation and of posttransplant nonadherence—Results of a prospective longitudinal study. Clinical Transplantation, 2019, 33, e13616.	0.8	10
41	Significance of psychosocial factors in cardiology: update 2018. Clinical Research in Cardiology, 2019, 108, 1175-1196.	1.5	97
42	Life situation of women impaired by Thalidomide embryopathy in North Rhine-Westphalia - a comparative analysis of a recent cross-sectional study with earlier data. BMC Women's Health, 2019, 19, 51.	0.8	3
43	Quality of health care with regard to detection and treatment of mental disorders in patients with coronary heart disease (MenDis-CHD): study protocol. BMC Psychology, 2019, 7, 21.	0.9	10
44	Additional effects of psychological interventions on subjective and objective outcomes compared with exercise-based cardiac rehabilitation alone in patients with cardiovascular disease: A systematic review and meta-analysis. European Journal of Preventive Cardiology, 2019, 26, 1035-1049.	0.8	62
45	Anxiety, depression and quality of life in acute high risk cardiac disease patients eligible for wearable cardioverter defibrillator: Results from the prospective multicenter CRED-registry. PLoS ONE, 2019, 14, e0213261.	1.1	24
46	Somatic and sociodemographic predictors of depression outcome among depressed patients with coronary artery disease - a secondary analysis of the SPIRR-CAD study. BMC Psychiatry, 2019, 19, 57.	1.1	10
47	The relationship between attachment orientations and the course of depression in coronary artery disease patients: A secondary analysis of the SPIRR-CAD trial. Journal of Psychosomatic Research, 2018, 108, 39-46.	1.2	9
48	Health literacy: Is it important for cardiovascular disease prevention?. European Journal of Preventive Cardiology, 2018, 25, 934-935.	0.8	10
49	Socioeconomic factors in coronary artery disease — Results from the SPIRR-CAD study. Journal of Psychosomatic Research, 2018, 105, 125-131.	1.2	10
50	Prevalence of mental disorders among depressed coronary patients with and without Type D personality. Results of the multi-center SPIRR-CAD trial. General Hospital Psychiatry, 2018, 50, 69-75.	1.2	26
51	Gender differences in psychosocial outcomes of psychotherapy trial in patients with depression and coronary artery disease. Journal of Psychosomatic Research, 2018, 113, 89-99.	1.2	14
52	Associations of NT-proBNP and parameters of mental health in depressed coronary artery disease patients. Psychoneuroendocrinology, 2018, 96, 188-194.	1.3	16
53	In Reply. Deutsches Ärztblatt International, 2018, 115, 131-132.	0.6	0
54	Substantial improvement of primary cardiovascular prevention by a systematic score-based multimodal approach: A randomized trial: The PreFord-Study. European Journal of Preventive Cardiology, 2017, 24, 1544-1554.	0.8	22

#	ARTICLE	IF	CITATIONS
55	Psychosocial risk factors: Time for action in the lifelong prevention of coronary heart disease. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 1369-1370.	0.8	19
56	Von Herzen. <i>Psychotherapeut</i> , 2017, 62, 495-497.	0.1	0
57	Effects of Multimodal Interventions for Primary Prevention of CVD on Depression, Anxiety, and the Type D Personality. <i>Journal of Clinical & Experimental Cardiology</i> , 2017, 08, .	0.0	0
58	The prescription talk - an approach to teach patient-physician conversation about drug prescription to medical students. <i>GMS Journal for Medical Education</i> , 2017, 34, Doc18.	0.1	7
59	Mental Disorders in People Affected by Thalidomide. <i>Deutsches A&#x0308;rztblatt International</i> , 2017, 114, 168-174.	0.6	13
60	The Diagnosis of Chronic Coronary Heart Disease. <i>Deutsches A&#x0308;rztblatt International</i> , 2017, 114, 712-719.	0.6	21
61	2016 European Guidelines on cardiovascular disease prevention in clinical practice. <i>European Heart Journal</i> , 2016, 37, 2315-2381.	1.0	5,370
62	hs-CRP Predicts Improvement in Depression in Patients With Type 1 Diabetes and Major Depression Undergoing Depression Treatment: Results From the Diabetes and Depression (DAD) Study. <i>Diabetes Care</i> , 2016, 39, e171-e173.	4.3	13
63	2016 European Guidelines on cardiovascular disease prevention in clinical practice. <i>Atherosclerosis</i> , 2016, 252, 207-274.	0.4	415
64	A Stepwise Psychotherapy Intervention for Reducing Risk in Coronary Artery Disease (SPIRR-CAD): Results of an Observer-Blinded, Multicenter, Randomized Trial in Depressed Patients With Coronary Artery Disease. <i>Psychosomatic Medicine</i> , 2016, 78, 704-715.	1.3	83
65	2016 European Guidelines on cardiovascular disease prevention in clinical practice. <i>European Journal of Preventive Cardiology</i> , 2016, 23, NP1-NP96.	0.8	683
66	Cognitive Behavioral Therapy Versus Sertraline in Patients With Depression and Poorly Controlled Diabetes: The Diabetes and Depression (DAD) Study. <i>Diabetes Care</i> , 2015, 38, 767-775.	4.3	66
67	Outcome-Relevant Effects of Shared Decision Making. <i>Deutsches A&#x0308;rztblatt International</i> , 2015, 112, 665-71.	0.6	54
68	Position paper on the importance of psychosocial factors in cardiology: Update 2013. <i>GMS German Medical Science</i> , 2014, 12, Doc09.	2.7	62
69	Improving Adherence With Medication. <i>Deutsches A&#x0308;rztblatt International</i> , 2014, 111, 41-7.	0.6	42
70	Study protocol of the Diabetes and Depression Study (DAD): a multi-center randomized controlled trial to compare the efficacy of a diabetes-specific cognitive behavioral group therapy versus sertraline in patients with major depression and poorly controlled diabetes mellitus. <i>BMC Psychiatry</i> , 2013, 13, 206.	1.1	18
71	European Guidelines on cardiovascular disease prevention in clinical practice (version 2012). <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2013, 32, 553-554.	0.2	4
72	Can Activation of Coagulation and Impairment of Fibrinolysis in Patients With Anxiety and Depression Be Reversed After Improvement of Psychiatric Symptoms?. <i>Journal of Nervous and Mental Disease</i> , 2012, 200, 721-723.	0.5	8

#	ARTICLE	IF	CITATIONS
73	European Guidelines on cardiovascular disease prevention in clinical practice (version 2012). <i>Atherosclerosis</i> , 2012, 223, 1-68.	0.4	414
74	European Guidelines on cardiovascular disease prevention in clinical practice (version 2012): The Fifth Joint Task Force of the European Society of Cardiology and Other Societies on Cardiovascular Disease Prevention in Clinical Practice (constituted by representatives of nine societies and by invited experts) * Developed with the special contribution of the European Association for Cardiovascular Prevention & Rehabilitation (EACPR). <i>European Heart Journal</i> , 2012, 33, 1635-1701.	1.0	5,247
75	European Guidelines on Cardiovascular Disease Prevention in Clinical Practice (Version 2012). <i>International Journal of Behavioral Medicine</i> , 2012, 19, 403-488.	0.8	224
76	A Stepwise Psychotherapy Intervention for Reducing Risk in Coronary Artery Disease (SPIRR-CAD) â€” Rationale and design of a multicenter, randomized trial in depressed patients with CAD. <i>Journal of Psychosomatic Research</i> , 2011, 71, 215-222.	1.2	50
77	Psychological and social factors in coronary heart disease. <i>Annals of Medicine</i> , 2010, 42, 487-494.	1.5	126
78	Long-Term Effects of a Multimodal Behavioral Intervention on Myocardial Perfusionâ€”a Randomized Controlled Trial. <i>International Journal of Behavioral Medicine</i> , 2009, 16, 219-226.	0.8	19
79	Fallbericht einer 25-jÃ¤hrigen Patientin mit Bulimia nervosa und Typ-1-Diabetes mellitus. <i>Psychosomatik Und Konsiliarpsychiatrie</i> , 2008, 2, 172-176.	0.0	0
80	Psychosocial considerations in the european guidelines for prevention of cardiovascular diseases in clinical practice: third joint task force. <i>International Journal of Behavioral Medicine</i> , 2005, 12, 132-141.	0.8	40
81	Psychosocial Factors and Diabetes Mellitus: Evidence-Based Treatment Guidelines. <i>Current Diabetes Reviews</i> , 2005, 1, 255-270.	0.6	44
82	Screening for psychosocial risk factors in patients with coronary heart disease???recommendations for clinical practice. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2004, 11, 75-79.	3.1	97
83	Comorbidity of diabetes mellitus and eating disorders. <i>Journal of Psychosomatic Research</i> , 2001, 51, 673-678.	1.2	115
84	Relationship of weight and eating disorders in type 2 diabetic patients: A multicenter study. , 2000, 28, 68-77.		83
85	Diabetes mellitus and eating disorders: a multicenter study on the comorbidity of the two diseases. <i>Journal of Psychosomatic Research</i> , 1998, 44, 503-515.	1.2	55