

Seyed Jamaleddin Peighambardoust

List of Publications by Year in Descending Order

Source:

<https://exaly.com/author-pdf/1203866/seyed-jamaleddin-peighambardoust-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

59
papers

3,034
citations

26
h-index

55
g-index

60
ext. papers

4,136
ext. citations

5.5
avg, IF

6.24
L-index

#	Paper	IF	Citations
59	Adsorption of methyl violet dye from wastewater using poly(methacrylic acid-co-acrylamide)/bentonite nanocomposite hydrogels. <i>Journal of Polymer Research</i> , 2022 , 29, 1	2.7	0
58	Safranin-O cationic dye removal from wastewater using carboxymethyl cellulose-grafted-poly(acrylic acid-co-itaconic acid) nanocomposite hydrogel.. <i>Environmental Research</i> , 2022 , 113201	7.9	1
57	Montmorillonite clay/starch/CoFe ₂ O ₄ nanocomposite as a superior functional material for uptake of cationic dye molecules from water and wastewater. <i>Materials Chemistry and Physics</i> , 2022 , 284, 126088	4.4	5
56	Development of new magnetic adsorbent of walnut shell ash/starch/FeO for effective copper ions removal: Treatment of groundwater samples.. <i>Chemosphere</i> , 2022 , 296, 133978	8.4	7
55	Nickel ions abatement from aqueous solutions and shipbuilding industry wastewater using ZIF-8-chicken beak hydroxyapatite. <i>Journal of Molecular Liquids</i> , 2022 , 356, 119003	6	4
54	Cadmium ion removal from aqueous media using banana peel biochar/FeO/ZIF-67.. <i>Environmental Research</i> , 2022 , 113020	7.9	8
53	Surface magnetization of hydrolyzed <i>Luffa Cylindrica</i> biowaste with cobalt ferrite nanoparticles for facile Ni removal from wastewater.. <i>Environmental Research</i> , 2022 , 113242	7.9	1
52	Generation of biodiesel from edible waste oil using ZIF-67-KOH modified <i>Luffa cylindrica</i> biomass catalyst. <i>Fuel</i> , 2022 , 322, 124181	7.1	0
51	Adsorption ability evaluation of the poly(methacrylic acid-co-acrylamide)/cloisite 30B nanocomposite hydrogel as a new adsorbent for cationic dye removal.. <i>Environmental Research</i> , 2022 , 212, 113349	7.9	3
50	Decontamination of Cd ²⁺ and Pb ²⁺ from aqueous solution using a magnetic nanocomposite of eggshell/starch/Fe ₃ O ₄ . <i>Journal of Water Process Engineering</i> , 2022 , 48, 102911	6.7	2
49	Application of walnut shell ash/ZnO/K ₂ CO ₃ as a new composite catalyst for biodiesel generation from <i>Moringa oleifera</i> oil. <i>Fuel</i> , 2021 , 311, 122624	7.1	8
48	Application of waste chalk/CoFeO/KCO composite as a reclaimable catalyst for biodiesel generation from sunflower oil.. <i>Chemosphere</i> , 2021 , 289, 133226	8.4	5
47	Active Polypropylene-Based Films Incorporating Combined Antioxidants and Antimicrobials: Preparation and Characterization. <i>Foods</i> , 2021 , 10,	4.9	5
46	Adsorption of Crystal Violet Dye Using Activated Carbon of Lemon Wood and Activated Carbon/FeO Magnetic Nanocomposite from Aqueous Solutions: A Kinetic, Equilibrium and Thermodynamic Study. <i>Molecules</i> , 2021 , 26,	4.8	33
45	Crystal violet dye sorption over acrylamide/graphene oxide bonded sodium alginate nanocomposite hydrogel. <i>Chemosphere</i> , 2021 , 270, 129419	8.4	44
44	Hydroxyapatite biomaterial production from chicken (femur and beak) and fishbone waste through a chemical less method for Cd removal from shipbuilding wastewater. <i>Journal of Hazardous Materials</i> , 2021 , 413, 125428	12.8	40
43	Effect of microbial lipase and transglutaminase on the textural, physicochemical, and microbial parameters of fresh quark cheese. <i>Journal of Dairy Science</i> , 2021 , 104, 7489-7499	4	1

42	Evaluation of two cationic dyes removal from aqueous environments using CNT/MgO/CuFe ₂ O ₄ magnetic composite powder: A comparative study. <i>Journal of Environmental Chemical Engineering</i> , 2021 , 9, 104752	6.8	33
41	One-pot transesterification of non-edible Moringa oleifera oil over a MgO/K ₂ CO ₃ /HAp catalyst derived from poultry skeletal waste. <i>Environmental Technology and Innovation</i> , 2021 , 21, 101250	7	12
40	Enhancement of Biodiesel Production from Chicken Fat Using MgO and MgO@Na ₂ O Nanocatalysts. <i>Chemical Engineering and Technology</i> , 2021 , 44, 77-84	2	7
39	Optimization of the Amount of ZnO, CuO, and Ag Nanoparticles on Antibacterial Properties of Low-Density Polyethylene (LDPE) Films Using the Response Surface Method. <i>Food Analytical Methods</i> , 2021 , 14, 98-107	3.4	7
38	Zn removal from the aqueous environment using a polydopamine/hydroxyapatite/FeO magnetic composite under ultrasonic waves.. <i>RSC Advances</i> , 2021 , 11, 27309-27321	3.7	21
37	Adsorption mercury, cobalt, and nickel with a reclaimable and magnetic composite of hydroxyapatite/Fe ₃ O ₄ /polydopamine. <i>Journal of Environmental Chemical Engineering</i> , 2021 , 9, 105709	6.8	33
36	Carbon nanotubes/β-cyclodextrin/MnFe ₂ O ₄ as a magnetic nanocomposite powder for tetracycline antibiotic decontamination from different aqueous environments. <i>Journal of Environmental Chemical Engineering</i> , 2021 , 106344	6.8	19
35	Preparation of clinoptilolite/starch/CoFeO magnetic nanocomposite powder and its elimination properties for cationic dyes from water and wastewater. <i>International Journal of Biological Macromolecules</i> , 2021 , 189, 432-442	7.9	28
34	Decoration of Citrus limon wood carbon with FeO to enhanced Cd removal: A reclaimable and magnetic nanocomposite. <i>Chemosphere</i> , 2021 , 282, 131088	8.4	23
33	Removal of malachite green using carboxymethyl cellulose-g-polyacrylamide/montmorillonite nanocomposite hydrogel. <i>International Journal of Biological Macromolecules</i> , 2020 , 159, 1122-1131	7.9	53
32	Physical, mechanical, and antibacterial characteristics of bio-nanocomposite films loaded with Ag-modified SiO ₂ and TiO ₂ nanoparticles. <i>Journal of Food Science</i> , 2020 , 85, 1193-1202	3.4	34
31	Influence of chitosan and magnetic iron nanoparticles on chromium adsorption behavior of natural clay: Adaptive neuro-fuzzy inference modeling. <i>International Journal of Biological Macromolecules</i> , 2020 , 151, 355-365	7.9	54
30	Uptake of anionic and cationic dyes from water using natural clay and clay/starch/MnFe ₂ O ₄ magnetic nanocomposite. <i>Surfaces and Interfaces</i> , 2020 , 21, 100754	4.1	38
29	Application of nano-silica particles generated from offshore white sandstone for cadmium ions elimination from aqueous media. <i>Environmental Technology and Innovation</i> , 2020 , 19, 101031	7	32
28	Properties and Application of Multifunctional Composite Polypropylene-Based Films Incorporating a Combination of BHT, BHA and Sorbic Acid in Extending Donut Shelf-Life. <i>Molecules</i> , 2020 , 25,	4.8	10
27	Migration analysis, antioxidant, and mechanical characterization of polypropylene-based active food packaging films loaded with BHA, BHT, and TBHQ. <i>Journal of Food Science</i> , 2020 , 85, 2317-2328	3.4	15
26	Modification of bio-hydroxyapatite generated from waste poultry bone with MgO for purifying methyl violet-laden liquids. <i>Environmental Science and Pollution Research</i> , 2020 , 27, 44218-44229	5.1	19
25	Characterization of carboxymethyl cellulose-based active films incorporating non-modified and Ag or Cu-modified Cloisite 30B and montmorillonite nanoclays. <i>Iranian Polymer Journal (English Edition)</i> , 2020 , 29, 1087-1097	2.3	12

24	Development of Antibacterial Carboxymethyl Cellulose-Based Nanobiocomposite Films Containing Various Metallic Nanoparticles for Food Packaging Applications. <i>Journal of Food Science</i> , 2019 , 84, 2537-2548	3.4	47
23	Improved mechanical and antibacterial properties of active LDPE films prepared with combination of Ag, ZnO and CuO nanoparticles. <i>Food Packaging and Shelf Life</i> , 2019 , 22, 100391	8.2	35
22	Electrically conductive epoxy-based nanocomposite adhesives loaded with silver-coated copper and silver-coated reduced graphene oxide nanoparticles. <i>Polymers for Advanced Technologies</i> , 2019 , 30, 1996-2004	3.2	14
21	Properties of active starch-based films incorporating a combination of Ag, ZnO and CuO nanoparticles for potential use in food packaging applications. <i>Food Packaging and Shelf Life</i> , 2019 , 22, 100420	8.2	70
20	A review on acrylic based hydrogels and their applications in wastewater treatment. <i>Journal of Environmental Management</i> , 2018 , 217, 123-143	7.9	99
19	Nanocomposite films containing organoclay nanoparticles as an antimicrobial (active) packaging for potential food application. <i>Journal of Food Processing and Preservation</i> , 2018 , 42, e13488	2.1	35
18	Swelling and auramine-O adsorption of carboxymethyl cellulose grafted poly(methyl methacrylate)/Cloisite 30B nanocomposite hydrogels. <i>Iranian Polymer Journal (English Edition)</i> , 2018 , 27, 807-818	2.3	9
17	Review on recent progress in chitosan-based hydrogels for wastewater treatment application. <i>Carbohydrate Polymers</i> , 2018 , 201, 264-279	10.3	216
16	Inhibition of Coliform Bacteria in Ultra-Filtrated Cheese Packed in Nanocomposite Films Containing Cloisite30B- Metal Nanoparticles. <i>Nutrition and Food Sciences Research</i> , 2018 , 5, 23-30	0.8	1
15	Preparation and Characterization of Corn Starch/Clay Nanocomposite Films: Effect of Clay Content and Surface Modification. <i>Starch/Staerke</i> , 2018 , 70, 1700251	2.3	16
14	Development of novel active polypropylene based packaging films containing different concentrations of sorbic acid. <i>Food Packaging and Shelf Life</i> , 2018 , 18, 87-94	8.2	34
13	Electrically conductive nanocomposite adhesives based on epoxy resin filled with silver coated nanocarbon black. <i>Journal of Materials Science: Materials in Electronics</i> , 2018 , 29, 11840-11851	2.1	15
12	Development and characterization of PLA-mPEG copolymer containing iron nanoparticle-coated carbon nanotubes for controlled delivery of Docetaxel. <i>Polymer</i> , 2017 , 117, 117-131	3.9	21
11	High performance of covalently grafted poly(o-methoxyaniline) nanocomposite in the presence of amine-functionalized graphene oxide sheets (POMA/f-GO) for supercapacitor applications. <i>Journal of Materials Science: Materials in Electronics</i> , 2017 , 28, 5776-5787	2.1	26
10	Antibacterial properties of LDPE nanocomposite films in packaging of UF cheese. <i>LWT - Food Science and Technology</i> , 2016 , 65, 106-111	5.4	74
9	Polystyrene-based composites and nanocomposites with reduced brominated-flame retardant. <i>Iranian Polymer Journal (English Edition)</i> , 2016 , 25, 607-614	2.3	7
8	Application of Organoclay Nanoparticle in Low-Density Polyethylene Films for Packaging of UF Cheese. <i>Packaging Technology and Science</i> , 2016 , 29, 355-363	2.3	32
7	Effect of Pt-Cs2.5H0.5PW12O40 catalyst addition on durability of self-humidifying nanocomposite membranes based on sulfonated poly (ether ether ketone) for proton exchange membrane fuel cell applications. <i>International Journal of Hydrogen Energy</i> , 2015 , 40, 549-560	6.7	29

6	Preparation, characterization and cell performance of durable nafion/SiO ₂ hybrid membrane for high-temperature polymeric fuel cells. <i>Journal of Power Sources</i> , 2012 , 210, 350-357	8.9	44
5	Self-humidifying nanocomposite membranes based on sulfonated poly(ether ether ketone) and heteropolyacid supported Pt catalyst for fuel cells. <i>International Journal of Hydrogen Energy</i> , 2011 , 36, 10940-10957	6.7	33
4	Investigation of physical properties and cell performance of Nafion/TiO ₂ nanocomposite membranes for high temperature PEM fuel cells. <i>International Journal of Hydrogen Energy</i> , 2010 , 35, 9252-9260	6.7	131
3	Review of the proton exchange membranes for fuel cell applications. <i>International Journal of Hydrogen Energy</i> , 2010 , 35, 9349-9384	6.7	1375
2	Preparation and characterization of nylon-6/PPy/MMT composite of nanocomposite. <i>Journal of Applied Polymer Science</i> , 2007 , 106, 697-705	2.9	20
1	Synthesis and Characterization of Conductive Polypyrrole/Montmorillonite Nanocomposites via One-pot Emulsion Polymerization. <i>Macromolecular Symposia</i> , 2007 , 247, 99-109	0.8	34