

Daniel Prati

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/12039825/daniel-prati-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

108
papers

8,138
citations

41
h-index

89
g-index

110
ext. papers

9,921
ext. citations

6.5
avg, IF

5.59
L-index

#	Paper	IF	Citations
108	Present and historical landscape structure shapes current species richness in Central European grasslands. <i>Landscape Ecology</i> , 2022 , 37, 745	4.3	0
107	The Evolution of Ecological Diversity in .. <i>Frontiers in Microbiology</i> , 2022 , 13, 715637	5.7	4
106	Changes in plant-herbivore network structure and robustness along land-use intensity gradients in grasslands and forests. <i>Science Advances</i> , 2021 , 7,	14.3	5
105	Contrasting responses of above- and belowground diversity to multiple components of land-use intensity. <i>Nature Communications</i> , 2021 , 12, 3918	17.4	13
104	Land-use intensity and biodiversity effects on infiltration capacity and hydraulic conductivity of grassland soils in southern Germany. <i>Ecohydrology</i> , 2021 , 14, e2301	2.5	1
103	Restoration of plant diversity in permanent grassland by seeding: Assessing the limiting factors along land-use gradients. <i>Journal of Applied Ecology</i> , 2021 , 58, 1681	5.8	2
102	Above- and belowground biodiversity jointly tighten the P cycle in agricultural grasslands. <i>Nature Communications</i> , 2021 , 12, 4431	17.4	5
101	Direct and Indirect Effects of Management Intensity and Environmental Factors on the Functional Diversity of Lichens in Central European Forests. <i>Microorganisms</i> , 2021 , 9,	4.9	2
100	Comparing experimental and field-measured traits and their variability in Central European grassland species. <i>Journal of Vegetation Science</i> , 2020 , 31, 561-570	3.1	1
99	Stochastic Dispersal Rather Than Deterministic Selection Explains the Spatio-Temporal Distribution of Soil Bacteria in a Temperate Grassland. <i>Frontiers in Microbiology</i> , 2020 , 11, 1391	5.7	13
98	The results of biodiversity-ecosystem functioning experiments are realistic. <i>Nature Ecology and Evolution</i> , 2020 , 4, 1485-1494	12.3	31
97	Unraveling spatiotemporal variability of arbuscular mycorrhizal fungi in a temperate grassland plot. <i>Environmental Microbiology</i> , 2020 , 22, 873-888	5.2	13
96	The relative importance of plant-soil feedbacks for plant-species performance increases with decreasing intensity of herbivory. <i>Oecologia</i> , 2019 , 190, 651-664	2.9	5
95	Recovery of ecosystem functions after experimental disturbance in 73 grasslands differing in land-use intensity, plant species richness and community composition. <i>Journal of Ecology</i> , 2019 , 107, 2635-2649	6	10
94	Will I stay or will I go? Plant species-specific response and tolerance to high land-use intensity in temperate grassland ecosystems. <i>Journal of Vegetation Science</i> , 2019 , 30, 674-686	3.1	21
93	Plant functional trait shifts explain concurrent changes in the structure and function of grassland soil microbial communities. <i>Journal of Ecology</i> , 2019 , 107, 2197-2210	6	35
92	Towards the development of general rules describing landscape heterogeneity-multifunctionality relationships. <i>Journal of Applied Ecology</i> , 2019 , 56, 168-179	5.8	26

91	Exclusion of large herbivores affects understorey shrub vegetation more than herb vegetation across 147 forest sites in three German regions. <i>PLoS ONE</i> , 2019 , 14, e0218741	3.7	4
90	Eleven years of data of grassland management in Germany. <i>Biodiversity Data Journal</i> , 2019 , 7, e36387	1.8	15
89	Arthropod decline in grasslands and forests is associated with landscape-level drivers. <i>Nature</i> , 2019 , 574, 671-674	50.4	372
88	Specialisation and diversity of multiple trophic groups are promoted by different forest features. <i>Ecology Letters</i> , 2019 , 22, 170-180	10	49
87	Effects of forest management on bryophyte species richness in Central European forests. <i>Forest Ecology and Management</i> , 2019 , 432, 850-859	3.9	17
86	Hemiparasite-density effects on grassland plant diversity, composition and biomass. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2018 , 32, 22-29	3	11
85	Effects of mowing, grazing and fertilization on soil seed banks in temperate grasslands in Central Europe. <i>Agriculture, Ecosystems and Environment</i> , 2018 , 256, 211-217	5.7	15
84	And the winner is π ! A test of simple predictors of plant species richness in agricultural grasslands. <i>Ecological Indicators</i> , 2018 , 87, 296-301	5.8	8
83	Land use intensity, rather than plant species richness, affects the leaching risk of multiple nutrients from permanent grasslands. <i>Global Change Biology</i> , 2018 , 24, 2828-2840	11.4	15
82	Contribution of the soil seed bank to the restoration of temperate grasslands by mechanical sward disturbance. <i>Restoration Ecology</i> , 2018 , 26, S114-S122	3.1	19
81	Direct and indirect effects of land use on bryophytes in grasslands. <i>Science of the Total Environment</i> , 2018 , 644, 60-67	10.2	15
80	The role of soil chemical properties, land use and plant diversity for microbial phosphorus in forest and grassland soils. <i>Journal of Plant Nutrition and Soil Science</i> , 2018 , 181, 185-197	2.3	9
79	Nutrient stoichiometry and land use rather than species richness determine plant functional diversity. <i>Ecology and Evolution</i> , 2018 , 8, 601-616	2.8	14
78	The impact of even-aged and uneven-aged forest management on regional biodiversity of multiple taxa in European beech forests. <i>Journal of Applied Ecology</i> , 2018 , 55, 267-278	5.8	125
77	Multiple forest attributes underpin the supply of multiple ecosystem services. <i>Nature Communications</i> , 2018 , 9, 4839	17.4	99
76	Evolutionary responses to land use in eight common grassland plants. <i>Journal of Ecology</i> , 2017 , 105, 1296-1297	16	
75	Contrasting effects of grassland management modes on species-abundance distributions of multiple groups. <i>Agriculture, Ecosystems and Environment</i> , 2017 , 237, 143-153	5.7	19
74	Root traits are more than analogues of leaf traits: the case for diaspore mass. <i>New Phytologist</i> , 2017 , 216, 1130-1139	9.8	44

73	No evidence for larger leaf trait plasticity in ecological generalists compared to specialists. <i>Journal of Biogeography</i> , 2017 , 44, 511-521	4.1	10
72	Spatial and temporal dynamics of nitrogen fixing, nitrifying and denitrifying microbes in an unfertilized grassland soil. <i>Soil Biology and Biochemistry</i> , 2017 , 109, 214-226	7.5	57
71	Biodiversity at multiple trophic levels is needed for ecosystem multifunctionality. <i>Nature</i> , 2016 , 536, 456-9	50.4	345
70	Transgenerational effects of land use on offspring performance and growth in <i>Trifolium repens</i> . <i>Oecologia</i> , 2016 , 180, 409-20	2.9	3
69	Enriching plant diversity in grasslands by large-scale experimental sward disturbance and seed addition along gradients of land-use intensity. <i>Journal of Plant Ecology</i> , 2016 , rtw062	1.7	5
68	Temporal and small-scale spatial variation in grassland productivity, biomass quality, and nutrient limitation. <i>Plant Ecology</i> , 2016 , 217, 843-856	1.7	16
67	Lichen species richness is highest in non-intensively used grasslands promoting suitable microhabitats and low vascular plant competition. <i>Biodiversity and Conservation</i> , 2016 , 25, 225-238	3.4	19
66	Land use imperils plant and animal community stability through changes in asynchrony rather than diversity. <i>Nature Communications</i> , 2016 , 7, 10697	17.4	80
65	Is fern endozoochory widespread among fern-eating herbivores?. <i>Plant Ecology</i> , 2016 , 217, 13-20	1.7	12
64	Plant diversity moderates drought stress in grasslands: Implications from a large real-world study on (13)C natural abundances. <i>Science of the Total Environment</i> , 2016 , 566-567, 215-222	10.2	20
63	Phenotypic plasticity is a negative, though weak, predictor of the commonness of 105 grassland species. <i>Global Ecology and Biogeography</i> , 2016 , 25, 464-474	6.1	12
62	Land-use intensification causes multitrophic homogenization of grassland communities. <i>Nature</i> , 2016 , 540, 266-269	50.4	236
61	Genetic composition, genetic diversity and small-scale environmental variation matter for the experimental reintroduction of a rare plant. <i>Journal of Plant Ecology</i> , 2016 , 9, 805-813	1.7	5
60	Locally rare species influence grassland ecosystem multifunctionality. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2016 , 371,	5.8	88
59	Gastropods slow down succession and maintain diversity in cryptogam communities. <i>Ecology</i> , 2016 , 97, 2184-2191	4.6	9
58	Grassland management intensification weakens the associations among the diversities of multiple plant and animal taxa. <i>Ecology</i> , 2015 , 96, 1492-1501	4.6	52
57	Invasive plant species do not create more negative soil conditions for other plants than natives. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2015 , 17, 87-95	3	15
56	The relative importance of immediate allelopathy and allelopathic legacy in invasive plant species. <i>Basic and Applied Ecology</i> , 2015 , 16, 28-35	3.2	25

55	Effects of forest management on bryophyte communities on deadwood. <i>Nova Hedwigia</i> , 2015 , 100, 423-438	4.3	21
54	Intransitive competition is widespread in plant communities and maintains their species richness. <i>Ecology Letters</i> , 2015 , 18, 790-798	10	100
53	Herbivore preference drives plant community composition. <i>Ecology</i> , 2015 , 96, 2923-34	4.6	26
52	Land use intensification alters ecosystem multifunctionality via loss of biodiversity and changes to functional composition. <i>Ecology Letters</i> , 2015 , 18, 834-843	10	360
51	To eat or not to eat? Relationship of lichen herbivory by snails with secondary compounds and field frequency of lichens. <i>Journal of Plant Ecology</i> , 2015 , rtv005	1.7	4
50	Influence of experimental soil disturbances on the diversity of plants in agricultural grasslands. <i>Journal of Plant Ecology</i> , 2014 , 7, 509-517	1.7	11
49	Effects of forest management on ground-dwelling beetles (Coleoptera; Carabidae, Staphylinidae) in Central Europe are mainly mediated by changes in forest structure. <i>Forest Ecology and Management</i> , 2014 , 329, 166-176	3.9	68
48	Choosing and using diversity indices: insights for ecological applications from the German Biodiversity Exploratories. <i>Ecology and Evolution</i> , 2014 , 4, 3514-24	2.8	451
47	Interannual variation in land-use intensity enhances grassland multidiversity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 308-13	11.5	166
46	Grazing response patterns indicate isolation of semi-natural European grasslands. <i>Oikos</i> , 2014 , 123, 599-612	4.1	27
45	Evidence from the real world: 15N natural abundances reveal enhanced nitrogen use at high plant diversity in Central European grasslands. <i>Journal of Ecology</i> , 2014 , 102, 456-465	6	42
44	Allelopathic effects of three plant invaders on germination of native species: a field study. <i>Biological Invasions</i> , 2014 , 16, 1035-1042	2.7	61
43	Seasonal controls on grassland microbial biogeography: Are they governed by plants, abiotic properties or both?. <i>Soil Biology and Biochemistry</i> , 2014 , 71, 21-30	7.5	58
42	Does land-use intensification decrease plant phylogenetic diversity in local grasslands?. <i>PLoS ONE</i> , 2014 , 9, e103252	3.7	15
41	High plant species richness indicates management-related disturbances rather than the conservation status of forests. <i>Basic and Applied Ecology</i> , 2013 , 14, 496-505	3.2	81
40	Does organic grassland farming benefit plant and arthropod diversity at the expense of yield and soil fertility?. <i>Agriculture, Ecosystems and Environment</i> , 2013 , 177, 1-9	5.7	32
39	Interacting effects of fertilization, mowing and grazing on plant species diversity of 1500 grasslands in Germany differ between regions. <i>Basic and Applied Ecology</i> , 2013 , 14, 126-136	3.2	130
38	Land use causes genetic differentiation of life-history traits in <i>Bromus hordeaceus</i> . <i>Global Change Biology</i> , 2013 , 19, 892-9	11.4	13

37	Effects of forest management on the diversity of deadwood-inhabiting fungi in Central European forests. <i>Forest Ecology and Management</i> , 2013 , 304, 42-48	3.9	45
36	Fern and bryophyte endozoochory by slugs. <i>Oecologia</i> , 2013 , 172, 817-22	2.9	36
35	Up in the tree--the overlooked richness of bryophytes and lichens in tree crowns. <i>PLoS ONE</i> , 2013 , 8, e84913	3.7	31
34	Richness of lichen species, especially of threatened ones, is promoted by management methods furthering stand continuity. <i>PLoS ONE</i> , 2013 , 8, e55461	3.7	43
33	Organic vs. conventional grassland management: do (15)N and (13)C isotopic signatures of hay and soil samples differ?. <i>PLoS ONE</i> , 2013 , 8, e78134	3.7	11
32	A quantitative index of land-use intensity in grasslands: Integrating mowing, grazing and fertilization. <i>Basic and Applied Ecology</i> , 2012 , 13, 207-220	3.2	240
31	Direct and productivity-mediated indirect effects of fertilization, mowing and grazing on grassland species richness. <i>Journal of Ecology</i> , 2012 , 100, 1391-1399	6	154
30	Are gastropods, rather than ants, important dispersers of seeds of myrmecochorous forest herbs?. <i>American Naturalist</i> , 2012 , 179, 124-31	3.7	27
29	Geographical and land-use effects on seed-mass variation in common grassland plants. <i>Basic and Applied Ecology</i> , 2012 , 13, 395-404	3.2	17
28	Regional adaptation improves the performance of grassland plant communities. <i>Basic and Applied Ecology</i> , 2012 , 13, 551-559	3.2	20
27	NIRS meets Ellenberg's indicator values: Prediction of moisture and nitrogen values of agricultural grassland vegetation by means of near-infrared spectral characteristics. <i>Ecological Indicators</i> , 2012 , 14, 82-86	5.8	41
26	Impact of land-use intensity and productivity on bryophyte diversity in agricultural grasslands. <i>PLoS ONE</i> , 2012 , 7, e51520	3.7	20
25	Habitat use of large ungulates in northeastern Germany in relation to forest management. <i>Forest Ecology and Management</i> , 2011 , 261, 288-296	3.9	38
24	Establishment success of 25 rare wetland species introduced into restored habitats is best predicted by ecological distance to source habitats. <i>Biological Conservation</i> , 2011 , 144, 602-609	6.2	49
23	Nutrient concentrations and fibre contents of plant community biomass reflect species richness patterns along a broad range of land-use intensities among agricultural grasslands. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2011 , 13, 287-295	3	39
22	Lichen endozoochory by snails. <i>PLoS ONE</i> , 2011 , 6, e18770	3.7	36
21	Exploratories for Large-Scale and Long-Term Functional Biodiversity Research 2010 , 429-443		6
20	Impact of invertebrate herbivory in grasslands depends on plant species diversity. <i>Ecology</i> , 2010 , 91, 1639-50	4.6	57

19	Implementing large-scale and long-term functional biodiversity research: The Biodiversity Exploratories. <i>Basic and Applied Ecology</i> , 2010 , 11, 473-485	3.2	510
18	Activated carbon may have undesired side effects for testing allelopathy in invasive plants. <i>Basic and Applied Ecology</i> , 2009 , 10, 500-507	3.2	55
17	Interactive effects of mycorrhizae and a root hemiparasite on plant community productivity and diversity. <i>Oecologia</i> , 2009 , 159, 191-205	2.9	29
16	Selection of preadapted populations allowed <i>Senecio inaequidens</i> to invade Central Europe. <i>Diversity and Distributions</i> , 2008 , 14, 676-685	5	86
15	Novel weapons: invasive plant suppresses fungal mutualists in America but not in its native Europe. <i>Ecology</i> , 2008 , 89, 1043-55	4.6	381
14	Dispersal and seed limitation affect diversity and productivity of montane grasslands. <i>Oikos</i> , 2008 , 117, 1469-1478	4	43
13	Water level fluctuations and dynamics of amphibious plants at Lake Constance: Long-term study and simulation. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2007 , 8, 179-196	3	17
12	Invasive plant suppresses the growth of native tree seedlings by disrupting belowground mutualisms. <i>PLoS Biology</i> , 2006 , 4, e140	9.7	512
11	Molecular evidence for multiple introductions of garlic mustard (<i>Alliaria petiolata</i> , Brassicaceae) to North America. <i>Molecular Ecology</i> , 2005 , 14, 1697-706	5.7	153
10	Phenotypic and genetic differentiation between native and introduced plant populations. <i>Oecologia</i> , 2005 , 144, 1-11	2.9	766
9	Palatability and tolerance to simulated herbivory in native and introduced populations of <i>Alliaria petiolata</i> (Brassicaceae). <i>American Journal of Botany</i> , 2004 , 91, 856-62	2.7	70
8	Reduced competitive ability in an invasive plant. <i>Ecology Letters</i> , 2004 , 7, 346-353	10	131
7	Genetic variation in <i>Sanguisorba minor</i> after 6 years in situ selection under elevated CO ₂ . <i>Global Change Biology</i> , 2004 , 10, 1389-1401	11.4	25
6	Allelopathic inhibition of germination by <i>Alliaria petiolata</i> (Brassicaceae). <i>American Journal of Botany</i> , 2004 , 91, 285-8	2.7	202
5	INTRASPECIFIC AGGREGATION ALTERS COMPETITIVE INTERACTIONS IN EXPERIMENTAL PLANT COMMUNITIES. <i>Ecology</i> , 2001 , 82, 319-327	4.6	239
4	RAPD variation among and within small and large populations of the rare clonal plant <i>Ranunculus reptans</i> (Ranunculaceae). <i>American Journal of Botany</i> , 2000 , 87, 1128-1137	2.7	134
3	Genetic differentiation of life-history traits within populations of the clonal plant <i>Ranunculus reptans</i> . <i>Oikos</i> , 2000 , 90, 442-456	4	124
2	Reciprocal Parasitization in <i>Rhinanthus Serotinus</i> : A Model System of Physiological Integration in Clonal Plants. <i>Oikos</i> , 1997 , 78, 221	4	17

1 The results of biodiversity-ecosystem functioning experiments are realistic

1