
Mairaj Ahmed Ansari

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/12040200/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Constitutive Interferon-Inducible Protein 16-Inflammasome Activation during Epstein-Barr Virus Latency I, II, and III in B and Epithelial Cells. Journal of Virology, 2013, 87, 8606-8623.	1.5	166
2	Kaposi's Sarcoma-Associated Herpesvirus Latency in Endothelial and B Cells Activates Gamma Interferon-Inducible Protein 16-Mediated Inflammasomes. Journal of Virology, 2013, 87, 4417-4431.	1.5	132
3	Herpesvirus Genome Recognition Induced Acetylation of Nuclear IFI16 Is Essential for Its Cytoplasmic Translocation, Inflammasome and IFN-Î ² Responses. PLoS Pathogens, 2015, 11, e1005019.	2.1	107
4	BRCA1 Regulates IFI16 Mediated Nuclear Innate Sensing of Herpes Viral DNA and Subsequent Induction of the Innate Inflammasome and Interferon-Î ² Responses. PLoS Pathogens, 2015, 11, e1005030.	2.1	96
5	Nuclear Innate Immune DNA Sensor IFI16 Is Degraded during Lytic Reactivation of Kaposi's Sarcoma-Associated Herpesvirus (KSHV): Role of IFI16 in Maintenance of KSHV Latency. Journal of Virology, 2016, 90, 8822-8841.	1.5	61
6	COVID-19 Pandemic and Vaccines Update on Challenges and Resolutions. Frontiers in Cellular and Infection Microbiology, 2021, 11, 690621.	1.8	60
7	Kaposi's Sarcoma-Associated Herpesvirus Induces the ATM and H2AX DNA Damage Response Early during <i>De Novo</i> Infection of Primary Endothelial Cells, Which Play Roles in Latency Establishment. Journal of Virology, 2014, 88, 2821-2834.	1.5	53
8	EphrinA2 Regulates Clathrin Mediated KSHV Endocytosis in Fibroblast Cells by Coordinating Integrin-Associated Signaling and c-Cbl Directed Polyubiquitination. PLoS Pathogens, 2013, 9, e1003510.	2.1	44
9	Histone H2B-IFI16 Recognition of Nuclear Herpesviral Genome Induces Cytoplasmic Interferon-Î ² Responses. PLoS Pathogens, 2016, 12, e1005967.	2.1	42
10	Anti-dengue infectivity evaluation of bioflavonoid from <i>Azadirachta indica</i> by dengue virus serine protease inhibition. Journal of Biomolecular Structure and Dynamics, 2021, 39, 1417-1430.	2.0	38
11	RD Antigen Based Nanovaccine Imparts Long Term Protection by Inducing Memory Response against Experimental Murine Tuberculosis. PLoS ONE, 2011, 6, e22889.	1.1	35
12	Interferon-γ-inducible protein 16 (IFI16) is required for the maintenance of Epstein-Barr virus latency. Virology Journal, 2017, 14, 221.	1.4	32
13	ESCRT-I Protein Tsg101 Plays a Role in the Post-macropinocytic Trafficking and Infection of Endothelial Cells by Kaposi's Sarcoma-Associated Herpesvirus. PLoS Pathogens, 2016, 12, e1005960.	2.1	32
14	Molecular characterization of secretory proteins Rv3619c and Rv3620c from <i>Mycobacteriumâ€∫tuberculosis</i> H37Rv. FEBS Journal, 2011, 278, 341-353.	2.2	27
15	ESCRT-0 Component Hrs Promotes Macropinocytosis of Kaposi's Sarcoma-Associated Herpesvirus in Human Dermal Microvascular Endothelial Cells. Journal of Virology, 2016, 90, 3860-3872.	1.5	24
16	Ether lipid vesicle-based antigens impart protection against experimental listeriosis. International Journal of Nanomedicine, 2012, Volume 7, 2433-2447.	3.3	20
17	HACE1, an E3 Ubiquitin Protein Ligase, Mitigates Kaposi's Sarcoma-Associated Herpesvirus Infection-Induced Oxidative Stress by Promoting Nrf2 Activity. Journal of Virology, 2019, 93, .	1.5	13
18	The Immunomodulatory CEA Cell Adhesion Molecule 6 (CEACAM6/CD66c) Is a Protein Receptor for the Influenza A Virus. Viruses, 2021, 13, 726.	1.5	10

#	Article	IF	CITATIONS
19	Applications of Nanostructured Polymer Composites for Gene Delivery. , 2019, , 211-226.		2