## Mairaj Ahmed Ansari

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/12040200/mairaj-ahmed-ansari-publications-by-year.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

19	719	15	<b>2</b> O
papers	citations	h-index	g-index
20 ext. papers	878 ext. citations	<b>6.2</b> avg, IF	3.61 L-index

#	Paper	IF	Citations
19	The Immunomodulatory CEA Cell Adhesion Molecule 6 (CEACAM6/CD66c) Is a Protein Receptor for the Influenza a Virus. <i>Viruses</i> , <b>2021</b> , 13,	6.2	1
18	Anti-dengue infectivity evaluation of bioflavonoid from by dengue virus serine protease inhibition. Journal of Biomolecular Structure and Dynamics, <b>2021</b> , 39, 1417-1430	3.6	19
17	COVID-19 Pandemic and Vaccines Update on Challenges and Resolutions. <i>Frontiers in Cellular and Infection Microbiology</i> , <b>2021</b> , 11, 690621	5.9	18
16	Applications of Nanostructured Polymer Composites for Gene Delivery <b>2019</b> , 211-226		1
15	HACE1, an E3 Ubiquitin Protein Ligase, Mitigates Kaposi Sarcoma-Associated Herpesvirus Infection-Induced Oxidative Stress by Promoting Nrf2 Activity. <i>Journal of Virology</i> , <b>2019</b> , 93,	6.6	6
14	Interferon-Enducible protein 16 (IFI16) is required for the maintenance of Epstein-Barr virus latency. <i>Virology Journal</i> , <b>2017</b> , 14, 221	6.1	15
13	ESCRT-0 Component Hrs Promotes Macropinocytosis of Kaposi Sarcoma-Associated Herpesvirus in Human Dermal Microvascular Endothelial Cells. <i>Journal of Virology</i> , <b>2016</b> , 90, 3860-3872	6.6	19
12	ESCRT-I Protein Tsg101 Plays a Role in the Post-macropinocytic Trafficking and Infection of Endothelial Cells by Kaposi & Sarcoma-Associated Herpesvirus. <i>PLoS Pathogens</i> , <b>2016</b> , 12, e1005960	7.6	20
11	Histone H2B-IFI16 Recognition of Nuclear Herpesviral Genome Induces Cytoplasmic Interferon- Responses. <i>PLoS Pathogens</i> , <b>2016</b> , 12, e1005967	7.6	31
10	Nuclear Innate Immune DNA Sensor IFI16 Is Degraded during Lytic Reactivation of Kaposi\s Sarcoma-Associated Herpesvirus (KSHV): Role of IFI16 in Maintenance of KSHV Latency. <i>Journal of Virology</i> , <b>2016</b> , 90, 8822-41	6.6	43
9	BRCA1 Regulates IFI16 Mediated Nuclear Innate Sensing of Herpes Viral DNA and Subsequent Induction of the Innate Inflammasome and Interferon-likesponses. <i>PLoS Pathogens</i> , <b>2015</b> , 11, e1005030	7.6	80
8	Herpesvirus Genome Recognition Induced Acetylation of Nuclear IFI16 Is Essential for Its Cytoplasmic Translocation, Inflammasome and IFN-Responses. <i>PLoS Pathogens</i> , <b>2015</b> , 11, e1005019	7.6	84
7	Kaposi's sarcoma-associated herpesvirus induces the ATM and H2AX DNA damage response early during de novo infection of primary endothelial cells, which play roles in latency establishment. <i>Journal of Virology</i> , <b>2014</b> , 88, 2821-34	6.6	40
6	EphrinA2 regulates clathrin mediated KSHV endocytosis in fibroblast cells by coordinating integrin-associated signaling and c-Cbl directed polyubiquitination. <i>PLoS Pathogens</i> , <b>2013</b> , 9, e1003510	7.6	35
5	Constitutive interferon-inducible protein 16-inflammasome activation during Epstein-Barr virus latency I, II, and III in B and epithelial cells. <i>Journal of Virology</i> , <b>2013</b> , 87, 8606-23	6.6	131
4	Kaposi sarcoma-associated herpesvirus latency in endothelial and B cells activates gamma interferon-inducible protein 16-mediated inflammasomes. <i>Journal of Virology</i> , <b>2013</b> , 87, 4417-31	6.6	112
3	Ether lipid vesicle-based antigens impart protection against experimental listeriosis. <i>International Journal of Nanomedicine</i> , <b>2012</b> , 7, 2433-47	7.3	18

## LIST OF PUBLICATIONS

RD antigen based nanovaccine imparts long term protection by inducing memory response against experimental murine tuberculosis. *PLoS ONE*, **2011**, 6, e22889

Molecular characterization of secretory proteins Rv3619c and Rv3620c from Mycobacterium tuberculosis H37Rv. *FEBS Journal*, **2011**, 278, 341-53