Hugues-Olivier Bertrand

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/12040368/publications.pdf

Version: 2024-02-01

623574 752573 1,359 19 14 20 citations h-index g-index papers 20 20 20 1695 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	LSP5-2157 a new inhibitor of vesicular glutamate transporters. Neuropharmacology, 2020, 164, 107902.	2.0	7
2	Amino Acids Bearing Aromatic or Heteroaromatic Substituents as a New Class of Ligands for the Lysosomal Sialic Acid Transporter Sialin. Journal of Medicinal Chemistry, 2020, 63, 8231-8249.	2.9	11
3	Increased Potency and Selectivity for Group III Metabotropic Glutamate Receptor Agonists Binding at Dual sites. Journal of Medicinal Chemistry, 2018, 61, 1969-1989.	2.9	26
4	Allosteric modulation of metabotropic glutamate receptors by chloride ions. FASEB Journal, 2015, 29, 4174-4188.	0.2	37
5	Successful Prediction of Substrate-binding Pocket in SLC17 Transporter Sialin. Journal of Biological Chemistry, 2012, 287, 11489-11497.	1.6	11
6	A novel selective metabotropic glutamate receptor 4 agonist reveals new possibilities for developing subtype selective ligands with therapeutic potential. FASEB Journal, 2012, 26, 1682-1693.	0.2	85
7	A critical pocket close to the glutamate binding site of mGlu receptors opens new possibilities for agonist design. Neuropharmacology, 2011, 60, 102-107.	2.0	25
8	Identification of a novel NR2B-selective NMDA receptor antagonist using a virtual screening approach. Bioorganic and Medicinal Chemistry Letters, 2010, 20, 5552-5558.	1.0	11
9	A Virtual Screening Hit Reveals New Possibilities for Developing Group III Metabotropic Glutamate Receptor Agonists. Journal of Medicinal Chemistry, 2010, 53, 2797-2813.	2.9	66
10	High-Potency Olfactory Receptor Agonists Discovered by Virtual High-Throughput Screening: Molecular Probes for Receptor Structure and Olfactory Function. Neuron, 2008, 60, 767-774.	3.8	26
11	Amino-Pyrrolidine Tricarboxylic Acids Give New Insight into Group III Metabotropic Glutamate Receptor Activation Mechanism. Molecular Pharmacology, 2007, 71, 704-712.	1.0	15
12	Synthesis and Biological Evaluation of 1-Amino-2-Phosphonomethylcyclopropanecarboxylic Acids, New Group III Metabotropic Glutamate Receptor Agonists. Journal of Medicinal Chemistry, 2007, 50, 3585-3595.	2.9	49
13	Design and synthesis of APTCs (aminopyrrolidinetricarboxylic acids): Identification of a new group III metabotropic glutamate receptor selective agonist. Bioorganic and Medicinal Chemistry Letters, 2006, 16, 4856-4860.	1.0	13
14	Amino acid recognition by Venus flytrap domains is encoded in an 8-residue motif. Biopolymers, 2005, 80, 357-366.	1.2	82
15	Virtual Screening Workflow Development Guided by the "Receiver Operating Characteristic―Curve Approach. Application to High-Throughput Docking on Metabotropic Glutamate Receptor Subtype 4. Journal of Medicinal Chemistry, 2005, 48, 2534-2547.	2.9	548
16	Molecular Determinants of Ligand Selectivity in a Vertebrate Odorant Receptor. Journal of Neuroscience, 2004, 24, 10128-10137.	1.7	82
17	Common and Selective Molecular Determinants Involved in Metabotopic Glutamate Receptor Agonist Activity. Journal of Medicinal Chemistry, 2002, 45, 3171-3183.	2.9	69
18	Threeâ€dimensional model of the extracellular domain of the type 4a metabotropic glutamate receptor: New insights into the activation process. Protein Science, 2000, 9, 2200-2209.	3.1	63

#	Article	IF	CITATIONS
19	Mapping the Agonist-binding Site of GABAB Type 1 Subunit Sheds Light on the Activation Process of GABABReceptors. Journal of Biological Chemistry, 2000, 275, 41166-41174.	1.6	120