

Eun Jung Choy

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/12042304/publications.pdf>

Version: 2024-02-01

16
papers

327
citations

933447

10
h-index

996975

15
g-index

16
all docs

16
docs citations

16
times ranked

479
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of the Hebei Spirit Oil Spill on the Condition, Reproduction, and Energy Storage Cycle of the Manila Clam <i>Ruditapes philippinarum</i> on the West Coast of Korea. <i>Estuaries and Coasts</i> , 2020, 43, 602-614.	2.2	2
2	Trophic Structures of Two Contrasting Estuarine Ecosystems With and without a Dike on the Temperate Coast of Korea as Determined by Stable Isotopes. <i>Estuaries and Coasts</i> , 2020, 43, 560-577.	2.2	12
3	Linking Intertidal and Subtidal Food Webs: Consumer-Mediated Transport of Intertidal Benthic Microalgal Carbon. <i>PLoS ONE</i> , 2015, 10, e0139802.	2.5	31
4	Stable isotope analysis of a newly established macrofaunal food web 1.5years after the Hebei Spirit oil spill. <i>Marine Pollution Bulletin</i> , 2015, 90, 167-180.	5.0	9
5	The role of the adductor muscle as an energy storage organ in the pen shell <i>Atrina japonica</i> (Reeve, 1858). <i>Journal of Molluscan Studies</i> , 2015, 81, 502-511.	1.2	19
6	Spatial distribution of small phytoplankton composition in the Chukchi Sea. <i>Polar Biology</i> , 2014, 37, 99-109.	1.2	11
7	Spatial and Temporal Variations of Microphytobenthos on the Common Reed <i>Phragmites australis</i> bed in a Marine Protected Area of Yeosu Bay, Korea. <i>Wetlands</i> , 2013, 33, 737-745.	1.5	9
8	Reproductive cycle and gross biochemical composition of the ark shell <i>Scapharca subcrenata</i> (Lischke, 1869) reared on subtidal mudflats in a temperate bay of Korea. <i>Aquaculture</i> , 2011, 322-323, 149-157.	3.5	37
9	Incubation capacity limits clutch size in south polar skuas. <i>Antarctic Science</i> , 2010, 22, 19.	0.9	6
10	Quantifying the trophic base for benthic secondary production in the Nakdong River estuary of Korea using stable C and N isotopes. <i>Journal of Experimental Marine Biology and Ecology</i> , 2009, 382, 18-26.	1.5	24
11	Food web structure of a restored macroalgal bed in the eastern Korean peninsula determined by C and N stable isotope analyses. <i>Marine Biology</i> , 2008, 153, 1181-1198.	1.5	69
12	Pathways of organic matter through food webs of diverse habitats in the regulated Nakdong River estuary (Korea). <i>Estuarine, Coastal and Shelf Science</i> , 2008, 78, 215-226.	2.1	58
13	CONDITION, REPRODUCTIVE ACTIVITY, AND GROSS BIOCHEMICAL COMPOSITION OF THE MANILA CLAM, <i>TAPES PHILIPPINARUM</i> IN NATURAL AND NEWLY CREATED SANDY HABITATS OF THE SOUTHERN COAST OF KOREA. <i>Journal of Shellfish Research</i> , 2007, 26, 401-412.	0.9	15
14	Time-course uptake and elimination of benzo(a)pyrene and its damage to reproduction and ensuing reproductive outputs of Pacific oyster, <i>Crassostrea gigas</i> . <i>Marine Biology</i> , 2007, 151, 157-165.	1.5	15
15	Sterol dynamics of heterotrophic <i>Tetraselmis suecica</i> and its nutritional implication in the bivalve aquaculture. <i>Aquaculture Research</i> , 2004, 35, 371-377.	1.8	10
16	The Sterolic Properties of Heterotrophic <i>Tetraselmis suecica</i> . <i>Journal of Fisheries Science and Technology</i> , 2004, 7, 34-38.	0.2	0