

# Iben AxÃ©n

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/120440/publications.pdf>

Version: 2024-02-01

53  
papers

1,238  
citations

394286

19  
h-index

395590

33  
g-index

57  
all docs

57  
docs citations

57  
times ranked

1157  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | What have we learned from ten years of trajectory research in low back pain?. BMC Musculoskeletal Disorders, 2016, 17, 220.  | 0.8 | 201       |
| 2  | Trajectories of low back pain. Best Practice and Research in Clinical Rheumatology, 2013, 27, 601-612.   | 1.4 | 93        |
| 3  | The use of weekly text messaging over 6 months was a feasible method for monitoring the clinical course of low back pain in patients seeking chiropractic care. Journal of Clinical Epidemiology, 2012, 65, 454-461.   | 2.4 | 85        |
| 4  | Clustering patients on the basis of their individual course of low back pain over a six month period. BMC Musculoskeletal Disorders, 2011, 12, 99.   | 0.8 | 75        |
| 5  | The Nordic Back Pain Subpopulation Program: Validation and Improvement of a Predictive Model for Treatment Outcome in Patients With Low Back Pain Receiving Chiropractic Treatment. Journal of Manipulative and Physiological Therapeutics, 2005, 28, 381-385. | 0.4 | 48        |
| 6  | Can patient reactions to the first chiropractic treatment predict early favorable treatment outcome in persistent low back pain?. Journal of Manipulative and Physiological Therapeutics, 2002, 25, 450-454.   | 0.4 | 40        |
| 7  | The Nordic Maintenance Care program: Effectiveness of chiropractic maintenance care versus symptom-guided treatment for recurrent and persistent low back painâ€”A pragmatic randomized controlled trial. PLoS ONE, 2018, 13, e0203029.                        | 1.1 | 40        |
| 8  | Early workplace dialogue in physiotherapy practice improved work ability at 1-year follow-upâ€”WorkUp, a randomised controlled trial in primary care. Pain, 2018, 159, 1456-1464.  | 2.0 | 36        |
| 9  | The types and frequencies of improved nonmusculoskeletal symptoms reported after chiropractic spinal manipulative therapy. Journal of Manipulative and Physiological Therapeutics, 1999, 22, 559-564.  | 0.4 | 32        |
| 10 | Neurophysiological Effects of High Velocity and Low Amplitude Spinal Manipulation in Symptomatic and Asymptomatic Humans. Spine, 2019, 44, E914-E926.  | 1.0 | 30        |
| 11 | Interventions for common mental disorders in the occupational health service: a systematic review with a narrative synthesis. International Archives of Occupational and Environmental Health, 2020, 93, 823-838.  | 1.1 | 29        |
| 12 | The Nordic Back Pain Subpopulation Program: Can Patient Reactions to the First Chiropractic Treatment Predict Early Favorable Treatment Outcome in Nonpersistent Low Back Pain?. Journal of Manipulative and Physiological Therapeutics, 2005, 28, 153-158.    | 0.4 | 28        |
| 13 | The Nordic maintenance care program â€” case management of chiropractic patients with low back pain: A survey of Swedish chiropractors. Chiropractic & Manual Therapies, 2008, 16, 6.  | 1.6 | 28        |
| 14 | The Nordic Maintenance Care Program: when do chiropractors recommend secondary and tertiary preventive care for low back pain?. Chiropractic & Manual Therapies, 2009, 17, 1.  | 1.6 | 27        |
| 15 | Individual preferences for physical exercise as secondary prevention for non-specific low back pain: A discrete choice experiment. PLoS ONE, 2017, 12, e0187709.   | 1.1 | 26        |
| 16 | Association between objectively measured physical behaviour and neckâ€”and/or low back pain: A systematic review. European Journal of Pain, 2020, 24, 1007-1022.   | 1.4 | 26        |
| 17 | The Nordic Back Pain Subpopulation Program: The Long-Term Outcome Pattern in Patients With Low Back Pain Treated by Chiropractors in Sweden. Journal of Manipulative and Physiological Therapeutics, 2005, 28, 472-478.  | 0.4 | 23        |
| 18 | The Nordic Subpopulation Research Programme: prediction of treatment outcome in patients with low back pain treated by chiropractors - does the psychological profile matter?. Chiropractic & Manual Therapies, 2009, 17, 14.                                  | 1.6 | 23        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Using few and scattered time points for analysis of a variable course of pain can be misleading: an example using weekly text message data. <i>Spine Journal</i> , 2014, 14, 1454-1459.   | 0.6 | 21        |
| 20 | The global summit on the efficacy and effectiveness of spinal manipulative therapy for the prevention and treatment of non-musculoskeletal disorders: a systematic review of the literature. <i>Chiropractic &amp; Manual Therapies</i> , 2021, 29, 8.  | 0.6 | 21        |
| 21 | Trajectories of Pain Intensity Over 1 Year in Adults With Disabling Subacute or Chronic Neck Pain. <i>Clinical Journal of Pain</i> , 2019, 35, 678-685.   | 0.8 | 20        |
| 22 | Analyzing repeated data collected by mobile phones and frequent text messages. An example of Low back pain measured weekly for 18 weeks. <i>BMC Medical Research Methodology</i> , 2012, 12, 105.   | 1.4 | 19        |
| 23 | Chiropractic maintenance care - what's new? A systematic review of the literature. <i>Chiropractic &amp; Manual Therapies</i> , 2019, 27, 63.   | 0.6 | 18        |
| 24 | Pain-related Sleep Disturbance. <i>Clinical Journal of Pain</i> , 2016, 32, 254-259.  | 0.8 | 17        |
| 25 | Absence of low back pain in patients followed weekly over one year with automated text messages. <i>Chiropractic &amp; Manual Therapies</i> , 2012, 20, 9.  | 0.6 | 16        |
| 26 | The Nordic maintenance care program: the clinical use of identified indications for preventive care. <i>Chiropractic &amp; Manual Therapies</i> , 2013, 21, 10.   | 0.6 | 14        |
| 27 | Misinformation, chiropractic, and the COVID-19 pandemic. <i>Chiropractic &amp; Manual Therapies</i> , 2020, 28, 65.   | 0.6 | 14        |
| 28 | Prevention of low back pain: effect, cost-effectiveness, and cost-utility of maintenance care – study protocol for a randomized clinical trial. <i>Trials</i> , 2014, 15, 102.  | 0.7 | 13        |
| 29 | Medical yoga in the workplace setting – perceived stress and work ability – a feasibility study. <i>Complementary Therapies in Medicine</i> , 2017, 30, 61-66.  | 1.3 | 12        |
| 30 | Letter to the Editor Re: Oakley PA, Cuttler JM, Harrison DE. X-Ray Imaging Is Essential for Contemporary Chiropractic and Manual Therapy Spinal Rehabilitation: Radiography Increases Benefits and Reduces Risks. <i>Dose Response</i> . 2018 Jun 19;16(2). <i>Dose-Response</i> , 2018, 16, 155932581881152.   | 0.7 | 12        |
| 31 | The Nordic maintenance care program: maintenance care reduces the number of days with pain in acute episodes and increases the length of pain free periods for dysfunctional patients with recurrent and persistent low back pain - a secondary analysis of a pragmatic randomized controlled trial. <i>Chiropractic &amp; Manual Therapies</i> . 2020. 28. 19. | 0.6 | 12        |
| 32 | The Nordic Maintenance Care Program: Does psychological profile modify the treatment effect of a preventive manual therapy intervention? A secondary analysis of a pragmatic randomized controlled trial. <i>PLoS ONE</i> , 2019, 14, e0223349.   | 1.1 | 11        |
| 33 | The effect of spinal manipulative therapy on heart rate variability and pain in patients with chronic neck pain: a randomized controlled trial. <i>Trials</i> , 2019, 20, 590.  | 0.7 | 11        |
| 34 | Absence of low back pain to demarcate an episode: a prospective multicentre study in primary care. <i>Chiropractic &amp; Manual Therapies</i> , 2016, 24, 3.  | 0.6 | 10        |
| 35 | Recruiting in intervention studies: challenges and solutions. <i>BMJ Open</i> , 2021, 11, e044702.  | 0.8 | 10        |
| 36 | Can chiropractors contribute to work disability prevention through sickness absence management for musculoskeletal disorders? - a comparative qualitative case study in the Scandinavian context. <i>Chiropractic &amp; Manual Therapies</i> , 2018, 26, 15.  | 0.6 | 9         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Do psychological and behavioral factors classified by the West Haven-Yale Multidimensional Pain Inventory (Swedish version) predict the early clinical course of low back pain in patients receiving chiropractic care?. BMC Musculoskeletal Disorders, 2016, 17, 75. | 0.8 | 8         |
| 38 | Managing sickness absence of patients with musculoskeletal pain – a cross-sectional survey of Scandinavian chiropractors. Chiropractic & Manual Therapies, 2019, 27, 1.   | 0.6 | 8         |
| 39 | The effect of two weeks of spinal manipulative therapy and home stretching exercises on pain and disability in patients with persistent or recurrent neck pain; a randomized controlled trial. BMC Musculoskeletal Disorders, 2021, 22, 903.                          | 0.8 | 8         |
| 40 | GPs opinions and perceptions of chiropractic in Sweden and Norway: a descriptive survey. Chiropractic & Manual Therapies, 2013, 21, 29.   | 0.6 | 7         |
| 41 | Conducting practice-based projects among chiropractors: a manual. Chiropractic & Manual Therapies, 2013, 21, 8.   | 0.6 | 7         |
| 42 | Psychological and behavioral differences between low back pain populations: a comparative analysis of chiropractic, primary and secondary care patients. BMC Musculoskeletal Disorders, 2015, 16, 306.  | 0.8 | 7         |
| 43 | Back complaints in the elders - chiropractic (BACE-C): protocol of an international cohort study of older adults with low back pain seeking chiropractic care. Chiropractic & Manual Therapies, 2020, 28, 17.   | 0.6 | 6         |
| 44 | Does physical activity buffer insomnia due to back and neck pain?. PLoS ONE, 2017, 12, e0184288.  | 1.1 | 6         |
| 45 | Prevalence of pain-free weeks in chiropractic subjects with low back pain - a longitudinal study using data gathered with text messages. Chiropractic & Manual Therapies, 2011, 19, 28.   | 0.6 | 5         |
| 46 | Low back pain patients in Sweden, Denmark and the UK share similar characteristics and outcomes: a cross-national comparison of prospective cohort studies. BMC Musculoskeletal Disorders, 2015, 16, 367.   | 0.8 | 4         |
| 47 | Searching for the optimal measuring frequency in longitudinal studies – an example utilizing short message service (SMS) to collect repeated measures among patients with low back pain. BMC Medical Research Methodology, 2016, 16, 119.                             | 1.4 | 4         |
| 48 | “Typical” chiropractic patients – can they be described in terms of recovery patterns?. Chiropractic & Manual Therapies, 2017, 25, 23.  | 0.6 | 4         |
| 49 | Experience of Stress Assessed by Text Messages and Its Association with Objective Workload – A Longitudinal Study. International Journal of Environmental Research and Public Health, 2020, 17, 680.  | 1.2 | 3         |
| 50 | The effect of spinal manipulative therapy and home stretching exercises on heart rate variability in patients with persistent or recurrent neck pain: a randomized controlled trial. Chiropractic & Manual Therapies, 2021, 29, 48.                                   | 0.6 | 3         |
| 51 | The nordic maintenance care program: patient experience of maintenance care – a qualitative study. Chiropractic & Manual Therapies, 2021, 29, 28.   | 0.6 | 2         |
| 52 | Development and evaluation of the MAINTAIN instrument, selecting patients suitable for secondary or tertiary preventive manual care: the Nordic maintenance care program. Chiropractic & Manual Therapies, 2022, 30, 15.  | 0.6 | 2         |
| 53 | Response to Lawrence DJ: the global summit on the efficacy and effectiveness of spinal manipulative therapy for the prevention and treatment of non-musculoskeletal disorders: a systematic review of the literature. Chiropractic & Manual Therapies, 2021, 29, 26.  | 0.6 | 0         |