Joseph Waller

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1204514/publications.pdf

Version: 2024-02-01

		117453	1	114278	
177	5,226	34		63	
papers	citations	h-index		g-index	
177	177	177		7823	
all docs	docs citations	times ranked		citing authors	

#	Article	IF	CITATIONS
1	Panethnic Differences in Blood Pressure in Europe: A Systematic Review and Meta-Analysis. PLoS ONE, 2016, 11, e0147601.	1.1	882
2	Sharpening the global focus on ethnicity and race in the time of COVID-19. Lancet, The, 2020, 395, 1673-1676.	6.3	214
3	Disparities in type 2 diabetes prevalence among ethnic minority groups resident in Europe: a systematic review and meta-analysis. Internal and Emergency Medicine, 2016, 11, 327-340.	1.0	171
4	Cardiovascular disease, diabetes and established risk factors among populations of sub-Saharan African descent in Europe: a literature review. Globalization and Health, 2009, 5, 7.	2.4	142
5	Prevalence, awareness, treatment, and control of hypertension among Black Surinamese, South Asian Surinamese and White Dutch in Amsterdam, The Netherlands: the SUNSET study. Journal of Hypertension, 2005, 23, 1971-1977.	0.3	136
6	Obesity and type 2 diabetes in sub-Saharan Africans – Is the burden in today's Africa similar to African migrants in Europe? The RODAM study. BMC Medicine, 2016, 14, 166.	2.3	132
7	Knowledge and awareness of and perception towards cardiovascular disease risk in sub-Saharan Africa: A systematic review. PLoS ONE, 2017, 12, e0189264.	1.1	122
8	Status report on hypertension in Africa - Consultative review for the 6th Session of the African Union Conference of Ministers of Health on NCD'ss. Pan African Medical Journal, 2013, 16, 38.	0.3	119
9	Length of Residence in the United States is Associated With a Higher Prevalence of Cardiometabolic Risk Factors in Immigrants: A Contemporary Analysis of the National Health Interview Survey. Journal of the American Heart Association, 2016, 5, .	1.6	110
10	Rationale and cross-sectional study design of the Research on Obesity and type 2 Diabetes among African Migrants: the RODAM study. BMJ Open, 2015, 4, e004877.	0.8	94
11	Overweight and obesity among Ghanaian residents in The Netherlands: how do they weigh against their urban and rural counterparts in Ghana?. Public Health Nutrition, 2009, 12, 909-916.	1.1	79
12	Hypertension control in a large multi-ethnic cohort in Amsterdam, The Netherlands: The HELIUS study. International Journal of Cardiology, 2015, 183, 180-189.	0.8	77
13	Tracing Africa's progress towards implementing the Non-Communicable Diseases Global action plan 2013–2020: a synthesis of WHO country profile reports. BMC Public Health, 2017, 17, 297.	1.2	77
14	Non-communicable diseases in migrants: an expert review. Journal of Travel Medicine, 2019, 26, .	1.4	71
15	The association of physical activity, body mass index and the blood pressure levels among urban poor youth in Accra, Ghana. BMC Public Health, 2015, 15, 269.	1.2	63
16	Epigenome-wide association study in whole blood on type 2 diabetes among sub-Saharan African individuals: findings from the RODAM study. International Journal of Epidemiology, 2019, 48, 58-70.	0.9	62
17	The association of neighbourhood psychosocial stressors and self-rated health in Amsterdam, The Netherlands. Journal of Epidemiology and Community Health, 2007, 61, 1042-1049.	2.0	58
18	Relationship between post-traumatic stress disorder and diabetes among 105 180 asylum seekers in the Netherlands. European Journal of Public Health, 2012, 22, 658-662.	0.1	58

#	Article	IF	Citations
19	Prevalence of metabolic syndrome in sub-Saharan Africa: AÂsystematic review and meta-analysis. Nutrition, Metabolism and Cardiovascular Diseases, 2020, 30, 547-565.	1.1	58
20	Diabetes Prevalence in Populations of South Asian Indian and African Origins. Epidemiology, 2011, 22, 563-567.	1.2	57
21	Cardiometabolic Health in African Immigrants to the United States: A Call to Re-examine Research on African-descent Populations. Ethnicity and Disease, 2015, 25, 373.	1.0	57
22	Remigration of migrants with severe disease: myth or reality?—a register-based cohort study. European Journal of Public Health, 2015, 25, 84-89.	0.1	55
23	An epigenome-wide association study in whole blood of measures of adiposity among Ghanaians: the RODAM study. Clinical Epigenetics, 2017, 9, 103.	1.8	55
24	Ethnic minority status as social determinant for COVID-19 infection, hospitalisation, severity, ICU admission and deaths in the early phase of the pandemic: a meta-analysis. BMJ Global Health, 2021, 6, e007433.	2.0	51
25	Ethnicity and cardiovascular health research: pushing the boundaries by including comparison populations in the countries of origin. Ethnicity and Health, 2012, 17, 579-596.	1.5	49
26	Case Finding and Medical Treatment of Type 2 Diabetes among Different Ethnic Minority Groups: The HELIUS Study. Journal of Diabetes Research, 2017, 2017, 1-8.	1.0	49
27	A Cross-National Comparative Study of Blood Pressure and Hypertension Between English and Dutch South-Asian- and African-Origin Populations: The Role of National Context. American Journal of Hypertension, 2010, 23, 639-648.	1.0	48
28	Variations in hypertension awareness, treatment, and control among Ghanaian migrants living in Amsterdam, Berlin, London, and nonmigrant Ghanaians living in rural and urban Ghana $\hat{a} \in \text{``the RODAM study. Journal of Hypertension, 2018, 36, 169-177.}$	0.3	47
29	Ethnic Disparities in Ischemic Stroke, Intracerebral Hemorrhage, and Subarachnoid Hemorrhage Incidence in The Netherlands. Stroke, 2014, 45, 3236-3242.	1.0	45
30	The Association Between Acculturation and Cardiovascular Disease Risk in Ghanaian and Nigerian-born African Immigrants in the United States: The Afro-Cardiac Study. Journal of Immigrant and Minority Health, 2018, 20, 1137-1146.	0.8	45
31	Socioeconomic Inequalities in Stroke Incidence Among Migrant Groups. Stroke, 2014, 45, 2397-2403.	1.0	40
32	Physical violence during pregnancy and pregnancy outcomes in Ghana. BMC Pregnancy and Childbirth, 2014, 14, 71.	0.9	40
33	Epidemiology, risk factors, and opportunities for prevention of cardiovascular disease in individuals of South Asian ethnicity living in Europe. Atherosclerosis, 2019, 286, 105-113.	0.4	40
34	Association between socioeconomic position and the prevalence of type 2 diabetes in Ghanaians in different geographic locations: the RODAM study. Journal of Epidemiology and Community Health, 2017, 71, 633-639.	2.0	39
35	Current trends in admissions and outcomes of cardiac diseases in Ghana. Clinical Cardiology, 2017, 40, 783-788.	0.7	38
36	The Upcoming Epidemic of Heart Failure in South Asia. Circulation: Heart Failure, 2020, 13, e007218.	1.6	37

#	Article	lF	Citations
37	Incidence and determinants of diabetes-related lower limb amputations in Ghana, 2010–2015- a retrospective cohort study. BMC Endocrine Disorders, 2019, 19, 27.	0.9	35
38	Thresholds for Ambulatory Blood Pressure Among African Americans in the Jackson Heart Study. Circulation, 2017, 135, 2470-2480.	1.6	34
39	Cardiovascular disease risk prediction in sub-Saharan African populations — Comparative analysis of risk algorithms in the RODAM study. International Journal of Cardiology, 2018, 254, 310-315.	0.8	34
40	Indirect implications of COVID-19 prevention strategies on non-communicable diseases. BMC Medicine, 2020, 18, 256.	2.3	34
41	Relationship between short sleep duration and cardiovascular risk factors in a multi-ethnic cohort – the helius study. Sleep Medicine, 2015, 16, 1482-1488.	0.8	33
42	Perceptions of inhibitors and facilitators for adhering to hypertension treatment among insured patients in rural Nigeria: a qualitative study. BMC Health Services Research, 2014, 14, 624.	0.9	31
43	Cardiovascular disease incidence and survival: Are migrants always worse off?. European Journal of Epidemiology, 2016, 31, 667-677.	2.5	31
44	Differential prevalence and associations of overweight and obesity by gender and population group among school learners in South Africa: a cross-sectional study. BMC Obesity, 2017, 4, 29.	3.1	31
45	Educational inequalities in metabolic syndrome vary by ethnic group: Evidence from the SUNSET study. International Journal of Cardiology, 2010, 141, 266-274.	0.8	30
46	Chronic kidney disease burden among African migrants in three European countries and in urban and rural Ghana: the RODAM cross-sectional study. Nephrology Dialysis Transplantation, 2018, 33, 1812-1822.	0.4	30
47	Meta-analyses identify DNA methylation associated with kidney function and damage. Nature Communications, 2021, 12, 7174.	5.8	30
48	Prehypertension in the Ashanti region of Ghana, West Africa: An opportunity for early prevention of clinical hypertension. Public Health, 2008, 122, 19-24.	1.4	29
49	Ethnic differences in arterial stiffness the Helius study. International Journal of Cardiology, 2015, 191, 28-33.	0.8	29
50	Prevalence and determinants of prehypertension among African Surinamese, Hindustani Surinamese, and White Dutch in Amsterdam, the Netherlands: the SUNSET study. European Journal of Cardiovascular Prevention and Rehabilitation, 2007, 14, 775-781.	3.1	28
51	Reducing the impact of the coronavirus on disadvantaged migrants and ethnic minorities. European Journal of Public Health, 2021, 31, iv9-iv13.	0.1	28
52	Relationship between psychosocial stress and hypertension among Ghanaians in Amsterdam, the Netherlands $\hat{a} \in \mathcal{C}$ the GHAIA study. BMC Public Health, 2014, 14, 692.	1.2	27
53	Lay community perceptions and treatment options for hypertension in rural northern Ghana: a qualitative analysis. BMJ Open, 2018, 8, e023451.	0.8	27
54	Differences in SARS-CoV-2 infections during the first and second wave of SARS-CoV-2 between six ethnic groups in Amsterdam, the Netherlands: A population-based longitudinal serological study. Lancet Regional Health - Europe, The, 2022, 13, 100284.	3.0	27

#	Article	IF	Citations
55	Migration and Cardiovascular Disease Risk Among Ghanaian Populations in Europe:. Circulation: Cardiovascular Quality and Outcomes, 2017, 10, .	0.9	26
56	Challenges of health programmes in slums. Lancet, The, 2015, 386, 2114-2116.	6.3	25
57	Microvascular and macrovascular complications in type 2 diabetes Ghanaian residents in Ghana and Europe: The RODAM study. Journal of Diabetes and Its Complications, 2019, 33, 572-578.	1.2	25
58	A cross-national comparative study of smoking prevalence and cessation between English and Dutch South Asian and African origin populations: the role of national context. Nicotine and Tobacco Research, 2010, 12, 557-566.	1.4	24
59	Outcomes and costs of implementing a community-based intervention for hypertension in an urban slum in Kenya. Bulletin of the World Health Organization, 2016, 94, 501-509.	1.5	23
60	Impact evaluation of a community-based intervention for prevention of cardiovascular diseases in the slums of Nairobi: the SCALE-UP study. Global Health Action, 2016, 9, 30922.	0.7	22
61	Peripheral insulin resistance rather than beta cell dysfunction accounts for geographical differences in impaired fasting blood glucose among sub-Saharan African individuals: findings from the RODAM study. Diabetologia, 2017, 60, 854-864.	2.9	22
62	A Review of Applications of Machine Learning in Mammography and Future Challenges. Oncology, 2021, 99, 483-490.	0.9	22
63	Rural and urban differences in blood pressure and pregnancy-induced hypertension among pregnant women in Ghana. Globalization and Health, 2013, 9, 59.	2.4	21
64	Ethnic differences in self-reported sleep duration in the Netherlands – the HELIUS study. Sleep Medicine, 2014, 15, 1115-1121.	0.8	21
65	Ethnic Disparities in CKD in the Netherlands: The Healthy Life in an Urban Setting (HELIUS) Study. American Journal of Kidney Diseases, 2016, 67, 391-399.	2.1	21
66	Innovative ways of studying the effect of migration on obesity and diabetes beyond the common designs: lessons from the RODAM study. Annals of the New York Academy of Sciences, 2017, 1391, 54-70.	1.8	21
67	Genetic factors contributing to hypertension in Africanâ€based populations: A systematic review and metaâ€analysis. Journal of Clinical Hypertension, 2018, 20, 485-495.	1.0	21
68	Perceived discrimination and stressful life events are associated with cardiovascular risk score in migrant and non-migrant populations: The RODAM study. International Journal of Cardiology, 2019, 286, 169-174.	0.8	21
69	Prevalence and determinants of type 2 diabetes among lean African migrants and non-migrants: the RODAM study. Journal of Global Health, 2019, 9, 020426.	1.2	20
70	Type 2 diabetes burden among migrants in Europe: unravelling the causal pathways. Diabetologia, 2021, 64, 2665-2675.	2.9	20
71	Cardiovascular health and disease in migrant populations: a call to action. Nature Reviews Cardiology, 2022, 19, 1-2.	6.1	20
72	Blood pressure and body mass index in an ethnically diverse sample of adolescents in Paramaribo, Suriname. BMC Cardiovascular Disorders, 2009, 9, 19.	0.7	19

#	Article	IF	CITATIONS
73	Dietary patterns and type 2 diabetes among Chanaian migrants in Europe and their compatriots in Ghana: the RODAM study. Nutrition and Diabetes, 2018, 8, 25.	1.5	19
74	Food variety, dietary diversity, and type 2 diabetes in a multi-center cross-sectional study among Ghanaian migrants in Europe and their compatriots in Ghana: the RODAM study. European Journal of Nutrition, 2018, 57, 2723-2733.	1.8	19
75	Ideal cardiovascular health among Ghanaian populations in three European countries and rural and urban Ghana: the RODAM study. Internal and Emergency Medicine, 2018, 13, 845-856.	1.0	19
76	Differences in alcohol consumption and drinking patterns in Ghanaians in Europe and Africa: The RODAM Study. PLoS ONE, 2018, 13, e0206286.	1.1	18
77	Ethnic differences in current smoking and former smoking in the Netherlands and the contribution of socioeconomic factors: a cross-sectional analysis of the HELIUS study. BMJ Open, 2017, 7, e016041.	0.8	17
78	Oral Health Status, Oral Health Behaviours and Oral Health Care Utilisation Among Migrants Residing in Europe: A Systematic Review. Journal of Immigrant and Minority Health, 2021, 23, 373-388.	0.8	17
79	Relationship between sleep duration and arterial stiffness in a multi-ethnic population: The HELIUS study. Chronobiology International, 2016, 33, 543-552.	0.9	15
80	Association of perceived ethnic discrimination with general and abdominal obesity in ethnic minority groups: the HELIUS study. Journal of Epidemiology and Community Health, 2017, 71, 453-460.	2.0	15
81	Relationship between educational and occupational levels, and Chronic Kidney Disease in a multi-ethnic sample- The HELIUS study. PLoS ONE, 2017, 12, e0186460.	1.1	15
82	Objectively measured physical activity levels and sedentary time in children and adolescents with sickle cell anemia. PLoS ONE, 2018, 13, e0208916.	1.1	15
83	Dietary Patterns Are Associated with Predicted 10-Year Risk of Cardiovascular Disease Among Ghanaian Populations: the Research on Obesity and Diabetes in African Migrants (RODAM) Study. Journal of Nutrition, 2019, 149, 755-769.	1.3	15
84	Divergence With Age in Blood Pressure in African-Caribbean and White Populations in England: Implications for Screening for Hypertension. American Journal of Hypertension, 2012, 25, 89-96.	1.0	14
85	A cross-national comparative study of metabolic syndrome among non-diabetic Dutch and English ethnic groups. European Journal of Public Health, 2013, 23, 447-452.	0.1	14
86	Comfy zone hypotheses in migrant health research: time for a paradigm shift. Public Health, 2019, 172, 108-115.	1.4	14
87	SARS-CoV-2 antibody prevalence and correlates of six ethnic groups living in Amsterdam, the Netherlands: a population-based cross-sectional study, June–October 2020. BMJ Open, 2022, 12, e052752.	0.8	14
88	Gender Disparities in Hypertension Among Different Ethnic Groups in Amsterdam, The Netherlands: The SUNSET Study. American Journal of Hypertension, 2008, 21, 1001-1006.	1.0	13
89	The influence of early-life conditions on cardiovascular disease later in life among ethnic minority populations: a systematic review. Internal and Emergency Medicine, 2016, 11, 341-353.	1.0	13
90	The prevalence of metabolic syndrome among Ghanaian migrants and their homeland counterparts: the Research on Obesity and type 2 Diabetes among African Migrants (RODAM) study. European Journal of Public Health, 2019, 29, 906-913.	0.1	13

#	Article	IF	Citations
91	Sleep duration is associated with increased risk for cardiovascular outcomes: a pilot study in a sample of community dwelling adults inÂGhana. Sleep Medicine, 2017, 34, 118-125.	0.8	12
92	Contribution of short sleep duration to ethnic differences in cardiovascular disease: results from a cohort study in the Netherlands. BMJ Open, 2017, 7, e017645.	0.8	12
93	Acculturation and Food Intake Among Ghanaian Migrants in Europe: Findings From the RODAM Study. Journal of Nutrition Education and Behavior, 2020, 52, 114-125.	0.3	12
94	Migration, ethnicity, racism and the COVID-19 pandemic: A conference marking the launch of a new Global Society. Public Health in Practice, 2021, 2, 100088.	0.7	12
95	Limited access to CVD medicines in low-income and middle-income countries: poverty is at the heart of the matter. The Lancet Global Health, 2018, 6, e234-e235.	2.9	11
96	Cross-sectional study of association between psychosocial stressors with chronic kidney disease among migrant and non-migrant Ghanaians living in Europe and Ghana: the RODAM study. BMJ Open, 2019, 9, e027931.	0.8	11
97	Epigenetic-age acceleration in the emerging burden of cardiometabolic diseases among migrant and non-migrant African populations: a population-based cross-sectional RODAM substudy. The Lancet Healthy Longevity, 2021, 2, e327-e339.	2.0	11
98	Applications and challenges of artificial intelligence in diagnostic and interventional radiology. Polish Journal of Radiology, 2022, 87, 113-117.	0.5	11
99	Sex disparities in acute myocardial infarction incidence: Do ethnic minority groups differ from the majority population?. European Journal of Preventive Cardiology, 2015, 22, 180-188.	0.8	10
100	The Afro-Cardiac Study: Cardiovascular Disease Risk and Acculturation in West African Immigrants in the United States: Rationale and Study Design. Journal of Immigrant and Minority Health, 2016, 18, 1301-1308.	0.8	10
101	Heterogeneity in blood pressure in UK Bangladeshi, Indian and Pakistani, compared to White, populations: divergence of adults and children. Journal of Human Hypertension, 2018, 32, 725-744.	1.0	10
102	Differential associations between psychosocial stress and obesity among Ghanaians in Europe and in Ghana: findings from the RODAM study. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 45-56.	1.6	10
103	The Global Society on Migration, Ethnicity, Race and Health: why race can't be ignored even if it causes discomfort. European Journal of Public Health, 2021, 31, 3-4.	0.1	10
104	Reviewing applications of structural and functional MRI for bipolar disorder. Japanese Journal of Radiology, 2021, 39, 414-423.	1.0	10
105	Differences in Body Composition Convey a Similar Risk of Type 2 Diabetes Among Different Ethnic Groups With Disparate Cardiometabolic Risk—The HELIUS Study. Diabetes Care, 2021, 44, 1692-1698.	4.3	10
106	The association of depression and posttraumatic stress disorder with the metabolic syndrome in a multi-ethnic cohort: the HELIUS study. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 921-930.	1.6	9
107	Early-life factors are associated with waist circumference and type 2 diabetes among Ghanaian adults: The RODAM Study. Scientific Reports, 2019, 9, 10848.	1.6	9
108	Knowledge and perceptions of type 2 diabetes among Ghanaian migrants in three European countries and Ghanaians in rural and urban Ghana: The RODAM qualitative study. PLoS ONE, 2019, 14, e0214501.	1.1	9

#	Article	IF	CITATIONS
109	Contextual factors that shape uptake of COVID-19 preventive measures by persons of Ghanaian and Eritrean origin in the Netherlands: A focus group study. Journal of Migration and Health, 2021, 4, 100070.	1.6	9
110	Racism in health and health care in Europe: where does the Netherlands stand?. European Journal of Public Health, 2007, 17, 240-241.	0.1	8
111	Tackling the health challenges of international migrant workers. The Lancet Global Health, 2019, 7, e813-e814.	2.9	8
112	Dyslipidaemia among Ghanaian migrants in three European countries and their compatriots in rural and urban Ghana: The RODAM study. Atherosclerosis, 2019, 284, 83-91.	0.4	8
113	Illness representations and coping practices for self-managing hypertension among sub-Saharan Africans: A comparative study among Ghanaian migrants and non-migrant Ghanaians. Patient Education and Counseling, 2019, 102, 1711-1721.	1.0	8
114	Higher prevalence of peripheral arterial disease in Ghana compared to Ghanaian migrants in Europe: The RODAM study. International Journal of Cardiology, 2020, 305, 127-134.	0.8	8
115	Physical Inactivity among Ghanaians in Ghana and Ghanaian Migrants in Europe. Medicine and Science in Sports and Exercise, 2020, 52, 2152-2161.	0.2	8
116	Associations of Serum Uric Acid Levels With Macrovascular and Renal Microvascular Dysfunction Among Individuals From Sub-Saharan Africa. JAMA Network Open, 2021, 4, e2128985.	2.8	8
117	Epigenome-wide association study of serum urate reveals insights into urate co-regulation and the SLC2A9 locus. Nature Communications, 2021, 12, 7173.	5.8	8
118	Are There Ethnic Inequalities in Revascularisation Procedure Rate after an ST-Elevation Myocardial Infarction?. PLoS ONE, 2015, 10, e0136415.	1.1	7
119	Blood pressure control and mortality in <scp>US</scp> ―and foreignâ€born blacks in New York City. Journal of Clinical Hypertension, 2017, 19, 956-964.	1.0	7
120	Ethnic Variations in Prognosis of Patients with Dementia: A Prospective Nationwide Registry Linkage Study in The Netherlands. Journal of Alzheimer's Disease, 2017, 56, 205-213.	1.2	7
121	Hypertension control in subâ€Saharan Africa: Clinical inertia is another elephant in the room. Journal of Clinical Hypertension, 2020, 22, 959-961.	1.0	7
122	Mexican American Immigrants Demonstrate Better Functional Stroke Outcomes Compared With Mexican American Nonimmigrants. Stroke, 2020, 51, 3129-3132.	1.0	7
123	Epigenome-wide association study for perceived discrimination among sub-Saharan African migrants in Europe - the RODAM study. Scientific Reports, 2020, 10, 4919.	1.6	7
124	Anthropometric indices and their cut-off points in relation to type 2 diabetes among Ghanaian migrants and non-migrants: The RODAM study. Diabetes Research and Clinical Practice, 2021, 173, 108687.	1.1	7
125	Microvascular and macrovascular complications in type 2 diabetes in a multi-ethnic population based in Amsterdam. The HELIUS study. Primary Care Diabetes, 2021, 15, 528-534.	0.9	7
126	Providing Measurement, Evaluation, Accountability, and Leadership Support (MEALS) for Non-communicable Diseases Prevention in Ghana: Project Implementation Protocol. Frontiers in Nutrition, 2021, 8, 644320.	1.6	7

#	Article	IF	CITATIONS
127	Cardiovascular prevention model from Kenyan slums to migrants in the Netherlands. Globalization and Health, 2015, 11, 11.	2.4	6
128	Is social support associated with hypertension control among Ghanaian migrants in Europe and non-migrants in Ghana? The RODAM study. Internal and Emergency Medicine, 2019, 14, 957-966.	1.0	6
129	All-cause mortality among three generations of Moluccans in the Netherlands. European Journal of Public Health, 2019, 29, 463-467.	0.1	6
130	Inflammation and its associations with aortic stiffness, coronary artery disease and peripheral artery disease in different ethnic groups: The HELIUS Study. EClinicalMedicine, 2021, 38, 101012.	3.2	6
131	Gene-environment Interaction on the Risk of Type 2 Diabetes Among Ethnic Minority Populations Living in Europe and North America: A Systematic Review. Current Diabetes Reviews, 2020, 16, 457-470.	0.6	6
132	Prevalence of Cardiovascular Disease Risk Factors in the Gambia: A Systematic Review. Global Heart, 2020, 15, 42.	0.9	6
133	Lay knowledge of cardiovascular disease and risk factors in three communities in Accra, Ghana: a cross-sectional survey. BMJ Open, 2021, 11, e049451.	0.8	6
134	Ethnic Differences in Coronavirus Disease 2019 Hospitalization and Hospital Outcomes in a Multiethnic Population in the Netherlands. Open Forum Infectious Diseases, 2022, 9, .	0.4	6
135	Cardiovascular disease risk prediction in low income settings: A call for context specific risk equations. International Journal of Cardiology, 2018, 265, 239.	0.8	5
136	Eligibility for cardiovascular risk screening among different ethnic groups: The HELIUS study. European Journal of Preventive Cardiology, 2020, 27, 1204-1211.	0.8	5
137	Geographic location determines betaâ€cell autoimmunity among adult Ghanaians: Findings from the RODAM study. Immunity, Inflammation and Disease, 2020, 8, 299-309.	1.3	5
138	DNA methylation as the link between migration and theÂmajor noncommunicable diseases: the RODAM study. Epigenomics, 2021, 13, 653-666.	1.0	5
139	Metabolic syndrome among individuals living with hypertension in Accra, Ghana. PLoS ONE, 2021, 16, e0253837.	1.1	5
140	The association between socioeconomic status and prevalence, awareness, treatment and control of hypertension in different ethnic groups: the Healthy Life in an Urban Setting study. Journal of Hypertension, 2022, 40, 897-907.	0.3	5
141	Contribution of diabetes to amputations in sub-Sahara Africa: A systematic review and meta-analysis. Primary Care Diabetes, 2022, 16, 341-349.	0.9	5
142	Editorial. Ethnicity and Health, 2010, 15, 213-221.	1.5	4
143	Your health is your wealth: faith-based community action on the health of African migrant communities in Amsterdam. Journal of Epidemiology and Community Health, 2018, 72, 409-412.	2.0	4
144	Medication non-adherence and blood pressure control among hypertensive migrant and non-migrant populations of sub-Saharan African origin: the RODAM study. Journal of Human Hypertension, 2019, 33, 131-148.	1.0	4

#	Article	IF	Citations
145	Hyperuricaemia and its association with 10â€year risk of cardiovascular disease among migrant and nonâ€migrant African populations: the RODAM study. Tropical Medicine and International Health, 2020, 25, 496-505.	1.0	4
146	Hypertension prevalence, awareness, treatment, and control in Surinamese living in Suriname and The Netherlands: the HELISUR and HELIUS studies. Internal and Emergency Medicine, 2020, 15, 1041-1049.	1.0	4
147	Determinants of suboptimal blood pressure control in a multiâ€ethnic population: The Healthy Life in an Urban Setting (HELIUS) study. Journal of Clinical Hypertension, 2021, 23, 1068-1076.	1.0	4
148	Genome-wide DNA methylation analysis on C-reactive protein among Ghanaians suggests molecular links to the emerging risk of cardiovascular diseases. Npj Genomic Medicine, 2021, 6, 46.	1.7	4
149	Associations between macrovascular and renal microvascular dysfunction in type 2 diabetes and non-diabetes: the HELIUS study. Microvascular Research, 2021, 136, 104162.	1.1	4
150	Multimorbidity Among Migrant and Non-Migrant Ghanaians: The RODAM Study. International Journal of Public Health, 2021, 66, 1604056.	1.0	4
151	Prevalence of Microalbuminuria and Its Association with Pulse Pressure in a Multi-Ethnic Population in Amsterdam, The Netherlands. Kidney and Blood Pressure Research, 2008, 31, 38-46.	0.9	3
152	Cross-sectional study of association between socioeconomic indicators and chronic kidney disease in rural–urban Ghana: the RODAM study. BMJ Open, 2019, 9, e022610.	0.8	3
153	Early-life exposures and cardiovascular disease risk among Ghanaian migrant and home populations: the RODAM study. Journal of Developmental Origins of Health and Disease, 2020, 11, 250-263.	0.7	3
154	Neighborhood Environment Has a Profound Association With Refugees' Health. JAMA Network Open, 2020, 3, e2014355.	2.8	3
155	C-reactive protein and hypertension among Ghanaian migrants and their homeland counterparts: the Research on Obesity and Diabetes among African Migrants study. Journal of Hypertension, 2022, 40, 283-291.	0.3	3
156	Reduced Rank Regression-Derived Dietary Patterns Related to the Fatty Liver Index and Associations with Type 2 Diabetes Mellitus among Ghanaian Populations under Transition: The RODAM Study. Nutrients, 2021, 13, 3679.	1.7	3
157	The Magnitude and Directions of the Associations between Early Life Factors and Metabolic Syndrome Differ across Geographical Locations among Migrant and Non-Migrant Ghanaians—The RODAM Study. International Journal of Environmental Research and Public Health, 2021, 18, 11996.	1.2	3
158	Sleep Disorders, Obesity, Hypertension, and Cardiovascular Risk. International Journal of Hypertension, 2015, 2015, 1-2.	0.5	2
159	Ethnic differences in cardiovascular morbidity and mortality among patients with breast cancer in the Netherlands: a register-based cohort study. BMJ Open, 2018, 8, e021509.	0.8	2
160	20 year trends in renal disease mortality in Ghana: A review of autopsies. Nephrology, 2019, 24, 387-394.	0.7	2
161	Association between Practising Religion and Cardiovascular Disease Risk among Ghanaian Non-Migrants and Migrants in Europe: The RODAM Study. International Journal of Environmental Research and Public Health, 2021, 18, 2451.	1.2	2
162	The benefit of intravenous thrombolysis prior to mechanical thrombectomy within the therapeutic window for acute ischemic stroke. Clinical Imaging, 2021, 79, 3-7.	0.8	2

#	Article	IF	CITATIONS
163	The Multifaceted Pathways Linking Populism to Ethnic Minority Health Comment on "A Scoping Review of Populist Radical Right Parties' Influence on Welfare Policy and its Implications for Population Health in Europe". International Journal of Health Policy and Management, 2020, , .	0.5	2
164	Access to oral health care for undocumented migrants: Perspectives of actors involved in a voluntary dental network in the Netherlands. Community Dentistry and Oral Epidemiology, 2021, 49, 330-336.	0.9	2
165	Serum potassium concentration and its association with hypertension among Ghanaian migrants and non-migrants: The RODAM study. Atherosclerosis, 2022, 342, 36-43.	0.4	2
166	Hypertension determinants among Ghanaians differ according to location of residence: RODAM study. Journal of Hypertension, 2022, 40, 1010-1018.	0.3	2
167	Trends in diabetes. Lancet, The, 2007, 369, 1256-1257.	6.3	1
168	Lonely and bored stiff: challenging phase for ethnic minority and migrant health in Europe. European Journal of Public Health, 2016, 26, 898-899.	0.1	1
169	The neglect of migrant oral health: setting a research agenda for Europe. European Journal of Public Health, 2018, 28, 984-985.	0.1	1
170	Inverse Association between Iron Deficiency and Glycated Hemoglobin Levels in Ghanaian Adults—the RODAM Study. Journal of Nutrition, 2020, 150, 1899-1908.	1.3	1
171	Ethnic differences in functional limitations: a comparison of older migrants and native Dutch older population. European Journal of Public Health, 2022, 32, 214-219.	0.1	1
172	Response to Letter to the Editor. International Journal of Cardiology, 2015, 198, 56-57.	0.8	0
173	K-4Promise and challenges of hypothesis driven health research in multi-ethnic societies with dynamic migration patterns. European Journal of Public Health, 2018, 28, .	0.1	0
174	A population-based retrospective study comparing cancer mortality between Moluccan migrants and the general Dutch population: equal risk 65 years after immigration?. BMJ Open, 2019, 9, e029288.	0.8	0
175	Carbohydrate-dense snacks are a key feature of the nutrition transition among Ghanaian adults $\hat{a} \in \mathbb{C}$ findings from the RODAM study. Food and Nutrition Research, 2021, 65, .	1.2	0
176	Methodological considerations for the meta-analysis of metabolic syndrome in sub-Saharan Africa. Nutrition, Metabolism and Cardiovascular Diseases, 2020, 30, 1050-1051.	1.1	0
177	Beta-cell dysfunction and insulin resistance in relation to abnormal glucose tolerance in African populations: can we afford to ignore the diversity within African populations?. BMJ Open Diabetes Research and Care, 2022, 10, e002685.	1.2	0