

Monica V Talor

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/12047034/publications.pdf>

Version: 2024-02-01

42
papers

1,953
citations

279487

23
h-index

288905

40
g-index

42
all docs

42
docs citations

42
times ranked

2776
citing authors

#	ARTICLE	IF	CITATIONS
1	Endothelial thrombomodulin downregulation caused by hypoxia contributes to severe infiltration and coagulopathy in COVID-19 patient lungs. <i>EBioMedicine</i> , 2022, 75, 103812.	2.7	39
2	Racial Differences in S100b Levels in Persons with Schizophrenia. <i>Psychiatric Quarterly</i> , 2020, 91, 137-145.	1.1	8
3	L-Tetrahydropalmatine, a Novel Dopamine Antagonist, Fails to Improve Psychiatric Symptoms as Adjunctive Treatment for Schizophrenia. <i>Schizophrenia Bulletin Open</i> , 2020, 1, .	0.9	0
4	Innate Lymphoid Cells Play a Pathogenic Role in Pericarditis. <i>Cell Reports</i> , 2020, 30, 2989-3003.e6.	2.9	24
5	The Effects of a Gluten-Free Diet on Immune Markers and Kynurenic Acid Pathway Metabolites in Patients With Schizophrenia Positive for Antigliadin Antibodies Immunoglobulin G. <i>Journal of Clinical Psychopharmacology</i> , 2020, 40, 317-319.	0.7	3
6	Randomized controlled trial of a gluten-free diet in patients with schizophrenia positive for antigliadin antibodies (AGA IgG): a pilot feasibility study. <i>Journal of Psychiatry and Neuroscience</i> , 2019, 44, 269-276.	1.4	22
7	The Cardiac Microenvironment Instructs Divergent Monocyte Fates and Functions in Myocarditis. <i>Cell Reports</i> , 2019, 28, 172-189.e7.	2.9	38
8	Gut permeability and mimicry of the Glutamate Ionotropic Receptor NMDA type Subunit Associated with protein 1 (GRINA) as potential mechanisms related to a subgroup of people with schizophrenia with elevated antigliadin antibodies (AGA IgG). <i>Schizophrenia Research</i> , 2019, 208, 414-419.	1.1	13
9	Non-cytotoxic Cardiac Innate Lymphoid Cells Are a Resident and Quiescent Type 2-Committed Population. <i>Frontiers in Immunology</i> , 2019, 10, 634.	2.2	35
10	Gladin-related antibodies in schizophrenia. <i>Schizophrenia Research</i> , 2018, 195, 585-586.	1.1	13
11	Scars in cardiac fibroblasts promote development of heart failure. <i>European Journal of Immunology</i> , 2018, 48, 1522-1538.	1.6	49
12	Complete Freund's adjuvant induces experimental autoimmune myocarditis by enhancing IL-6 production during initiation of the immune response. <i>Immunity, Inflammation and Disease</i> , 2017, 5, 163-176.	1.3	37
13	Eosinophil-derived IL-4 drives progression of myocarditis to inflammatory dilated cardiomyopathy. <i>Journal of Experimental Medicine</i> , 2017, 214, 943-957.	4.2	76
14	Regulation of autoimmune myocarditis by host responses to the microbiome. <i>Experimental and Molecular Pathology</i> , 2017, 103, 141-152.	0.9	13
15	Antigliadin Antibodies (AGA IgG) Are Related to Neurochemistry in Schizophrenia. <i>Frontiers in Psychiatry</i> , 2017, 8, 104.	1.3	24
16	Pathogenic IL-23 signaling is required to initiate GM-CSF-driven autoimmune myocarditis in mice. <i>European Journal of Immunology</i> , 2016, 46, 582-592.	1.6	40
17	Macrophages and cardiac fibroblasts are the main producers of eotaxins and regulate eosinophil trafficking to the heart. <i>European Journal of Immunology</i> , 2016, 46, 2749-2760.	1.6	62
18	Collaborative Interferon- γ and Interleukin-17 Signaling Protects the Oral Mucosa from <i>Staphylococcus aureus</i> . <i>American Journal of Pathology</i> , 2016, 186, 2337-2352.	1.9	16

#	ARTICLE	IF	CITATIONS
19	A Subset of Men With Age-Related Decline in Testosterone Have Gonadotroph Autoantibodies. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 1535-1541.	1.8	4
20	Cardiac antibody production to self-antigens in children and adolescents during and following the correction of severe diabetic ketoacidosis. <i>Autoimmunity</i> , 2016, 49, 188-196.	1.2	14
21	Transcriptomic profiles of aging in purified human immune cells. <i>BMC Genomics</i> , 2015, 16, 333.	1.2	58
22	Natural Killer Cells Limit Cardiac Inflammation and Fibrosis by Halting Eosinophil Infiltration. <i>American Journal of Pathology</i> , 2015, 185, 847-861.	1.9	83
23	Cardiac fibroblasts mediate IL-17A-driven inflammatory dilated cardiomyopathy. <i>Journal of Experimental Medicine</i> , 2014, 211, 1449-1464.	4.2	141
24	Fatal Eosinophilic Myocarditis Develops in the Absence of IFN- γ and IL-17A. <i>Journal of Immunology</i> , 2013, 191, 4038-4047.	0.4	53
25	Increased Systemic Th17 Cytokines Are Associated with Diastolic Dysfunction in Children and Adolescents with Diabetic Ketoacidosis. <i>PLoS ONE</i> , 2013, 8, e71905.	1.1	21
26	Childhood IQ, hearing loss, and maternal thyroid autoimmunity in the Baltimore Collaborative Perinatal Project. <i>Pediatric Research</i> , 2012, 72, 525-530.	1.1	34
27	Pituitary Antibodies in Women with Hashimoto's Thyroiditis: Prevalence in Diagnostic and Prediagnostic Sera. <i>Thyroid</i> , 2012, 22, 509-515.	2.4	6
28	Macrophages participate in IL-17A-mediated inflammation. <i>European Journal of Immunology</i> , 2012, 42, 726-736.	1.6	95
29	Significance of Prediagnostic Thyroid Antibodies in Women with Autoimmune Thyroid Disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, E1466-E1471.	1.8	94
30	Mechanisms of IFN- γ regulation of autoimmune myocarditis. <i>Experimental and Molecular Pathology</i> , 2010, 89, 83-91.	0.9	23
31	Interleukin-17A Is Dispensable for Myocarditis but Essential for the Progression to Dilated Cardiomyopathy. <i>Circulation Research</i> , 2010, 106, 1646-1655.	2.0	280
32	Suppressive and pro-inflammatory roles for IL-4 in the pathogenesis of experimental drug-induced liver injury. <i>European Journal of Immunology</i> , 2009, 39, 1652-1663.	1.6	23
33	IP-10 protects while MIP-2 promotes experimental anesthetic hapten - induced hepatitis. <i>Journal of Autoimmunity</i> , 2009, 32, 52-59.	3.0	18
34	Environmental triggers of autoimmune thyroiditis. <i>Journal of Autoimmunity</i> , 2009, 33, 183-189.	3.0	145
35	Infection and thyroid autoimmunity: A seroepidemiologic study of TPOAb. <i>Autoimmunity</i> , 2009, 42, 439-446.	1.2	32
36	Interleukin-13 Protects Against Experimental Autoimmune Myocarditis by Regulating Macrophage Differentiation. <i>American Journal of Pathology</i> , 2008, 172, 1195-1208.	1.9	138

#	ARTICLE	IF	CITATIONS
37	Maternal Thyroid Autoantibodies during the Third Trimester and Hearing Deficits in Children: An Epidemiologic Assessment. <i>American Journal of Epidemiology</i> , 2007, 167, 701-710.	1.6	38
38	Role of CYP2E1 Immunoglobulin G4 Subclass Antibodies and Complement in Pathogenesis of Idiosyncratic Drug-Induced Hepatitis. <i>Vaccine Journal</i> , 2006, 13, 258-265.	3.2	48
39	A novel model of drug hapten-induced hepatitis with increased mast cells in the BALB/c mouse. <i>Experimental and Molecular Pathology</i> , 2005, 78, 87-100.	0.9	23
40	Iodine and IFN- $\hat{1}^3$ Synergistically Enhance Intercellular Adhesion Molecule 1 Expression on NOD.H2h4 Mouse Thyrocytes. <i>Journal of Immunology</i> , 2005, 174, 7740-7745.	0.4	39
41	Thyroid-Specific Expression of IFN- $\hat{1}^3$ Limits Experimental Autoimmune Thyroiditis by Suppressing Lymphocyte Activation in Cervical Lymph Nodes. <i>Journal of Immunology</i> , 2003, 170, 5523-5529.	0.4	30
42	The Cardiac Microenvironment Instructs Divergent Monocyte Fates and Functions in Myocarditis. <i>SSRN Electronic Journal</i> , 0, , .	0.4	1