
Philippe Pognonec

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/12050822/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A caspase 8-based suicide switch induces apoptosis in nanobody-directed chimeric receptor expressing T cells. International Journal of Hematology, 2012, 95, 434-444.	1.6	41
2	ERK and cell death: cadmium toxicity, sustained ERK activation and cell death. FEBS Journal, 2010, 277, 39-46.	4.7	64
3	Longâ€term extracellular signalâ€related kinase activation following cadmium intoxication is negatively regulated by a protein kinase Câ€dependent pathway affecting cadmium transport. FEBS Journal, 2009, 276, 1667-1679.	4.7	16
4	A new generation of pPRIC-based retroviral vectors. BMC Biotechnology, 2007, 7, 85.	3.3	20
5	Low dose cadmium poisoning results in sustained ERK phosphorylation and caspase activation. Biochemical and Biophysical Research Communications, 2006, 350, 803-807.	2.1	61
6	Manganese is highly effective in protecting cells from cadmium intoxication. Biochemical and Biophysical Research Communications, 2006, 351, 294-299.	2.1	33
7	Development of a new bicistronic retroviral vector with strong IRES activity. BMC Biotechnology, 2006, 6, 4.	3.3	43
8	Deletion of a Single Allele of the Dkk1 Gene Leads to an Increase in Bone Formation and Bone Mass. Journal of Bone and Mineral Research, 2006, 21, 934-945.	2.8	492
9	REtools: a laboratory program for restriction enzyme work: enzyme selection and reaction condition assistance. BMC Bioinformatics, 2006, 7, 98.	2.6	7
10	Development of an inducible suicide gene system based on human caspase 8. Cancer Gene Therapy, 2005, 12, 627-639.	4.6	41
11	Lentiviral Vectors Efficiently Transduce Quiescent Mature 3T3-L1 Adipocytes. Molecular Therapy, 2004, 9, 209-217.	8.2	142
12	The Role of the Ets2 Transcription Factor in the Proliferation, Maturation, and Survival of Mouse Thymocytes. Journal of Immunology, 2002, 169, 4873-4881.	0.8	32
13	MICE, a program to track and monitor animals in animal facilities. BMC Genetics, 2001, 2, 4.	2.7	8
14	Bcl-xL Expression Correlates with Primary Macrophage Differentiation, Activation of Functional Competence, and Survival and Results from Synergistic Transcriptional Activation by Ets2 and PU.1. Journal of Biological Chemistry, 2001, 276, 17800-17807.	3.4	53
15	ContrÃ1e de l'expression de Bcl-xLpar les facteurs de transcription Ets. Medecine/Sciences, 2001, 17, 1356-1357.	0.2	0
16	Virtual Nitrogen Tank to Monitor Frozen Cell Stocks. BioTechniques, 2000, 29, 122-126.	1.8	5
17	The Ets2 Transcription Factor Inhibits Apoptosis Induced by Colony-Stimulating Factor 1 Deprivation of Macrophages through a Bcl-x _L -Dependent Mechanism. Molecular and Cellular Biology, 1999, 19, 2624-2634.	2.3	94
18	Cross-family interaction between the bHLHZip USF and bZip Fra1 proteins results in down-regulation of AP1 activity. Oncogene, 1997, 14, 2091-2098.	5.9	49

Philippe Pognonec

#	Article	IF	CITATIONS
19	Complete Sequencing of the Murine USF Gene and Comparison of Its Genomic Organization to That of mFIP/USF2. Genomics, 1996, 37, 337-344.	2.9	14
20	The Basic Region/Helix-Loop-Helix/Leucine Repeat Transcription Factor USF Interferes with Ras Transformation. FEBS Journal, 1996, 241, 249-253.	0.2	31
21	Identification of USF as the ubiquitous murine factor that binds to and stimulates transcription from the immunoglobulin λ2 chain promoter. Nucleic Acids Research, 1992, 20, 287-293.	14.5	25
22	Cooperative interaction of an initiator-binding transcription initiation factor and the helix–loop–helix activator USF. Nature, 1991, 354, 245-248.	27.8	494
23	A quick procedure for purification of functional recombinant proteins over-expressed inE.Coli. Nucleic Acids Research, 1991, 19, 6650-6650.	14.5	64