

Annemarie I Luik

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1205139/publications.pdf>

Version: 2024-02-01

76
papers

4,299
citations

185998

28
h-index

128067

60
g-index

81
all docs

81
docs citations

81
times ranked

5942
citing authors

#	ARTICLE	IF	CITATIONS
1	The bidirectional association of 24-h activity rhythms and sleep with depressive symptoms in middle-aged and elderly persons. <i>Psychological Medicine</i> , 2023, 53, 1418-1425.	2.7	7
2	Associations of neuroimaging markers with depressive symptoms over time in middle-aged and elderly persons. <i>Psychological Medicine</i> , 2023, 53, 4355-4363.	2.7	6
3	Substitutions of physical activity, sedentary behaviour and sleep: associations with mental health in middle-aged and elderly persons. <i>Journal of Epidemiology and Community Health</i> , 2022, 76, 175-181.	2.0	11
4	Sleep and perivascular spaces in the middle-aged and elderly population. <i>Journal of Sleep Research</i> , 2022, 31, e13485.	1.7	9
5	Polysomnography-estimated sleep and the negative feedback loop of the hypothalamic-pituitary-adrenal (HPA) axis. <i>Psychoneuroendocrinology</i> , 2022, 141, 105749.	1.3	4
6	Child mental health problems as a risk factor for academic underachievement: A multi-informant, population-based study. <i>Acta Psychiatrica Scandinavica</i> , 2022, 145, 578-590.	2.2	6
7	The interrelationship of chronic cough and depression: a prospective population-based study. <i>ERJ Open Research</i> , 2022, 8, 00069-2022.	1.1	12
8	Trajectories of depression and anxiety during the COVID-19 pandemic in a population-based sample of middle-aged and older adults. <i>Journal of Psychiatric Research</i> , 2022, 149, 274-280.	1.5	10
9	The multidimensionality of sleep in population-based samples: a narrative review. <i>Journal of Sleep Research</i> , 2022, 31, .	1.7	21
10	The longitudinal association of sleep and 24-hour activity rhythms with cortisol response to a very low dose of dexamethasone. <i>Sleep Health</i> , 2022, 8, 398-405.	1.3	3
11	The network of psychosocial health in middle-aged and older adults during the first COVID-19 lockdown. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 2469-2479.	1.6	1
12	Trajectories of Cognitive and Motor Function Between Ages 45 and 90 Years: A Population-Based Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021, 76, 297-306.	1.7	24
13	Sleep characteristics across the lifespan in 1.1 million people from the Netherlands, United Kingdom and United States: a systematic review and meta-analysis. <i>Nature Human Behaviour</i> , 2021, 5, 113-122.	6.2	193
14	Multi-ancestry genome-wide association study accounting for gene-psychosocial factor interactions identifies novel loci for blood pressure traits. <i>Human Genetics and Genomics Advances</i> , 2021, 2, 100013.	1.0	2
15	The interrelatedness of chronic cough and chronic pain. <i>European Respiratory Journal</i> , 2021, 57, 2002651.	3.1	19
16	Insomnia as a mediating therapeutic target for depressive symptoms: A sub-analysis of participant data from two large randomized controlled trials of a digital sleep intervention. <i>Journal of Sleep Research</i> , 2021, 30, e13140.	1.7	39
17	Diagnostic Validity of the Sleep Condition Indicator to Screen for Diagnostic and Statistical Manual-5 Insomnia Disorder in Patients with Parkinson's Disease. <i>European Neurology</i> , 2021, 84, 333-339.	0.6	3
18	Digital medicine for insomnia. , 2021, , .		0

#	ARTICLE	IF	CITATIONS
19	Investigating the relationships between unfavourable habitual sleep and metabolomic traits: evidence from multi-cohort multivariable regression and Mendelian randomization analyses. <i>BMC Medicine</i> , 2021, 19, 69.	2.3	14
20	Multi-ancestry genome-wide gene-sleep interactions identify novel loci for blood pressure. <i>Molecular Psychiatry</i> , 2021, 26, 6293-6304.	4.1	13
21	ENIGMA-Sleep: Challenges, opportunities, and the road map. <i>Journal of Sleep Research</i> , 2021, 30, e13347.	1.7	19
22	The longitudinal association of actigraphy-estimated sleep with grief in middle-aged and elderly persons. <i>Journal of Psychiatric Research</i> , 2021, 137, 66-72.	1.5	7
23	Cross-sectional and Longitudinal Associations Between Tinnitus and Mental Health in a Population-Based Sample of Middle-aged and Elderly Persons. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2021, 147, 708.	1.2	13
24	Is digital cognitive behavioural therapy for insomnia effective in treating sub-threshold insomnia: a pilot RCT. <i>Sleep Medicine</i> , 2020, 66, 174-183.	0.8	27
25	Ethical Considerations in Screening for Rapid Eye Movement Sleep Behavior Disorder in the General Population. <i>Movement Disorders</i> , 2020, 35, 1939-1944.	2.2	16
26	Sleep, 24-h activity rhythms, and plasma markers of neurodegenerative disease. <i>Scientific Reports</i> , 2020, 10, 20691.	1.6	8
27	Objectives, design and main findings until 2020 from the Rotterdam Study. <i>European Journal of Epidemiology</i> , 2020, 35, 483-517.	2.5	314
28	Actigraphy-estimated sleep and 24-hour activity rhythms and the risk of dementia. <i>Alzheimer's and Dementia</i> , 2020, 16, 1259-1267.	0.4	34
29	24-h Activity Rhythms and Health in Older Adults. <i>Current Sleep Medicine Reports</i> , 2020, 6, 76-83.	0.7	9
30	Long-term benefits of digital cognitive behavioural therapy for insomnia: Follow-up report from a randomized clinical trial. <i>Journal of Sleep Research</i> , 2020, 29, e13018.	1.7	17
31	The effects of digital cognitive behavioral therapy for insomnia on cognitive function: a randomized controlled trial. <i>Sleep</i> , 2020, 43, .	0.6	36
32	Efficacy of digital CBT for insomnia to reduce depression across demographic groups: a randomized trial. <i>Psychological Medicine</i> , 2019, 49, 491-500.	2.7	114
33	The prospective association of objectively measured sleep and cerebral white matter microstructure in middle-aged and older persons. <i>Sleep</i> , 2019, 42, .	0.6	18
34	Multi-ancestry sleep-by-SNP interaction analysis in 126,926 individuals reveals lipid loci stratified by sleep duration. <i>Nature Communications</i> , 2019, 10, 5121.	5.8	62
35	Objectively measured sedentary time and mental and cognitive health: Cross-sectional and longitudinal associations in The Rotterdam Study. <i>Mental Health and Physical Activity</i> , 2019, 17, 100296.	0.9	8
36	Digital Delivery of Cognitive Behavioral Therapy for Insomnia. <i>Current Psychiatry Reports</i> , 2019, 21, 50.	2.1	40

#	ARTICLE	IF	CITATIONS
37	Sleep and risk of parkinsonism and Parkinson's disease: a population-based study. <i>Brain</i> , 2019, 142, 2013-2022.	3.7	63
38	T68. SUBCLINICAL PSYCHOTIC PHENOMENA ARE ASSOCIATED WITH MARKERS OF AN ALTERED METABOLISM IN A LARGE COMMUNITY SAMPLE. <i>Schizophrenia Bulletin</i> , 2019, 45, S230-S231.	2.3	0
39	Genome-wide association study identifies genetic loci for self-reported habitual sleep duration supported by accelerometer-derived estimates. <i>Nature Communications</i> , 2019, 10, 1100.	5.8	369
40	A classical test theory evaluation of the Sleep Condition Indicator accounting for the ordinal nature of item response data. <i>PLoS ONE</i> , 2019, 14, e0213533.	1.1	5
41	Genetic studies of accelerometer-based sleep measures yield new insights into human sleep behaviour. <i>Nature Communications</i> , 2019, 10, 1585.	5.8	189
42	Sleep disturbance and intrusive memories after presenting to the emergency department following a traumatic motor vehicle accident: an exploratory analysis. <i>HÅgare Utbildning</i> , 2019, 10, 1556550.	1.4	18
43	Screening for insomnia in primary care: using a two-item version of the Sleep Condition Indicator. <i>British Journal of General Practice</i> , 2019, 69, 79-80.	0.7	29
44	Sleep complaints and cerebral white matter: A prospective bidirectional study. <i>Journal of Psychiatric Research</i> , 2019, 112, 77-82.	1.5	26
45	Objectively measured sleep and body mass index: a prospective bidirectional study in middle-aged and older adults. <i>Sleep Medicine</i> , 2019, 57, 43-50.	0.8	31
46	Biological and clinical insights from genetics of insomnia symptoms. <i>Nature Genetics</i> , 2019, 51, 387-393.	9.4	250
47	Effect of Digital Cognitive Behavioral Therapy for Insomnia on Health, Psychological Well-being, and Sleep-Related Quality of Life: A Randomized Clinical Trial. <i>JAMA Psychiatry</i> , 2019, 76, 21.	6.0	269
48	Insomnia symptoms and their association with workplace productivity: cross-sectional and pre-post intervention analyses from a large multinational manufacturing company. <i>Sleep Health</i> , 2018, 4, 307-312.	1.3	41
49	The Sleep Condition Indicator: reference values derived from a sample of 200,000 adults. <i>Journal of Sleep Research</i> , 2018, 27, e12643.	1.7	47
50	Delivering digital cognitive behavioral therapy for insomnia at scale: does using a wearable device to estimate sleep influence therapy?. <i>Npj Digital Medicine</i> , 2018, 1, 3.	5.7	14
51	Subjective Sleep Quality is not Associated with Incident Dementia: The Rotterdam Study. <i>Journal of Alzheimer's Disease</i> , 2018, 64, 239-247.	1.2	26
52	The Developmental Course of Sleep Disturbances Across Childhood Relates to Brain Morphology at Age 7: The Generation R Study. <i>Sleep</i> , 2017, 40, .	0.6	43
53	Digital Cognitive Behavioral Therapy (dCBT) for Insomnia: a State-of-the-Science Review. <i>Current Sleep Medicine Reports</i> , 2017, 3, 48-56.	0.7	106
54	Validation of a French version of the Sleep Condition Indicator: a clinical screening tool for insomnia disorder according to DSM-5 criteria. <i>Journal of Sleep Research</i> , 2017, 26, 702-708.	1.7	20

#	ARTICLE	IF	CITATIONS
55	Treating Depression and Anxiety with Digital Cognitive Behavioural Therapy for Insomnia: A Real World NHS Evaluation Using Standardized Outcome Measures. Behavioural and Cognitive Psychotherapy, 2017, 45, 91-96.	0.9	56
56	Genome-wide association analyses of sleep disturbance traits identify new loci and highlight shared genetics with neuropsychiatric and metabolic traits. Nature Genetics, 2017, 49, 274-281.	9.4	280
57	The effects of improving sleep on mental health (OASIS): a randomised controlled trial with mediation analysis. Lancet Psychiatry, 2017, 4, 749-758.	3.7	459
58	Sleep and cognitive performance: cross-sectional associations in the UK Biobank. Sleep Medicine, 2017, 38, 85-91.	0.8	102
59	Sleep Treatment Outcome Predictors (STOP) Pilot Study: a protocol for a randomised controlled trial examining predictors of change of insomnia symptoms and associated traits following cognitive-behavioural therapy for insomnia in an unselected sample. BMJ Open, 2017, 7, e017177.	0.8	6
60	Effects of digital Cognitive Behavioural Therapy for Insomnia on cognitive function: study protocol for a randomised controlled trial. Trials, 2017, 18, 281.	0.7	12
61	Psychometric properties of the Sleep Condition Indicator and Insomnia Severity Index in the evaluation of insomnia disorder. Sleep Medicine, 2017, 33, 76-81.	0.8	75
62	Exome-Wide Meta-Analysis Identifies Rare 3' UTR Variant in ERCC1/CD3EAP Associated with Symptoms of Sleep Apnea. Frontiers in Genetics, 2017, 8, 151.	1.1	7
63	Genetic variants in RBF3X are associated with sleep latency. European Journal of Human Genetics, 2016, 24, 1488-1495.	1.4	27
64	Digital Cognitive Behavioural Therapy for Insomnia versus sleep hygiene education: the impact of improved sleep on functional health, quality of life and psychological well-being. Study protocol for a randomised controlled trial. Trials, 2016, 17, 257.	0.7	32
65	Sleep and Productivity Benefits of Digital Cognitive Behavioral Therapy for Insomnia. Journal of Occupational and Environmental Medicine, 2016, 58, 683-689.	0.9	70
66	Apnea-hypopnea index, nocturnal arousals, oxygen desaturation and structural brain changes: A population-based study. Neurobiology of Sleep and Circadian Rhythms, 2016, 1, 1-7.	1.4	10
67	The Very Low-Dose Dexamethasone Suppression Test in the General Population: A Cross-Sectional Study. PLoS ONE, 2016, 11, e0164348.	1.1	13
68	The Pros and Cons of Getting Engaged in an Online Social Community Embedded Within Digital Cognitive Behavioral Therapy for Insomnia: Survey Among Users. Journal of Medical Internet Research, 2016, 18, e88.	2.1	35
69	Associations of Heart Failure with Sleep Quality: The Rotterdam Study. Journal of Clinical Sleep Medicine, 2015, 11, 117-121.	1.4	23
70	Associations of the 24-h activity rhythm and sleep with cognition: a population-based study of middle-aged and elderly persons. Sleep Medicine, 2015, 16, 850-855.	0.8	42
71	Sleep and 24-h activity rhythms in relation to cortisol change after a very low-dose of dexamethasone. Psychoneuroendocrinology, 2015, 53, 207-216.	1.3	12
72	Sleep apnea severity and depressive symptoms in a population-based study. Sleep Health, 2015, 1, 128-132.	1.3	9

#	ARTICLE	IF	CITATIONS
73	24-HOUR ACTIVITY RHYTHM AND SLEEP DISTURBANCES IN DEPRESSION AND ANXIETY: A POPULATION-BASED STUDY OF MIDDLE-AGED AND OLDER PERSONS. <i>Depression and Anxiety</i> , 2015, 32, 684-692.	2.0	84
74	<scp>REM</scp> sleep and depressive symptoms in a populationâ€based study of middleâ€aged and elderly persons. <i>Journal of Sleep Research</i> , 2015, 24, 305-308.	1.7	14
75	Fragmentation and Stability of Circadian Activity Rhythms Predict Mortality. <i>American Journal of Epidemiology</i> , 2015, 181, 54-63.	1.6	84
76	Stability and Fragmentation of the Activity Rhythm Across the Sleep-Wake Cycle: The Importance of Age, Lifestyle, and Mental Health. <i>Chronobiology International</i> , 2013, 30, 1223-1230.	0.9	138