

Marie Wislez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1205925/publications.pdf>

Version: 2024-02-01

129
papers

7,789
citations

53794

45
h-index

54911

84
g-index

169
all docs

169
docs citations

169
times ranked

10981
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Long-Term Survival for Patients With Nonâ€“Small-Cell Lung Cancer With Intratumoral Lymphoid Structures. <i>Journal of Clinical Oncology</i> , 2008, 26, 4410-4417. | 1.6 | 797 |
| 2 | Lung Cancer That Harbors an <i>HER2</i> Mutation: Epidemiologic Characteristics and Therapeutic Perspectives. <i>Journal of Clinical Oncology</i> , 2013, 31, 1997-2003. | 1.6 | 572 |
| 3 | Intratumoural heterogeneity generated by Notch signalling promotes small-cell lung cancer. <i>Nature</i> , 2017, 545, 360-364. | 27.8 | 336 |
| 4 | Nfib Promotes Metastasis through a Widespread Increase in Chromatin Accessibility. <i>Cell</i> , 2016, 166, 328-342. | 28.9 | 304 |
| 5 | Rapid and Sensitive p53 Alteration Analysis in Biopsies from Lung Cancer Patients Using a Functional Assay and A Universal Oligonucleotide Array. <i>Clinical Cancer Research</i> , 2004, 10, 3479-3489. | 7.0 | 277 |
| 6 | <i>TP53</i>, <i>STK11</i>, and <i>EGFR</i> Mutations Predict Tumor Immune Profile and the Response to Antiâ€“PD-1 in Lung Adenocarcinoma. <i>Clinical Cancer Research</i> , 2018, 24, 5710-5723. | 7.0 | 257 |
| 7 | Hepatocyte growth factor production by neutrophils infiltrating bronchioloalveolar subtype pulmonary adenocarcinoma: role in tumor progression and death. <i>Cancer Research</i> , 2003, 63, 1405-12. | 0.9 | 190 |
| 8 | Efficacy of First-Line Chemotherapy in Patients with Advanced Lung Sarcomatoid Carcinoma. <i>Journal of Thoracic Oncology</i> , 2013, 8, 1574-1577. | 1.1 | 165 |
| 9 | Inhibition of Mammalian Target of Rapamycin Reverses Alveolar Epithelial Neoplasia Induced by Oncogenic <i>K-ras</i>. <i>Cancer Research</i> , 2005, 65, 3226-3235. | 0.9 | 158 |
| 10 | High Expression of Ligands for Chemokine Receptor CXCR2 in Alveolar Epithelial Neoplasia Induced by Oncogenic Kras. <i>Cancer Research</i> , 2006, 66, 4198-4207. | 0.9 | 151 |
| 11 | Src-Family Kinases Are Activated in Non-Small Cell Lung Cancer and Promote the Survival of Epidermal Growth Factor Receptor-Dependent Cell Lines. <i>American Journal of Pathology</i> , 2007, 170, 366-376. | 3.8 | 141 |
| 12 | Role of atmospheric pollution on the natural history of idiopathic pulmonary fibrosis. <i>Thorax</i> , 2018, 73, 145-150. | 5.6 | 140 |
| 13 | High Expression of ErbB Family Members and Their Ligands in Lung Adenocarcinomas That Are Sensitive to Inhibition of Epidermal Growth Factor Receptor. <i>Cancer Research</i> , 2005, 65, 11478-11485. | 0.9 | 135 |
| 14 | Acute Respiratory Failure Following HAART Introduction in Patients Treated for <i>Pneumocystis carinii</i> Pneumonia. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2001, 164, 847-851. | 5.6 | 133 |
| 15 | Mutations in <i>COPA</i> lead to abnormal trafficking of STING to the Golgi and interferon signaling. <i>Journal of Experimental Medicine</i> , 2020, 217, . | 8.5 | 130 |
| 16 | Lung cancer and interstitial lung disease: a literature review. <i>Journal of Thoracic Disease</i> , 2018, 10, 3829-3844. | 1.4 | 126 |
| 17 | Risk factors for Coronavirus Disease 2019 (COVID-19) severity and mortality among solid cancer patients and impact of the disease on anticancer treatment: A French nationwide cohort study (GCO-002 CACOV19). <i>European Journal of Cancer</i> , 2020, 141, 62-81. | 2.8 | 122 |
| 18 | Sarcoid-like Pulmonary Disorder in Human Immunodeficiency Virusâ€“infected Patients Receiving Antiretroviral Therapy. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1999, 159, 2009-2013. | 5.6 | 112 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Sarcomatoid lung carcinomas show high levels of programmed death ligand-1 (PD-L1) and strong immune-cell infiltration by TCD3 cells and macrophages. <i>Lung Cancer</i> , 2016, 98, 51-58. | 2.0 | 110 |
| 20 | Sarcoidosis in HIV-Infected Patients in the Era of Highly Active Antiretroviral Therapy. <i>Clinical Infectious Diseases</i> , 2004, 38, 418-425. | 5.8 | 102 |
| 21 | Life-threatening hemoptysis in adults with community-acquired pneumonia due to Panton-Valentine leukocidin-secreting <i>Staphylococcus aureus</i> . <i>Intensive Care Medicine</i> , 2003, 29, 1840-1843. | 8.2 | 97 |
| 22 | Clinical Characteristics of Pneumonic-Type Adenocarcinoma of the Lung. <i>Chest</i> , 2003, 123, 1868-1877. | 0.8 | 96 |
| 23 | Efficacy of Immune Checkpoint Inhibitors in Lung Sarcomatoid Carcinoma. <i>Journal of Thoracic Oncology</i> , 2020, 15, 860-866. | 1.1 | 84 |
| 24 | Exon 14 Deleted MET Receptor as a New Biomarker and Target in Cancers. <i>Journal of the National Cancer Institute</i> , 2017, 109, . | 6.3 | 83 |
| 25 | The Bronchioloalveolar Carcinoma and Peripheral Adenocarcinoma Spectrum of Diseases. <i>Journal of Thoracic Oncology</i> , 2006, 1, 344-359. | 1.1 | 80 |
| 26 | Non-mucinous and mucinous subtypes of adenocarcinoma with bronchioloalveolar carcinoma features differ by biomarker expression and in the response to gefitinib. <i>Lung Cancer</i> , 2010, 68, 185-191. | 2.0 | 77 |
| 27 | High TUBB3 Expression, an Independent Prognostic Marker in Patients with Early Non-Small Cell Lung Cancer Treated by Preoperative Chemotherapy, Is Regulated by K-Ras Signaling Pathway. <i>Molecular Cancer Therapeutics</i> , 2012, 11, 1203-1213. | 4.1 | 77 |
| 28 | Phosphatidylinositol 3-Kinase Mediates Bronchioalveolar Stem Cell Expansion in Mouse Models of Oncogenic K-ras-Induced Lung Cancer. <i>PLoS ONE</i> , 2008, 3, e2220. | 2.5 | 73 |
| 29 | Predictive Value of Soluble PD-1, PD-L1, VEGFA, CD40 Ligand and CD44 for Nivolumab Therapy in Advanced Non-Small Cell Lung Cancer: A Case-Control Study. <i>Cancers</i> , 2020, 12, 473. | 3.7 | 72 |
| 30 | Therapeutic strategy for advanced EGFR mutant non-small-cell lung carcinoma. <i>Critical Reviews in Oncology/Hematology</i> , 2013, 88, 477-493. | 4.4 | 71 |
| 31 | Impact of Systematic EGFR and KRAS Mutation Evaluation on Progression-Free Survival and Overall Survival in Patients with Advanced Non-Small-Cell Lung Cancer Treated by Erlotinib in a French Prospective Cohort (ERMETIC Project Part 2). <i>Journal of Thoracic Oncology</i> , 2012, 7, 1490-1502. | 1.1 | 69 |
| 32 | Spectrum of CD4 to CD8 T-Cell Ratios in Lymphocytic Alveolitis Associated with Methotrexate-induced Pneumonitis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2001, 164, 1186-1191. | 5.6 | 67 |
| 33 | Customized Adjuvant Phase II Trial in Patients With Non-Small-Cell Lung Cancer: IFCT-0801 TASTE. <i>Journal of Clinical Oncology</i> , 2014, 32, 1256-1261. | 1.6 | 66 |
| 34 | Murine Lung Tumor Measurement Using Respiratory-Gated Micro-Computed Tomography. <i>Investigative Radiology</i> , 2005, 40, 263-269. | 6.2 | 65 |
| 35 | A selective small molecule inhibitor of c-Met, PHA-665752, reverses lung premalignancy induced by mutant K-ras. <i>Molecular Cancer Therapeutics</i> , 2008, 7, 952-960. | 4.1 | 64 |
| 36 | Tumor-Derived Granulocyte-Macrophage Colony-Stimulating Factor and Granulocyte Colony-Stimulating Factor Prolong the Survival of Neutrophils Infiltrating Bronchoalveolar Subtype Pulmonary Adenocarcinoma. <i>American Journal of Pathology</i> , 2001, 159, 1423-1433. | 3.8 | 63 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Blood vessel invasion is a major feature and a factor of poor prognosis in sarcomatoid carcinoma of the lung. <i>Lung Cancer</i> , 2014, 85, 276-281. | 2.0 | 62 |
| 38 | AIDS-related Primary Pulmonary Lymphoma. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1998, 158, 1221-1229. | 5.6 | 61 |
| 39 | Pulmonary mucosa-associated lymphoid tissue lymphoma revisited. <i>European Respiratory Journal</i> , 2016, 47, 1244-1260. | 6.7 | 60 |
| 40 | Intratumoral Epiregulin Is a Marker of Advanced Disease in Non-Small Cell Lung Cancer Patients and Confers Invasive Properties on EGFR-Mutant Cells. <i>Cancer Prevention Research</i> , 2008, 1, 201-207. | 1.5 | 59 |
| 41 | Pulmonary Malignancies in the Immunocompromised Patient. <i>Respiration</i> , 1999, 66, 289-309. | 2.6 | 55 |
| 42 | Proposal for a Combined Histomolecular Algorithm to Distinguish Multiple Primary Adenocarcinomas from Intrapulmonary Metastasis in Patients with Multiple Lung Tumors. <i>Journal of Thoracic Oncology</i> , 2019, 14, 844-856. | 1.1 | 55 |
| 43 | Lung cancer, a new challenge in the HIV-infected population. <i>Lung Cancer</i> , 2006, 51, 1-11. | 2.0 | 53 |
| 44 | The PI3K/AKT pathway promotes gefitinib resistance in mutant KRAS lung adenocarcinoma by a deacetylase-dependent mechanism. <i>International Journal of Cancer</i> , 2014, 134, 2560-2571. | 5.1 | 50 |
| 45 | Improvement of Symptomatic Human Immunodeficiency Virus-Related Lymphoid Interstitial Pneumonia in Patients Receiving Highly Active Antiretroviral Therapy. <i>Clinical Infectious Diseases</i> , 2003, 36, e127-e130. | 5.8 | 49 |
| 46 | Crizotinib Associated with Ground-Glass Opacity Predominant Pattern Interstitial Lung Disease: A Retrospective Observational Cohort Study with a Systematic Literature Review. <i>Journal of Thoracic Oncology</i> , 2015, 10, 1148-1155. | 1.1 | 48 |
| 47 | Lymphoproliferative Disorders of the Lung. <i>Respiration</i> , 2017, 94, 157-175. | 2.6 | 48 |
| 48 | c-MET Overexpression as a Poor Predictor of MET Amplifications or Exon 14 Mutations in Lung Sarcomatoid Carcinomas. <i>Journal of Thoracic Oncology</i> , 2018, 13, 1962-1967. | 1.1 | 48 |
| 49 | MET exon 14 mutations as targets in routine molecular analysis of primary sarcomatoid carcinoma of the lung. <i>Oncotarget</i> , 2017, 8, 42428-42437. | 1.8 | 47 |
| 50 | Neutrophils Promote Aerogenous Spread of Lung Adenocarcinoma with Bronchioloalveolar Carcinoma Features. <i>Clinical Cancer Research</i> , 2007, 13, 3518-3527. | 7.0 | 46 |
| 51 | Prospective screening for ALK: Clinical features and outcome according to ALK status. <i>European Journal of Cancer</i> , 2014, 50, 1239-1246. | 2.8 | 46 |
| 52 | Dependence on Phosphoinositide 3-Kinase and RAS-RAF Pathways Drive the Activity of RAF265, a Novel RAF/VEGFR2 Inhibitor, and RAD001 (Everolimus) in Combination. <i>Molecular Cancer Therapeutics</i> , 2010, 9, 358-368. | 4.1 | 44 |
| 53 | Risk of scleroderma according to the type of immune checkpoint inhibitors. <i>Autoimmunity Reviews</i> , 2020, 19, 102596. | 5.8 | 44 |
| 54 | Insulin-like growth factor-1 receptor inhibition overcomes gefitinib resistance in mucinous lung adenocarcinoma. <i>Journal of Pathology</i> , 2011, 225, 83-95. | 4.5 | 43 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Factors associated with long-term survival of patients with advanced non-small cell lung cancer. <i>Respirology</i> , 2012, 17, 134-142. | 2.3 | 43 |
| 56 | Imaging of Hereditary Hemorrhagic Telangiectasia. <i>CardioVascular and Interventional Radiology</i> , 2009, 32, 745-757. | 2.0 | 42 |
| 57 | Subsequent brain metastasis responses to epidermal growth factor receptor tyrosine kinase inhibitors in a patient with non-small-cell lung cancer. <i>Lung Cancer</i> , 2007, 58, 425-428. | 2.0 | 40 |
| 58 | Skin Toxicities Compromise Prolonged Pemetrexed Treatment. <i>Journal of Thoracic Oncology</i> , 2011, 6, 2083-2089. | 1.1 | 39 |
| 59 | Sonic Hedgehog Pathway Activation Is Associated With Resistance to Platinum-Based Chemotherapy in Advanced Non-Small-Cell Lung Carcinoma. <i>Clinical Lung Cancer</i> , 2016, 17, 301-308. | 2.6 | 38 |
| 60 | Expression of TLR9 in tumor-infiltrating mononuclear cells enhances angiogenesis and is associated with a worse survival in lung cancer. <i>International Journal of Cancer</i> , 2014, 134, 765-777. | 5.1 | 35 |
| 61 | The Bronchioloalveolar Carcinoma and Peripheral Adenocarcinoma Spectrum of Diseases. <i>Journal of Thoracic Oncology</i> , 2006, 1, 344-359. | 1.1 | 33 |
| 62 | The impact of body composition parameters on severe toxicity of nivolumab. <i>European Journal of Cancer</i> , 2020, 124, 170-177. | 2.8 | 32 |
| 63 | Clinicopathologic Features and Response to Therapy of NRG1 Fusion-Driven Lung Cancers: The eNRGy1 Global Multicenter Registry. <i>Journal of Clinical Oncology</i> , 2021, 39, 2791-2802. | 1.6 | 32 |
| 64 | NRG1 fusion in a French cohort of invasive mucinous lung adenocarcinoma. <i>Cancer Medicine</i> , 2016, 5, 3579-3585. | 2.8 | 31 |
| 65 | Release of Metal Particles From Needles Used for Transbronchial Needle Aspiration. <i>Chest</i> , 2011, 139, 138-143. | 0.8 | 30 |
| 66 | VEGF neutralizing aerosol therapy in primary pulmonary adenocarcinoma with K-ras activating-mutations. <i>MAbs</i> , 2014, 6, 1638-1648. | 5.2 | 30 |
| 67 | Specific Targeting of Caspase-9/PP2A Interaction as Potential New Anti-Cancer Therapy. <i>PLoS ONE</i> , 2013, 8, e60816. | 2.5 | 28 |
| 68 | Composite biomarkers defined by multiparametric immunofluorescence analysis identify ALK-positive adenocarcinoma as a potential target for immunotherapy. <i>Oncolmmunology</i> , 2017, 6, e1286437. | 4.6 | 28 |
| 69 | Is there an Exposure-Response Relationship for Nivolumab in Real-World NSCLC Patients?. <i>Cancers</i> , 2019, 11, 1784. | 3.7 | 28 |
| 70 | Updated Prognostic Factors in Localized NSCLC. <i>Cancers</i> , 2022, 14, 1400. | 3.7 | 28 |
| 71 | AIDS-Related Alveolar Hemorrhage. <i>Chest</i> , 2001, 120, 1078-1084. | 0.8 | 27 |
| 72 | Changes in the Pattern of Respiratory Diseases Necessitating Hospitalization of HIV-infected Patients Since the Advent of Highly Active Antiretroviral Therapy. <i>Lung</i> , 2004, 182, 331-341. | 3.3 | 27 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Outcome of EGFR-mutated NSCLC patients with MET-driven resistance to EGFR tyrosine kinase inhibitors. <i>Oncotarget</i> , 2017, 8, 105103-105114. | 1.8 | 27 |
| 74 | Organizing Pneumonia Related to Common Variable Immunodeficiency. <i>Respiration</i> , 2000, 67, 467-470. | 2.6 | 26 |
| 75 | Clonality and phenotyping analysis of alveolar lymphocytes is suggestive of pulmonary MALT lymphoma. <i>Respiratory Medicine</i> , 2011, 105, 1231-1237. | 2.9 | 26 |
| 76 | The impact of intracytoplasmic mucin in lung adenocarcinoma with pneumonic radiological presentation. <i>Lung Cancer</i> , 2014, 83, 334-340. | 2.0 | 25 |
| 77 | Membrane-bound full-length Sonic Hedgehog identifies cancer stem cells in human non-small cell lung cancer. <i>Oncotarget</i> , 2017, 8, 103744-103757. | 1.8 | 24 |
| 78 | Secondary Resistance to Erlotinib: Acquired T790M Mutation and Small-Cell Lung Cancer Transformation in the Same Patient. <i>Journal of Thoracic Oncology</i> , 2012, 7, 1061-1063. | 1.1 | 21 |
| 79 | Nonsmall cell lung cancer from HIV-infected patients expressed programmed cell death-ligand 1 with marked inflammatory infiltrates. <i>Aids</i> , 2018, 32, 461-468. | 2.2 | 21 |
| 80 | The bronchioloalveolar carcinoma and peripheral adenocarcinoma spectrum of diseases. <i>Journal of Thoracic Oncology</i> , 2006, 1, 344-59. | 1.1 | 21 |
| 81 | Fluorine-18 Fluorodeoxyglucose with Positron Emission Tomography Revealed Bone Marrow Involvement in Sarcoidosis Patients with Anaemia. <i>Respiration</i> , 2010, 79, 25-31. | 2.6 | 17 |
| 82 | Human RNA polymerase II associated factor 1 complex promotes tumorigenesis by activating c-MYC transcription in non-small cell lung cancer. <i>Biochemical and Biophysical Research Communications</i> , 2015, 465, 685-690. | 2.1 | 17 |
| 83 | Health-related quality of life in elderly patients with advanced non-small cell lung cancer comparing carboplatin and weekly paclitaxel doublet chemotherapy with monotherapy. <i>European Respiratory Journal</i> , 2016, 48, 861-872. | 6.7 | 17 |
| 84 | Brigatinib in patients with ALK-positive advanced non-small-cell lung cancer pretreated with sequential ALK inhibitors: A multicentric real-world study (BRIGALK study). <i>Lung Cancer</i> , 2019, 136, 109-114. | 2.0 | 16 |
| 85 | Hypermetabolism is an independent prognostic factor of survival in metastatic non-small cell lung cancer patients. <i>Clinical Nutrition</i> , 2020, 39, 1893-1899. | 5.0 | 16 |
| 86 | EGFR and KRAS mutation status in non-small-cell lung cancer occurring in HIV-infected patients. <i>Lung Cancer</i> , 2016, 96, 74-77. | 2.0 | 15 |
| 87 | Molecular Biology, Genomics, and Proteomics in Bronchioloalveolar Carcinoma. <i>Journal of Thoracic Oncology</i> , 2006, 1, S8-S12. | 1.1 | 14 |
| 88 | Pemetrexed-Induced Pneumonitis: A Case Report. <i>Clinical Lung Cancer</i> , 2009, 10, 364-366. | 2.6 | 14 |
| 89 | Pro-tumoural CXCL10/CXCR3-A autocrine loop in invasive mucinous lung adenocarcinoma. <i>ERJ Open Research</i> , 2017, 3, 00047-2016. | 2.6 | 13 |
| 90 | Pulmonary mucosa-associated lymphoid tissue lymphoma revisited. <i>European Respiratory Journal</i> , 2016, 48, 1252-1252. | 6.7 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Prospective Multicenter Validation of the Detection of ALK Rearrangements of Circulating Tumor Cells for Noninvasive Longitudinal Management of Patients With Advanced NSCLC. <i>Journal of Thoracic Oncology</i> , 2021, 16, 807-816. | 1.1 | 11 |
| 92 | Gefitinib-Associated <i>Propionibacterium acnes</i> Pleural Empyema. <i>Journal of Thoracic Oncology</i> , 2008, 3, 556-557. | 1.1 | 10 |
| 93 | Intergroupe francophone de cancérologie thoracique, Société de pneumologie de langue française, and Société d'imagerie thoracique statement paper on lung cancer screening. <i>Diagnostic and Interventional Imaging</i> , 2021, 102, 199-211. | 3.2 | 10 |
| 94 | Short-term and Long-term Outcomes of Patients With Lung Cancer and Life-Threatening Complications. <i>Chest</i> , 2021, 160, 1560-1564. | 0.8 | 10 |
| 95 | Chemotherapy Effectiveness After First-Line Gefitinib Treatment for Advanced Lepidic Predominant Adenocarcinoma (Formerly Advanced Bronchioloalveolar Carcinoma): Exploratory Analysis of the IFCT-0401 Trial. <i>Journal of Thoracic Oncology</i> , 2012, 7, 1423-1431. | 1.1 | 9 |
| 96 | Outcomes of Patients With Advanced NSCLC From the Intergroupe Francophone de Cancérologie Thoracique Biomarkers France Study by KRAS Mutation Subtypes. <i>JTO Clinical and Research Reports</i> , 2020, 1, 100052. | 1.1 | 9 |
| 97 | Immunodynamics of explanted human tumors for immuno-oncology. <i>EMBO Molecular Medicine</i> , 2021, 13, e12850. | 6.9 | 9 |
| 98 | EGFR Exon 20 Insertion in Metastatic Non-Small-Cell Lung Cancer: Survival and Clinical Efficacy of EGFR Tyrosine-Kinase Inhibitor and Chemotherapy. <i>Cancers</i> , 2021, 13, 5132. | 3.7 | 9 |
| 99 | Erlotinib versus carboplatin and paclitaxel in advanced lepidic adenocarcinoma: IFCT-0504. <i>European Respiratory Journal</i> , 2015, 46, 1440-1450. | 6.7 | 7 |
| 100 | Nivolumab increases pulmonary artery pressure in patients treated for non-small cell lung cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2020, 86, 497-505. | 2.3 | 7 |
| 101 | Molecular Biology, Genomics, and Proteomics in Bronchioloalveolar Carcinoma. <i>Journal of Thoracic Oncology</i> , 2006, 1, S8-S12. | 1.1 | 6 |
| 102 | Factors associated with early progression of non-small cell lung cancer treated by epidermal growth factor receptor tyrosine kinase inhibitors. <i>Cancer Medicine</i> , 2014, 3, 61-69. | 2.8 | 6 |
| 103 | Spotlight on crizotinib in the first-line treatment of ALK-positive advanced non-small-cell lung cancer: patients selection and perspectives. <i>Lung Cancer: Targets and Therapy</i> , 2016, 7, 83. | 2.7 | 6 |
| 104 | Development and validation of a host-dependent, PDL1-independent, biomarker to predict 6-month progression-free survival in metastatic non-small cell lung cancer (mNSCLC) patients treated with anti-PD1 immune checkpoint inhibitors (ICI) in the CERTIM Cohort: The ELY study. <i>EBioMedicine</i> , 2021, 73, 103630. | 6.1 | 6 |
| 105 | Circulating tumor DNA in advanced non-small-cell lung cancer patients with HIV is associated with shorter overall survival: Results from a Phase II trial (IFCT-1001 CHIVA). <i>Lung Cancer</i> , 2021, 157, 124-130. | 2.0 | 5 |
| 106 | Nodular Densities after HAART Introduction in an AIDS Patient. <i>Respiration</i> , 2002, 69, 283-285. | 2.6 | 4 |
| 107 | Mutations at the splice sites of exon 14 of MET gene: a new target for sarcomatoid carcinomas?. <i>Annals of Translational Medicine</i> , 2016, 4, 96-96. | 1.7 | 4 |
| 108 | Treatment of recurrent respiratory papillomatosis lung involvement by cidofovir infusion. <i>Scandinavian Journal of Infectious Diseases</i> , 2011, 43, 112-114. | 1.5 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Lung carcinoid tumors with Diffuse Idiopathic Pulmonary NeuroEndocrine Cell Hyperplasia (DIPNECH) exhibit pejorative pathological features. Lung Cancer, 2021, 156, 117-121. | 2.0 | 3 |
| 110 | Impact of Randomized Clinical Trials on Clinical Practice Regarding Treatment of Lung Cancer. Journal of Thoracic Oncology, 2007, 2, 456. | 1.1 | 2 |
| 111 | 101: Identification of differential pathways in mucinous and non-mucinous subtypes of lung adenocarcinoma suggested new therapeutic strategies. Bulletin Du Cancer, 2010, 97, S81-S82. | 1.6 | 2 |
| 112 | P3.02a-034 Vemurafenib in Patients with Non-Small Cell Lung Cancer (NSCLC) Harboring BRAF Mutation. Preliminary Results of the AcSÂ© Trial. Journal of Thoracic Oncology, 2017, 12, S1182-S1183. | 1.1 | 2 |
| 113 | P3.02b-051 Outcome of Advanced EGFR-Mutated NSCLC Patients with MET-Driven Acquired Resistance to EGFR TKI. Results of the METEORE Study. Journal of Thoracic Oncology, 2017, 12, S1219-S1220. | 1.1 | 2 |
| 114 | Is chemotherapy rechallenge feasible in advanced-stage non-small-cell lung cancer?. Bulletin Du Cancer, 2019, 106, 725-733. | 1.6 | 2 |
| 115 | Molecular biology, genomics, and proteomics in bronchioloalveolar carcinoma. Journal of Thoracic Oncology, 2006, 1, S8-12. | 1.1 | 2 |
| 116 | MALT1 Rearrangements in BAL Fluid. Chest, 2012, 142, 262. | 0.8 | 1 |
| 117 | Crizotinib : l'Ã©tude de phase III confirme notre pratique quotidienneâ€¦. Bulletin Du Cancer, 2013, 100, 939. | 1.6 | 1 |
| 118 | Sensitivity to chemotherapy/tyrosine kinase inhibitors of mucinous lepidic adenocarcinoma should be tested in a phase III trial?. European Respiratory Journal, 2016, 47, 1890-1891. | 6.7 | 1 |
| 119 | Capmatinib-induced interstitial lung disease: A case report. Current Problems in Cancer Case Reports, 2020, 2, 100024. | 0.1 | 1 |
| 120 | Impact of the COVID-19 pandemic on the management of cancer patients: the experience of the cancer outpatients department of a university hospital in Paris. Clinical Medicine, 2021, 21, e552-e555. | 1.9 | 1 |
| 121 | Calpain 1 in bronchoalveolar lavage fluid is associated with poor prognosis in lepidic predominant pulmonary adenocarcinoma. Bulletin Du Cancer, 2019, 106, 179-188. | 1.6 | 1 |
| 122 | The intersection of EGFR and the Ras signaling pathway. , 2008, , 84-90. | | 1 |
| 123 | Ãvolution histologique et gÃ©notypique des cancers bronchiques non Ã© petites cellules (CBNPC) avec rÃ©sistance acquise sous TKI EGFR. Bulletin Du Cancer, 2011, 98, 1379-1380. | 1.6 | 0 |
| 124 | Brain Metastasis in Patients with Non-Small Cell Lung Cancer: Response to Epidermal Growth Factor Receptor Tyrosine Kinase Inhibitors. , 2015, , 59-67. | | 0 |
| 125 | P2.03b-037 Prognostic Impact of 1st-Line Treatment and Molecular Testing in Advanced NSCLC in France - Results of the IFCT-PREDICT.amm Study. Journal of Thoracic Oncology, 2017, 12, S957-S958. | 1.1 | 0 |
| 126 | OA06.05 Proteomic Analysis of ERCC1 Predicts Benefit of Platinum Therapy in NSCLC: AÃreevaluation of Samples from the TASTE Trial. Journal of Thoracic Oncology, 2017, 12, S265-S266. | 1.1 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | The rising challenge of oncogene addiction in lung cancer. Bulletin Du Cancer, 2021, 108, 559-561. | 1.6 | 0 |
| 128 | Screening for mutations in lung cancer in France: purpose of precision medicine. Translational Cancer Research, 2016, 5, S47-S49. | 1.0 | 0 |
| 129 | Immunotherapy's new challenge: identification of predictive biomarkers for tumor response. Translational Cancer Research, 2017, 6, S306-S308. | 1.0 | 0 |