

Bedrich L Eckhardt

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/12062001/publications.pdf>

Version: 2024-02-01

12
papers

1,224
citations

759233

12
h-index

1199594

12
g-index

12
all docs

12
docs citations

12
times ranked

2821
citing authors

#	ARTICLE	IF	CITATIONS
1	Strategies for the discovery and development of therapies for metastatic breast cancer. <i>Nature Reviews Drug Discovery</i> , 2012, 11, 479-497.	46.4	310
2	Genomic Analysis of a Spontaneous Model of Breast Cancer Metastasis to Bone Reveals a Role for the Extracellular Matrix. <i>Molecular Cancer Research</i> , 2005, 3, 1-13.	3.4	228
3	Functional and molecular characterisation of EO771.LMB tumours, a new C57BL/6-mouse-derived model of spontaneously metastatic mammary cancer. <i>DMM Disease Models and Mechanisms</i> , 2015, 8, 237-51.	2.4	154
4	Genomic analysis of a spontaneous model of breast cancer metastasis to bone reveals a role for the extracellular matrix. <i>Molecular Cancer Research</i> , 2005, 3, 1-13.	3.4	115
5	BMP4 Inhibits Breast Cancer Metastasis by Blocking Myeloid-Derived Suppressor Cell Activity. <i>Cancer Research</i> , 2014, 74, 5091-5102.	0.9	99
6	Is the future of personalized therapy in triple-negative breast cancer based on molecular subtype?. <i>Oncotarget</i> , 2015, 6, 12890-12908.	1.8	92
7	Inhibition of Established Micrometastases by Targeted Drug Delivery via Cell Surface-Associated GRP78. <i>Clinical Cancer Research</i> , 2013, 19, 2107-2116.	7.0	66
8	EGFR signaling promotes inflammation and cancer stem-like activity in inflammatory breast cancer. <i>Oncotarget</i> , 2017, 8, 67904-67917.	1.8	40
9	Activation of Canonical BMP4-SMAD7 Signaling Suppresses Breast Cancer Metastasis. <i>Cancer Research</i> , 2020, 80, 1304-1315.	0.9	37
10	Towards a transcriptome-based theranostic platform for unfavorable breast cancer phenotypes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 12780-12785.	7.1	31
11	Nephronectin is Correlated with Poor Prognosis in Breast Cancer and Promotes Metastasis via its Integrin-Binding Motifs. <i>Neoplasia</i> , 2018, 20, 387-400.	5.3	26
12	Eicosapentaenoic acid in combination with EPHA2 inhibition shows efficacy in preclinical models of triple-negative breast cancer by disrupting cellular cholesterol efflux. <i>Oncogene</i> , 2019, 38, 2135-2150.	5.9	26