## Robert R Gamache

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/12062912/publications.pdf

Version: 2024-02-01

109137 138251 3,439 73 35 58 citations h-index g-index papers 73 73 73 1523 docs citations times ranked citing authors all docs

#	Article	lF	Citations
1	Recommended isolated-line profile for representing high-resolution spectroscopic transitions (IUPAC) Tj ETQq1 1	0.784314	rgBT /Overlo
2	IUPAC critical evaluation of the rotational–vibrational spectra of water vapor, Part III: Energy levels and transition wavenumbers for H216O. Journal of Quantitative Spectroscopy and Radiative Transfer, 2013, 117, 29-58.	1.1	215
3	IUPAC critical evaluation of the rotational–vibrational spectra of water vapor. Part l—Energy levels and transition wavenumbers for H217O and H218O. Journal of Quantitative Spectroscopy and Radiative Transfer, 2009, 110, 573-596.	1.1	188
4	Einstein A-coefficients and statistical weights for molecular absorption transitions in the HITRAN database. Journal of Quantitative Spectroscopy and Radiative Transfer, 2006, 98, 130-155.	1.1	179
5	IUPAC critical evaluation of the rotational–vibrational spectra of water vapor. Part II. Journal of Quantitative Spectroscopy and Radiative Transfer, 2010, 111, 2160-2184.	1.1	178
6	Total internal partition sums in the temperature range 70–3000 K: Atmospheric linear molecules. Journal of Molecular Spectroscopy, 1990, 142, 205-219.	0.4	141
7	Total internal partition sums for 166 isotopologues of 51 molecules important in planetary atmospheres: Application to HITRAN2016 and beyond. Journal of Quantitative Spectroscopy and Radiative Transfer, 2017, 203, 70-87.	1.1	122
8	New developments in the theory of pressure-broadening and pressure-shifting of spectral lines of H2O: The complex Robert-Bonamy formalism. Journal of Quantitative Spectroscopy and Radiative Transfer, 1998, 59, 319-335.	1.1	96
9	Collisional parameters of H2O lines: effects of vibration. Journal of Quantitative Spectroscopy and Radiative Transfer, 2004, 83, 119-147.	1.1	82
10	IUPAC critical evaluation of the rotational–vibrational spectra of water vapor. Part IV. Energy levels and transition wavenumbers for D216O, D217O, and D218O. Journal of Quantitative Spectroscopy and Radiative Transfer, 2014, 142, 93-108.	1.1	80
11	A database of water transitions from experiment and theory (IUPAC Technical Report). Pure and Applied Chemistry, 2014, 86, 71-83.	0.9	76
12	Reliable infrared line lists for 13 CO2 isotopologues up to E′=18,000cmⰒ1 and 1500K, with line shape parameters. Journal of Quantitative Spectroscopy and Radiative Transfer, 2014, 147, 134-144.	1.1	72
13	Theoretical calculations of N_2-broadened halfwidths of H_2O using quantum Fourier transform theory. Applied Optics, 1983, 22, 4013.	2.1	71
14	Current updates of the water-vapor line list in HITRAN: A new "Diet―for air-broadened half-widths. Journal of Quantitative Spectroscopy and Radiative Transfer, 2007, 108, 389-402.	1.1	71
15	Air-Broadened Half-Widths of the 22- and 183-GHz Water-Vapor Lines. IEEE Transactions on Geoscience and Remote Sensing, 2008, 46, 3601-3617.	2.7	71
16	Total internal partition sums to support planetary remote sensing. lcarus, 2011, 215, 391-400.	1.1	70
17	Extension of the HITRAN database to non-LTE applications. Journal of Quantitative Spectroscopy and Radiative Transfer, 1992, 48, 519-525.	1.1	64
18	Improved spectral parameters for the three most abundant isotopomers of the oxygen molecule. Journal of Quantitative Spectroscopy and Radiative Transfer, 1998, 59, 495-509.	1.1	64

#	Article	IF	CITATIONS
19	An intercomparison of measured pressure-broadening and pressure-shifting parameters of water vapor. Canadian Journal of Chemistry, 2004, 82, 1013-1027.	0.6	62
20	Theoretical calculations of pressure broadening coefficients for H2O perturbed by Hydrogen or helium gas. Journal of Quantitative Spectroscopy and Radiative Transfer, 1996, 56, 471-487.	1.1	53
21	Line parameters including temperature dependences of self- and air-broadened line shapes of 12C16O2: $1.6 \cdot 14$ m region. Journal of Quantitative Spectroscopy and Radiative Transfer, 2016, 177, 117-144.	1.1	52
22	Temperature dependence of N2-broadened halfwidths of water vapor: The pure rotation and $\hat{l}/22$ bands. Journal of Molecular Spectroscopy, 1988, 128, 360-369.	0.4	51
23	Half-widths of , , , , and : I. Comparison between isotopomers. Journal of Quantitative Spectroscopy and Radiative Transfer, 2003, 78, 289-304.	1.1	49
24	Relaxation and Lineshape of the 500.4-GHz Line of Ozone Perturbed by N2 and O2. Journal of Molecular Spectroscopy, 2000, 204, 204-215.	0.4	46
25	N2-, O2-, and air-broadened half-widths, their temperature dependence, and line shifts for the rotation band of H216O. Journal of Molecular Spectroscopy, 2009, 257, 116-127.	0.4	46
26	Semiclassical calculations of half-widths and line shifts for transitions in the 30012â†00001 and 30013â†00001 bands of CO2. Ill: Self collisions. Journal of Quantitative Spectroscopy and Radiative Transfer, 2012, 113, 1536-1546.	1.1	45
27	Predicting accurate line shape parameters for CO2 transitions. Journal of Quantitative Spectroscopy and Radiative Transfer, 2013, 130, 158-171.	1.1	44
28	Theoretical N2-, O2-, and air-broadened halfwidths of 16O3 calculated by quantum Fourier transform theory with realistic collision dynamics. Journal of Molecular Spectroscopy, 1985, 109, 283-299.	0.4	43
29	Halfwidths and line shifts of water vapor broadened by CO2: measurements and complex Robert-Bonamy formalism calculations. Journal of Quantitative Spectroscopy and Radiative Transfer, 1997, 57, 485-496.	1.1	43
30	Semiclassical calculations of half-widths and line shifts for transitions in the 30012â†00001 and 30013â†00001 bands of CO2, I: Collisions with N2. Journal of Quantitative Spectroscopy and Radiative Transfer, 2012, 113, 976-990.	1.1	43
31	On the temperature dependence of half-widths and line shifts for molecular transitions in the microwave and infrared regions. Journal of Quantitative Spectroscopy and Radiative Transfer, 2018, 217, 440-452.	1.1	43
32	Pressure-broadening and pressure-shifting of spectral lines of ozone. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 1998, 54, 35-63.	2.0	42
33	Line parameters including temperature dependences of air- and self-broadened line shapes of 12C16O2: $2.06-14$ m region. Journal of Molecular Spectroscopy, 2016, 326, 21-47.	0.4	42
34	Semiclassical calculations of half-widths and line shifts for transitions in the 30012â†00001 and 30013â†00001 bands of CO2 II: Collisions with O2 and air. Journal of Quantitative Spectroscopy and Radiative Transfer, 2012, 113, 991-1003.	1.1	41
35	Half-widths, their temperature dependence, and line shifts for the HDO–CO2 collision system for applications to CO2-rich planetary atmospheres. Icarus, 2011, 213, 720-730.	1.1	37
36	Temperature dependent pressure induced lineshape of O3 rotational transitions in air. Journal of Quantitative Spectroscopy and Radiative Transfer, 2004, 83, 63-81.	1.1	35

#	Article	IF	CITATIONS
37	Lineshape parameters for water vapor in the 3.2–17.76μm region for atmospheric applications. Journal of Molecular Spectroscopy, 2005, 229, 9-18.	0.4	35
38	Total internal partition sums for the HITRAN2020 database. Journal of Quantitative Spectroscopy and Radiative Transfer, 2021, 271, 107713.	1.1	35
39	Temperature dependence of N2-broadened halfwidths of ozone. Journal of Molecular Spectroscopy, 1985, 114, 31-41.	0.4	33
40	Theoretical N_2-broadened halfwidths of ^16O_3. Applied Optics, 1985, 24, 1651.	2.1	33
41	Self-broadening of water vapor transitions via the complex Robert–Bonamy theory. Journal of Quantitative Spectroscopy and Radiative Transfer, 2007, 105, 148-163.	1.1	33
42	A spectral line list for water isotopologues in the 1100â€"4100 cmâ^'1 region for application to CO2-rich planetary atmospheres. Journal of Molecular Spectroscopy, 2016, 326, 144-150.	0.4	33
43	N2-, O2- and air-broadened half-widths and line shifts for transitions in the $\hat{1}/23$ band of methane in the 2726- to 3200-cm $\hat{a}$ 1 spectral region. Journal of Molecular Spectroscopy, 2008, 251, 268-281.	0.4	28
44	Measurements and Calculations of the Halfwidth of Two Rotational Transitions of Water Vapor Perturbed by N2, O2, and Air. Journal of Molecular Spectroscopy, 1999, 193, 233-243.	0.4	25
45	The vibrational dependence of half-widths of CO2 transitions broadened by N2, O2, air, and CO2. Journal of Quantitative Spectroscopy and Radiative Transfer, 2013, 117, 93-103.	1.1	25
46	An intercomparison of measured pressure-broadening, pressure shifting parameters of carbon dioxide and their temperature dependence. Journal of Quantitative Spectroscopy and Radiative Transfer, 2014, 135, 30-43.	1.1	24
47	Analytical Evaluation of the Maxwell–Boltzmann Velocity Average in Pressure-Broadened Half-Width Calculations. Journal of Molecular Spectroscopy, 2001, 208, 79-86.	0.4	21
48	Half-widths of , and D216O: II. Comparison with measurement. Journal of Quantitative Spectroscopy and Radiative Transfer, 2003, 78, 305-318.	1.1	18
49	Recommended Ideal-Gas Thermochemical Functions for Heavy Water and its Substituent Isotopologues. Journal of Physical and Chemical Reference Data, 2017, 46, .	1.9	17
50	Line parameters for CO2- and self-broadening in the $\hat{l}\frac{1}{2}$ 3 band of HD16O. Journal of Quantitative Spectroscopy and Radiative Transfer, 2017, 203, 158-174.	1.1	17
51	Positions, intensities and line shape parameters for the $1\hat{a}\dagger 0$ bands of CO isotopologues. Journal of Quantitative Spectroscopy and Radiative Transfer, 2018, 218, 203-230.	1.1	14
52	Total internal partition sums for molecules of astrophysical interest. Journal of Quantitative Spectroscopy and Radiative Transfer, 2002, 74, 263-272.	1.1	13
53	Temperature dependent air-broadened linewidths of ozone rotational transitions. Journal of Molecular Spectroscopy, 2008, 251, 194-202.	0.4	13
54	Line parameters for CO2 broadening in the $\hat{l}/22$ band of HD16O. Journal of Quantitative Spectroscopy and Radiative Transfer, 2017, 187, 472-488.	1.1	13

#	Article	IF	CITATIONS
55	Line shape parameters for the H2O–H2 collision system for application to exoplanet and planetary atmospheres. Icarus, 2018, 306, 275-284.	1.1	13
56	Self-broadened half-widths and self-induced line shifts for water vapor transitions in the 3.2–17.76μm spectral region via complex Robert–Bonamy theory. Journal of Molecular Spectroscopy, 2007, 243, 113-123.	0.4	12
57	Line parameters for CO2- and self-broadening in the $\hat{l}/21$ band of HD16O. Journal of Quantitative Spectroscopy and Radiative Transfer, 2017, 203, 133-157.	1.1	11
58	Modified complex Robert-Bonamy calculations of line shape parameters and their temperature dependence for water vapor in collision with N2. Journal of Quantitative Spectroscopy and Radiative Transfer, 2019, 228, 79-89.	1.1	10
59	Vibrational dependence, temperature dependence, and prediction of line shape parameters for the H2O-N2 collision system. Journal of Quantitative Spectroscopy and Radiative Transfer, 2020, 253, 107030.	1.1	10
60	Calculated Half-Widths and Line Shifts of Water Vapor Transitions in the 0.7-11/4m Region and a Comparison with Published Data. Journal of Molecular Spectroscopy, 2001, 207, 254-262.	0.4	9
61	Line shape parameters of air-broadened water vapor transitions in the $\hat{l}/21$ and $\hat{l}/23$ spectral region. Journal of Molecular Spectroscopy, 2018, 348, 13-36.	0.4	9
62	Partition sums for non-local thermodynamic equilibrium conditions for nine molecules of importance in planetary atmospheres. Icarus, 2022, 378, 114947.	1.1	9
63	Energy transfer and inelastic collisions in ozone. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 1998, 54, 65-76.	2.0	8
64	Partition sums for non-local thermodynamic equilibrium applications. Journal of Quantitative Spectroscopy and Radiative Transfer, 2002, 74, 273-284.	1.1	8
65	Vibrational dependence, temperature dependence, and prediction of line shape parameters for the H2O-H2 collision system. Icarus, 2019, 326, 186-196.	1.1	8
66	Multispectrum analysis of air-broadened spectra in the $\hat{l}\frac{1}{2}$ 3 Q branch of 12CH4. Journal of Quantitative Spectroscopy and Radiative Transfer, 2018, 206, 409-429.	1.1	7
67	Diode laser spectroscopic measurements and theoretical calculations of line parameters of nitrogen-broadened water vapor overtone transitions in the 818–834nm wavelength region. Journal of Molecular Spectroscopy, 2007, 242, 10-16.	0.4	6
68	Reduced matrix elements for collisionally induced transitions of 12CH4. Journal of Quantitative Spectroscopy and Radiative Transfer, 2019, 235, 31-39.	1.1	3
69	The electronic structure of hydroxyl molecules trapped in small neon clusters. Journal of Chemical Physics, 1981, 74, 5197-5215.	1.2	2
70	New visions of spectroscopic databases: An introduction to the special issue. Journal of Molecular Spectroscopy, 2016, 326, 1-4.	0.4	2
71	On the Way to Complex Robert-Bonamy Calculations of Self-, Nitrogen, Oxygen, and Air-Broadened Line Shape Parameters of CO[sub 2]. , 2010, , .		0
72	Reduced matrix elements in semi-classical line shape calculations: Application to H2O-H2. Journal of Physics: Conference Series, 2019, 1289, 012023.	0.3	0

# ARTICLE IF CITATIONS

Half-Widths and Line Shifts of Water Vapor for Atmospheric Applications: Measurement and Theory.,

0