

Robert R Gamache

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/12062912/publications.pdf>

Version: 2024-02-01

73
papers

3,439
citations

109137

35
h-index

138251

58
g-index

73
all docs

73
docs citations

73
times ranked

1523
citing authors

#	ARTICLE	IF	CITATIONS
1	Partition sums for non-local thermodynamic equilibrium conditions for nine molecules of importance in planetary atmospheres. <i>Icarus</i> , 2022, 378, 114947.	1.1	9
2	Total internal partition sums for the HITRAN2020 database. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2021, 271, 107713.	1.1	35
3	Vibrational dependence, temperature dependence, and prediction of line shape parameters for the H ₂ O-N ₂ collision system. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2020, 253, 107030.	1.1	10
4	Reduced matrix elements in semi-classical line shape calculations: Application to H ₂ O-H ₂ . <i>Journal of Physics: Conference Series</i> , 2019, 1289, 012023.	0.3	0
5	Reduced matrix elements for collisionally induced transitions of 12CH ₄ . <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2019, 235, 31-39.	1.1	3
6	Vibrational dependence, temperature dependence, and prediction of line shape parameters for the H ₂ O-H ₂ collision system. <i>Icarus</i> , 2019, 326, 186-196.	1.1	8
7	Modified complex Robert-Bonamy calculations of line shape parameters and their temperature dependence for water vapor in collision with N ₂ . <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2019, 228, 79-89.	1.1	10
8	Line shape parameters of air-broadened water vapor transitions in the $\hat{1}\frac{1}{2}1$ and $\hat{1}\frac{1}{2}3$ spectral region. <i>Journal of Molecular Spectroscopy</i> , 2018, 348, 13-36.	0.4	9
9	Multispectrum analysis of air-broadened spectra in the $\hat{1}\frac{1}{2}3$ Q branch of 12CH ₄ . <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2018, 206, 409-429.	1.1	7
10	Line shape parameters for the H ₂ O-H ₂ collision system for application to exoplanet and planetary atmospheres. <i>Icarus</i> , 2018, 306, 275-284.	1.1	13
11	Positions, intensities and line shape parameters for the $1\hat{1}\frac{1}{2}0$ bands of CO isotopologues. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2018, 218, 203-230.	1.1	14
12	On the temperature dependence of half-widths and line shifts for molecular transitions in the microwave and infrared regions. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2018, 217, 440-452.	1.1	43
13	Line parameters for CO ₂ broadening in the $\hat{1}\frac{1}{2}2$ band of HD16O. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2017, 187, 472-488.	1.1	13
14	Line parameters for CO ₂ - and self-broadening in the $\hat{1}\frac{1}{2}1$ band of HD16O. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2017, 203, 133-157.	1.1	11
15	Total internal partition sums for 166 isotopologues of 51 molecules important in planetary atmospheres: Application to HITRAN2016 and beyond. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2017, 203, 70-87.	1.1	122
16	Recommended Ideal-Gas Thermochemical Functions for Heavy Water and its Substituent Isotopologues. <i>Journal of Physical and Chemical Reference Data</i> , 2017, 46, .	1.9	17
17	Line parameters for CO ₂ - and self-broadening in the $\hat{1}\frac{1}{2}3$ band of HD16O. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2017, 203, 158-174.	1.1	17
18	Line parameters including temperature dependences of self- and air-broadened line shapes of 12C16O ₂ : 1.6- $\hat{1}\frac{1}{4}$ m region. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2016, 177, 117-144.	1.1	52

#	ARTICLE	IF	CITATIONS
19	Line parameters including temperature dependences of air- and self-broadened line shapes of $^{12}\text{C}^{16}\text{O}_2$: 2.06-1.4 μm region. <i>Journal of Molecular Spectroscopy</i> , 2016, 326, 21-47.	0.4	42
20	New visions of spectroscopic databases: An introduction to the special issue. <i>Journal of Molecular Spectroscopy</i> , 2016, 326, 1-4.	0.4	2
21	A spectral line list for water isotopologues in the 1100-4100 cm^{-1} region for application to CO_2 -rich planetary atmospheres. <i>Journal of Molecular Spectroscopy</i> , 2016, 326, 144-150.	0.4	33
22	Recommended isolated-line profile for representing high-resolution spectroscopic transitions (IUPAC) Technical Report. <i>Journal of Molecular Spectroscopy</i> , 2016, 326, 1-4.	0.3	225
23	A database of water transitions from experiment and theory (IUPAC Technical Report). <i>Pure and Applied Chemistry</i> , 2014, 86, 71-83.	0.9	76
24	An intercomparison of measured pressure-broadening, pressure shifting parameters of carbon dioxide and their temperature dependence. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2014, 135, 30-43.	1.1	24
25	IUPAC critical evaluation of the rotational-vibrational spectra of water vapor. Part IV. Energy levels and transition wavenumbers for D_2^{16}O , D_2^{17}O , and D_2^{18}O . <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2014, 142, 93-108.	1.1	80
26	Reliable infrared line lists for 13 CO_2 isotopologues up to $\tilde{\nu} = 18,000 \text{ cm}^{-1}$ and 1500K, with line shape parameters. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2014, 147, 134-144.	1.1	72
27	The vibrational dependence of half-widths of CO_2 transitions broadened by N_2 , O_2 , air, and CO_2 . <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2013, 117, 93-103.	1.1	25
28	Predicting accurate line shape parameters for CO_2 transitions. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2013, 130, 158-171.	1.1	44
29	IUPAC critical evaluation of the rotational-vibrational spectra of water vapor, Part III: Energy levels and transition wavenumbers for H_2^{16}O . <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2013, 117, 29-58.	1.1	215
30	Semiclassical calculations of half-widths and line shifts for transitions in the $3001_2-10000_1$ and $3001_3-10000_1$ bands of CO_2 . I: Collisions with N_2 . <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2012, 113, 976-990.	1.1	43
31	Semiclassical calculations of half-widths and line shifts for transitions in the $3001_2-10000_1$ and $3001_3-10000_1$ bands of CO_2 II: Collisions with O_2 and air. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2012, 113, 991-1003.	1.1	41
32	Semiclassical calculations of half-widths and line shifts for transitions in the $3001_2-10000_1$ and $3001_3-10000_1$ bands of CO_2 . III: Self collisions. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2012, 113, 1536-1546.	1.1	45
33	Total internal partition sums to support planetary remote sensing. <i>Icarus</i> , 2011, 215, 391-400.	1.1	70
34	Half-widths, their temperature dependence, and line shifts for the $\text{HDO}-\text{CO}_2$ collision system for applications to CO_2 -rich planetary atmospheres. <i>Icarus</i> , 2011, 213, 720-730.	1.1	37
35	On the Way to Complex Robert-Bonamy Calculations of Self-, Nitrogen, Oxygen, and Air-Broadened Line Shape Parameters of CO_2 . , 2010, , .		0
36	IUPAC critical evaluation of the rotational-vibrational spectra of water vapor. Part II. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2010, 111, 2160-2184.	1.1	178

#	ARTICLE	IF	CITATIONS
37	N ₂ , O ₂ , and air-broadened half-widths, their temperature dependence, and line shifts for the rotation band of H ₂ 16O. <i>Journal of Molecular Spectroscopy</i> , 2009, 257, 116-127.	0.4	46
38	IUPAC critical evaluation of the rotational-vibrational spectra of water vapor. Part I—Energy levels and transition wavenumbers for H ₂ 17O and H ₂ 18O. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2009, 110, 573-596.	1.1	188
39	N ₂ , O ₂ - and air-broadened half-widths and line shifts for transitions in the $\hat{1}/2_3$ band of methane in the 2726- to 3200-cm ⁻¹ spectral region. <i>Journal of Molecular Spectroscopy</i> , 2008, 251, 268-281.	0.4	28
40	Temperature dependent air-broadened linewidths of ozone rotational transitions. <i>Journal of Molecular Spectroscopy</i> , 2008, 251, 194-202.	0.4	13
41	Air-Broadened Half-Widths of the 22- and 183-GHz Water-Vapor Lines. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2008, 46, 3601-3617.	2.7	71
42	Self-broadening of water vapor transitions via the complex Robert-Bonamy theory. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2007, 105, 148-163.	1.1	33
43	Current updates of the water-vapor line list in HITRAN: A new $\hat{\alpha}$ for air-broadened half-widths. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2007, 108, 389-402.	1.1	71
44	Diode laser spectroscopic measurements and theoretical calculations of line parameters of nitrogen-broadened water vapor overtone transitions in the 818-834nm wavelength region. <i>Journal of Molecular Spectroscopy</i> , 2007, 242, 10-16.	0.4	6
45	Self-broadened half-widths and self-induced line shifts for water vapor transitions in the 3.2-17.76 $\hat{1}/4$ m spectral region via complex Robert-Bonamy theory. <i>Journal of Molecular Spectroscopy</i> , 2007, 243, 113-123.	0.4	12
46	Einstein A-coefficients and statistical weights for molecular absorption transitions in the HITRAN database. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2006, 98, 130-155.	1.1	179
47	Half-Widths and Line Shifts of Water Vapor for Atmospheric Applications: Measurement and Theory. , 2006, , 203-220.		0
48	Lineshape parameters for water vapor in the 3.2-17.76 $\hat{1}/4$ m region for atmospheric applications. <i>Journal of Molecular Spectroscopy</i> , 2005, 229, 9-18.	0.4	35
49	Temperature dependent pressure induced lineshape of O ₃ rotational transitions in air. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2004, 83, 63-81.	1.1	35
50	Collisional parameters of H ₂ O lines: effects of vibration. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2004, 83, 119-147.	1.1	82
51	An intercomparison of measured pressure-broadening and pressure-shifting parameters of water vapor. <i>Canadian Journal of Chemistry</i> , 2004, 82, 1013-1027.	0.6	62
52	Half-widths of , , , and : I. Comparison between isotopomers. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2003, 78, 289-304.	1.1	49
53	Half-widths of , and D ₂ 16O: II. Comparison with measurement. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2003, 78, 305-318.	1.1	18
54	Total internal partition sums for molecules of astrophysical interest. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2002, 74, 263-272.	1.1	13

#	ARTICLE	IF	CITATIONS
55	Partition sums for non-local thermodynamic equilibrium applications. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2002, 74, 273-284.	1.1	8
56	Calculated Half-Widths and Line Shifts of Water Vapor Transitions in the 0.7-1.4 μm Region and a Comparison with Published Data. <i>Journal of Molecular Spectroscopy</i> , 2001, 207, 254-262.	0.4	9
57	Analytical Evaluation of the Maxwell-Boltzmann Velocity Average in Pressure-Broadened Half-Width Calculations. <i>Journal of Molecular Spectroscopy</i> , 2001, 208, 79-86.	0.4	21
58	Relaxation and Lineshape of the 500.4-GHz Line of Ozone Perturbed by N ₂ and O ₂ . <i>Journal of Molecular Spectroscopy</i> , 2000, 204, 204-215.	0.4	46
59	Measurements and Calculations of the Halfwidth of Two Rotational Transitions of Water Vapor Perturbed by N ₂ , O ₂ , and Air. <i>Journal of Molecular Spectroscopy</i> , 1999, 193, 233-243.	0.4	25
60	New developments in the theory of pressure-broadening and pressure-shifting of spectral lines of H ₂ O: The complex Robert-Bonamy formalism. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 1998, 59, 319-335.	1.1	96
61	Improved spectral parameters for the three most abundant isotopomers of the oxygen molecule. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 1998, 59, 495-509.	1.1	64
62	Pressure-broadening and pressure-shifting of spectral lines of ozone. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 1998, 54, 35-63.	2.0	42
63	Energy transfer and inelastic collisions in ozone. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 1998, 54, 65-76.	2.0	8
64	Halfwidths and line shifts of water vapor broadened by CO ₂ : measurements and complex Robert-Bonamy formalism calculations. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 1997, 57, 485-496.	1.1	43
65	Theoretical calculations of pressure broadening coefficients for H ₂ O perturbed by Hydrogen or helium gas. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 1996, 56, 471-487.	1.1	53
66	Extension of the HITRAN database to non-LTE applications. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 1992, 48, 519-525.	1.1	64
67	Total internal partition sums in the temperature range 70-3000 K: Atmospheric linear molecules. <i>Journal of Molecular Spectroscopy</i> , 1990, 142, 205-219.	0.4	141
68	Temperature dependence of N ₂ -broadened halfwidths of water vapor: The pure rotation and ¹ / ₂ bands. <i>Journal of Molecular Spectroscopy</i> , 1988, 128, 360-369.	0.4	51
69	Temperature dependence of N ₂ -broadened halfwidths of ozone. <i>Journal of Molecular Spectroscopy</i> , 1985, 114, 31-41.	0.4	33
70	Theoretical N ₂ -, O ₂ -, and air-broadened halfwidths of ¹⁶ O ₃ calculated by quantum Fourier transform theory with realistic collision dynamics. <i>Journal of Molecular Spectroscopy</i> , 1985, 109, 283-299.	0.4	43
71	Theoretical N ₂ -broadened halfwidths of ¹⁶ O ₃ . <i>Applied Optics</i> , 1985, 24, 1651.	2.1	33
72	Theoretical calculations of N ₂ -broadened halfwidths of H ₂ O using quantum Fourier transform theory. <i>Applied Optics</i> , 1983, 22, 4013.	2.1	71

#	ARTICLE	IF	CITATIONS
73	The electronic structure of hydroxyl molecules trapped in small neon clusters. Journal of Chemical Physics, 1981, 74, 5197-5215.	1.2	2